

**MEDIC BOOSTER DIP- iodine teat dip liquid**  
**Animal Medic Incorporated**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Medic Booster Dip**

**Sanitizing Teat Dip**

An aid in reducing the spread of organisms which may cause mastitis.

**ACTIVE INGREDIENT:**

Iodine ..... 0.50%

(Contains Aloe and other special emollients.)

**FOR COMMERCIAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

**PRECAUTIONARY STATEMENTS**

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

**FIRST AID**

**If in Eyes:** Immediately flush eyes with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

**If Swallowed:** Rinse mouth; then drink 1 or 2 glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

**For 24-hour emergency treatment or transportation information, call CHEMTREC  
1.800.424.9300.**

**▯ DIRECTIONS FOR USE**

**IMPORTANT:** Do not mix *Medic Booster Dip* with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is clean and bears the proper container label for *Medic Booster Dip*. ▯ If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product.

Do not reuse or return any unused product to the original container.

**Before Milking:** ▯ Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

**Pre-Milk Dipping:** Fill teat cup with *Medic Booster Dip*. Do not dilute. Before each cow is milked, dip each teat full-length into the teat cup containing *Medic Booster Dip*. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Immediately after each milking, use *Medic Booster Dip* ▯ at full strength. Dip each teat full-length into the teat cup containing *Medic Booster Dip*. Allow to air dry. Do not wipe. Always use fresh, full-strength ▯ *Medic Booster Dip* ▯. Do not turn cows out in freezing weather until ▯ *Medic*

Booster Dip<sup>®</sup> is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about ten days before calving.

Formula ingredients contain no Phosphorus nor NPEs

## Drug Facts

# ANIMAL MEDIC<sup>®</sup>

## Medic Booster<sup>®</sup> Dip

Sanitizing Teat Dip



An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

**ACTIVE INGREDIENT:**  
Iodine.....0.50%  
(Contains Aloe and other special emollients.)

**FOR COMMERCIAL USE ONLY  
KEEP OUT OF REACH OF CHILDREN**

**CAUTION**  
Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

**PRECAUTIONARY STATEMENTS**  
No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is recommended.

**FIRST AID**  
**If in Eyes:** Immediately flush eyes with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.  
**If Swallowed:** Rinse mouth; then drink 1 or 2 large glasses of water. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.  
For 24-hour emergency treatment or transportation information, call CHEMTREC 1.800.424.9300.

**DIRECTIONS FOR USE**  
**IMPORTANT:** Do not mix *Medic Booster Dip* with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for *Medic Booster Dip*. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.  
**Before Milking:** Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.  
**Pre-Milk Dipping:** Fill teat dip cup with *Medic Booster Dip*. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing *Medic Booster Dip*. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.  
**Post-Milk Dipping:** Immediately after each milking, use *Medic Booster Dip* at full-strength. Dip each teat full-length into the teat dip cup containing *Medic Booster Dip*. Allow to air dry. Do not wipe. Always use fresh, full-strength *Medic Booster Dip*. Do not turn cows out in freezing weather until *Medic Booster Dip* is completely dry.  
**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.



Formula ingredients contain no Phosphorus nor NPEs

Manufactured for:

**ANIMAL MEDIC INC**  
P.O. Box 575, Manchester, PA 17345-0575  
Phone: 1-800-767-5611

5 Gal/Item #61-086-09

15 Gal/Item #61-086-10

55 Gal/Item #61-086-11

Lot #

Expiration Date

rev. 01/17

## MEDIC BOOSTER DIP

iodine teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:12994-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5000 mg in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12994-001-01	3.78 L in 1 JUG		
2	NDC:12994-001-02	18.9 L in 1 DRUM		
3	NDC:12994-001-03	56.7 L in 1 DRUM		
4	NDC:12994-001-04	113.4 L in 1 DRUM		
5	NDC:12994-001-05	207.9 L in 1 DRUM		
6	NDC:12994-001-06	1039.5 L in 1 CONTAINER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/29/2004	

**Labeler** - Animal Medic Incorporated (052917119)

Revised: 1/2017

Animal Medic Incorporated