MINOXIDIL- minoxidil aerosol, foam P & L Development, LLC

Minoxidil Topical Solution for Men

Drug Facts

Active ingredient

Minoxidil 5% w/w (without propellant)

Purpose

Hair regrowth treatment for women

Use

to regrow hair on the top of the scalp (see pictures on side of this carton)

Warnings

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your degree of hair loss is different than that shown on the side of this carton because this product may not work for you
- · you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have

heart disease

When using this product

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

- it takes time to regrow hair. Results may occur at 3 months with once daily use For some women, you may need to use this product once a day for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- see enclosed leaflet for complete directions on how to use
- apply half a capful **once daily** directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperature above 120°F (49°C).

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane,lactic acid, polysorbate 60, propane, purified water, SD alcohol,40-Bstearyl alcohol

Questions?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal display panel

Compare to active ingredient in Women's Rogaine®

Women's

Hair Regrowth Treatment

Minoxidil Topical Aerosol, 5%

- Clinically proven to help regrow hair
- Reactivates hair follicles to stimulate regrowth
- Unscented


Once-a Day

Foam for women

60 g (2.110Z CAN

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Women's Rogaine®.

Package label



Women's Hair Regrowth Treatment

Exp. Date:

MINOXIDIL

minoxidil aerosol, foam

Droc	liict I	Intorm	STIAN
FIUU	IUCL	Inform	alivii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59726-116

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
	MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID (UNII: 33X04XA5AT)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPANE (UNII: T75W9911L6)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59726-116- 60	60 g in 1 CAN; Type 0: Not a Combination Product	05/05/2023	
2	NDC:59726-116- 65	2 in 1 PACKAGE	05/05/2023	
2		60 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA208092	05/05/2023		

Labeler - P & L Development, LLC (800014821)

Revised: 5/2023 P & L Development, LLC