

**PHYTO P ANTI-ITCH- pramoxine hydrochloride, phytosphingosine salicyloyl shampoo**  
**Butler Animal Health Supply, LLC dba Covetrus North America**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Phyto P Anti-itch Shampoo**

**Active Ingredients:** Pramoxine HCl 1%, phytosphingosine salicyloyl 0.05%.

**Inactive Ingredients:** water, sodium C14-16 olefin sulfonate, cocamidopropyl betaine, disodium cocoamphodiacetate, glycerin, sodium lactate, hydroxypropyl methylcellulose, tetrasodium EDTA, fragrance, hydrolyzed oat protein, carthamus tinctorius (safflower) seed oil, citric acid, sodium chloride, methylchloroisothiazolinone, methylisothiazolinone.

**Properties:** Phyto P anti-itch shampoo is formulated for the temporary relief of itching in dogs, cats, and horses. This low-lather formula contains pramoxine, a mild numbing agent, as well as colloidal oatmeal and essential fatty acids to soothe irritated skin. It also contains phytosphingosine, a pro-ceramide to help moisturize and support a healthy skin barrier.

**Indications:** For the temporary relief of itching and skin irritations.

**Directions for use:** Use 2-3 times per week until symptoms subside or as directed by your veterinarian. Wet the animal with cool water from the neck down and apply shampoo first on the areas with skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water. Follow bath with Phyto P anti-itch crème rinse. For a rinse-free solution between baths, ask your veterinarian about Phyto P spray or mousse.

**Cautions:** For external use on dogs, cats, and horses only. Avoid contact with eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

**Storage:** Store at room temperature. Do not freeze.

**Questions?** (855) 724-3461

Distributed by:  
Covetrus North America  
400 Metro Place North  
Dublin, OH 43017  
**covetrus.com**

**PRINCIPAL DISPLAY PANEL - 8 fl oz (237 mL)**

covetrus

NDC: 11695-7224-8

**Phyto P**

Pramoxine HCl 1%,  
phytosphingosine salicyloyl 0.05%

**Anti-Itch Shampoo**

Soothing shampoo for dogs, cats and horses

For animal use only

**Keep out of reach of children**

**Net contents: 8 fl oz (237 mL)**



NDC: 11695-7224-8

## Phyto P

Pramoxine HCl 1%,  
phytosphingosine salicyloyl 0.05%

**Anti-itch Shampoo**

Soothing shampoo for  
dogs, cats, and horses

For animal use only  
**Keep out of reach of children**

**Net contents: 8 fl oz (237 mL)**

**Active ingredients:** Pramoxine HCl 1%, phytosphingosine salicyloyl 0.05%.

**Inactive ingredients:** Water, sodium C14-16 olefin sulfonate, cocamidopropyl betaine, disodium cocoamphodiacetate, glycerin, sodium lactate, hydroxypropyl methylcellulose, tetrasodium EDTA, fragrance, hydrolyzed oat protein, carthamus tinctorius (safflower) seed oil, citric acid, sodium chloride, methylchlorisothiazolinone, methylisothiazolinone.

**Properties:** Phyto P anti-itch shampoo is formulated for the temporary relief of itching in dogs, cats, and horses. This low-lather formula contains pramoxine, a mild numbing agent, as well as colloidal oatmeal and essential fatty acids to soothe irritated skin. It also contains phytosphingosine, a pro-ceramide to help moisturize and support a healthy skin barrier.

**Indications:** For the temporary relief of itching and skin irritations.

**Directions for use:** Use 2-3 times per week until symptoms subside or as directed by your veterinarian. Wet the animal with cool water from the neck down and apply shampoo first on the areas with skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water. Follow bath with Phyto P anti-itch crème rinse. For a rinse-free solution between baths, ask your veterinarian about Phyto P spray or mousse.

**Cautions:** For external use on dogs, cats, and horses only. Avoid contact with eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

**Storage:** Store at room temperature. Do not freeze.

**Reorder #038190**

**Questions?** (855) 724-3461

AH-038190-02

REV: 0819

Distributed by:  
Covetrus North America  
400 Metro Place North  
Dublin, OH 43017  
[covetrus.com](http://covetrus.com)



F41710D-US 18-01-v2

### PRINCIPAL DISPLAY PANEL - 16 fl oz (473 mL)

covetrus

NDC: 11695-7224-6

## Phyto P

Pramoxine HCl 1%,  
phytosphingosine salicyloyl 0.05%

### Anti-Itch Shampoo

Soothing shampoo for dogs, cats and horses

For animal use only

**Keep out of reach of children**

**Net contents: 16 fl oz (473 mL)**

NDC: 11695-7224-6

# Phyto P

Pramoxine HCl 1%,  
phytosphingosine salicyloyl 0.05%

Anti-itch Shampoo

Soothing shampoo for  
dogs, cats, and horses

For animal use only  
**Keep out of reach of children**

Net contents: 16 fl oz (473 mL)

**Active ingredients:** Pramoxine HCl 1%, phytosphingosine salicyloyl 0.05%.

**Inactive ingredients:** Water, sodium C14-16 olefin sulfonate, cocamidopropyl betaine, disodium cocoamphodiacetate, glycerin, sodium lactate, hydroxypropyl methylcellulose, tetrasodium EDTA, fragrance, hydrolyzed oat protein, carthamus tinctorius (safflower) seed oil, citric acid, sodium chloride, methylchloroisothiazolinone, methylisothiazolinone.

**Properties:** Phyto P anti-itch shampoo is formulated for the temporary relief of itching in dogs, cats, and horses. This low-lather formula contains pramoxine, a mild numbing agent, as well as colloidal oatmeal and essential fatty acids to soothe irritated skin. It also contains phytosphingosine, a pro-ceramide to help moisturize and support a healthy skin barrier.

**Indications:** For the temporary relief of itching and skin irritations.

**Directions for use:** Use 2-3 times per week until symptoms subside or as directed by your veterinarian. Wet the animal with cool water from the neck down and apply shampoo first on the areas with skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water. Follow bath with Phyto P anti-itch crème rinse. For a rinse-free solution between baths, ask your veterinarian about Phyto P spray or mousse.

**Cautions:** For external use on dogs, cats, and horses only. Avoid contact with eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

**Storage:** Store at room temperature. Do not freeze.

Reorder #038191

Questions? (855) 724-3461

AH-038191-02

REV: 0819

Distributed by:  
Covetrus North America  
400 Metro Place North  
Dublin, OH 43017  
[covetrus.com](http://covetrus.com)



F41730D-US 18-P1-v2

## PRINCIPAL DISPLAY PANEL - 1 gallon (3.875 L)

covetrus

NDC: 11695-7224-1

### Phyto P

Pramoxine HCl 1%,  
phytosphingosine salicyloyl 0.05%

### Anti-Itch Shampoo

Soothing shampoo for dogs, cats and horses

For animal use only

**Keep out of reach of children**

**Net contents: 1 gallon (3.785 L)**

NDC: 11695-7224-1

# Phyto P

Pramoxine HCl 1%,  
phytosphingosine salicyloyl 0.05%

Anti-itch Shampoo

Soothing shampoo  
for dogs, cats, and horses

For animal use only  
**Keep out of reach of children**

Net contents: 1 gallon (3.785 L)

**Active ingredients:** Pramoxine HCl 1%, phytosphingosine salicyloyl 0.05%.

**Inactive ingredients:** Water, sodium C14-16 olefin sulfonate, cocamidopropyl betaine, disodium cocoamphodiacetate, glycerin, sodium lactate, hydroxypropyl methylcellulose, tetrasodium EDTA, fragrance, hydrolyzed oat protein, carthamus tinctorius (safflower) seed oil, citric acid, sodium chloride, methylchloroisothiazolinone, methylisothiazolinone.

**Properties:** Phyto P anti-itch shampoo is formulated for the temporary relief of itching in dogs, cats, and horses. This low-lather formula contains pramoxine, a mild numbing agent, as well as colloidal oatmeal and essential fatty acids to soothe irritated skin. It also contains phytosphingosine, a pro-ceramide to help moisturize and support a healthy skin barrier.

**Indications:** For the temporary relief of itching and skin irritations.

**Directions for use:** Use 2-3 times per week until symptoms subside or as directed by your veterinarian. Wet the animal with cool water from the neck down and apply shampoo first on the areas with skin abnormalities. Starting with a quarter-size amount of product, massage into the fur to reach the skin. Repeat until the entire body is lightly coated with shampoo. Leave shampoo on for 10 minutes before rinsing with cool water. Follow bath with Phyto P anti-itch crème rinse. For a rinse-free solution between baths, ask your veterinarian about Phyto P spray or mousse.

**Cautions:** For external use on dogs, cats, and horses only. Avoid contact with eyes. If eye contact occurs, rinse thoroughly and consult your veterinarian. If skin irritation occurs or increases, discontinue use and consult with your veterinarian. Wash hands after use.

**Storage:** Store at room temperature. Do not freeze.

**Reorder #039615**

**Questions?** (855) 724-3461

AH-039615-02

REV: 0819

Distributed by:  
Covetrus North America  
400 Metro Place North  
Dublin, OH 43017  
[covetrus.com](http://covetrus.com)



F41720D-US 18-Q1-v2

## PHYTO P ANTI-ITCH

pramoxine hydrochloride, phytosphingosine salicyloyl shampoo

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:11695-7224
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL
SALICYLOYL PHYTOSPHINGOSINE (UNII: U891J4JCNH) (PHYTOSPHINGOSINE - UNII:GIN46U9Q2Q)	SALICYLOYL PHYTOSPHINGOSINE	0.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
DISODIUM COCOAMPHODIACETATE (UNII: 18L9G3U51M)	
GLYCERIN (UNII: PDC6A3C0OX)	

<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>METHYLCHLOROISOTHIAZOLINONE</b> (UNII: DEL7T5QRPN)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11695-7224-8	237 mL in 1 BOTTLE, PLASTIC		
2	NDC:11695-7224-6	473 mL in 1 BOTTLE, PLASTIC		
3	NDC:11695-7224-1	3785 mL in 1 JUG		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2020	

**Labeler** - Butler Animal Health Supply, LLC dba Covetrus North America (603750329)

**Registrant** - Ceva Sante Animale (261126049)

Revised: 12/2019

Butler Animal Health Supply, LLC dba Covetrus North America