

WALGREEN ITCH RELIEF GEL- diphenhydramine hydrochloride gel

Walgreens

Walgreens[®] ITCH RELIEF GEL

Drug Facts

Active ingredient

Diphenhydramine HCl 2%

Purpose

Topical Analgesic

Use

- temporarily relieves pain and itching associated with:
 - insect bites
 - minor burns
 - sunburn
 - minor cuts
 - scrapes
 - minor skin irritations
 - rashes due to poison ivy, poison oak, and poison sumac

Warnings

For external use only.

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product avoid contact with eyes

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

Store at Room Temperature

Inactive ingredients

SD alcohol 38-B, camphor, citric acid, diazolidinyl urea, glycerin, hydroxypropyl methylcellulose, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate

PRINCIPAL DISPLAY PANEL - 103.5 mL Tube Label

No-Print Area



Compare to the active ingredient in Benadryl® Extra Strength Topical Analgesic Itch Stopping Gel*



Itch Relief Gel

DIPHENHYDRAMINE HCl 2% / TOPICAL ANALGESIC

Extra Strength

- Cooling itch relief associated with sunburn, minor cuts & scrapes, insect bites & poison ivy, oak & sumac

3.5 FL OZ (103.5 mL)

Drug Facts

Active Ingredient	Purpose
Diphenhydramine HCl 2%	Topical analgesic

Use

- temporarily relieves pain and itching associated with:
 - insect bites
 - minor burns
 - sunburn
 - minor cuts
 - scrapes
 - minor skin irritations
 - rashes due to poison ivy, poison oak, and poison sumac

Warnings

For external use only.

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product avoid contact with eyes

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. 1-800-222-1222

Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information Store at Room Temperature

Inactive ingredients camphor, diazolidinyl urea, glycerin, hydroxypropyl methylcellulose, methylparaben, propylene glycol, propylparaben, purified water, SD alcohol 40-B, sodium citrate

Questions? 1-800-925-4733

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Benadryl®.

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com ©2021 Walgreen Co.






ITEM 401532 W00000-0000-0 11017119591 6

WALGREEN ITCH RELIEF GEL

diphenhydramine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0354
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0354-04	103.5 mL in 1 TUBE; Type 0: Not a Combination Product	02/06/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/06/2000	

Labeler - Walgreens (008965063)

Registrant - Unipack LLC (116015769)

Establishment

Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(0363-0354)

Revised: 2/2024

Walgreens