

SOLEP PREMIER HI GRO- panthenol, zinc pyrithione, salicylic acid shampoo
Kobizstar Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

ACTIVE INGREDIENT(S)

Panthenol 0.50%
Zinc Pyrithione 0.30%
Salicylic Acid 0.20%

INACTIVE INGREDIENTS

Water, Potassium Cocoyl Glycinate, Lauryl Glucoside, Lauramidopropyl Betaine, Cocamide MIPA, Tetrasodium EDTA, 1,2-Hexanediol, Illicium Verum (Anise) Fruit Extract, Scutellaria Baicalensis Root Extract, Butylene Glycol, Pantolactone, Polyquaternium-10, Menthol, Citric Acid, Coptis Japonica Root Extract, Rhizophora Mangle Callus Culture Extract, Eucalyptus Globulus Leaf Oil, Rosmarinus Officinalis (Rosemary) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, 1,2-Hexanediol, Ethylhexylglycerin, Aloe Barbadensis Leaf Extract, Opuntia Coccinellifera Fruit Extract, Schisandra Chinensis Fruit Extract, Aronia Arbutifolia Extract, Cordyceps Sinensis Extract, Sparassis Crispa Extract, Dioscorea Japonica Root Extract, Albumen Extract, Hydrolyzed Ginseng Saponins, Saponaria Officinalis Leaf Extract, Hydrolyzed Silk, Hydrolyzed Elastin, Hydrolyzed Keratin, Limonene, Linalool

PURPOSE

Anti-hairloss

WARNINGS

1. Consult with a specialist if there are any abnormal symptoms or side effects such as red spots, swelling or itching when using or after use in direct sunlight. 2. Avoid using on wounded areas. 3. Precautions for storage and handling A) Keep out of reach of children. B) Store away from direct sunlight. 4. In case of eye contact, wash it off immediately. 5. It may cause hair loss or discoloration if not washed off with water after use.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Use(s)

■ Helps relieve hair loss.

Directions

Use 1 time per day as following.

- 1) Wet hair and scalp with lukewarm water
- 2) Apply adequate amount and work lather on hair and scalp.
- 3) Rinse thoroughly after 2-3 minutes.

Other Information

■ If any defect in this product, you are compensated in accordance with “Consumer Dispute Resolution Criteria” notified by Fair Trade Commission.

Questions

■ www.solepkorea.com/ kbeauty@kobizstar.com

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



SOLEP PREMIER HI GRO
 panthenol, zinc pyrithione, salicylic acid shampoo

SOLEP PREMIER HI-GRO SHAMPOO

Drug Facts

Active Ingredient(s)	Purpose
Panthenol 0.50%	Anti-hairloss
Zinc Pyrithione 0.30%	Anti-hairloss
Salicylic Acid 0.20%	Anti-hairloss

Use(s)

- Helps relieve hair loss.

Warnings

1. Consult with a specialist if there are any abnormal symptoms or side effects such as red spots, swelling or itching when using or after use in direct sunlight. 2. Avoid using on wounded areas. 3. Precautions for storage and handling A) Keep out of reach of children. B) Store away from direct sunlight. 4. In case of eye contact, wash it off immediately. 5. It may cause hair loss or discoloration if not washed off with water after use.

Directions

Use 1 time per day as following.
 1) Wet hair and scalp with lukewarm water
 2) Apply adequate amount and work lather on hair and scalp.
 3) Rinse thoroughly after 2-3 minutes.

Other Information

■ If any defect in this product, you are compensated in accordance with “Consumer Dispute Resolution Criteria” notified by Fair Trade Commission.

Questions

■ www.solepkorea.com/ kbeauty@kobizstar.com

Inactive ingredients

Water, Potassium Cocoyl Glycinate, Lauryl Glucoside, Lauramidopropyl Betaine, Cocamide MIPA, Tetrasodium EDTA, 1,2-Hexanediol, Illicium Verum (Anise) Fruit Extract, Scutellaria Baicalensis Root Extract, Butylene Glycol, Panthotone, Polyquaternium-10, Menthol, Citric Acid, Coptis Japonica Root Extract, Rhizophora Mangle Callus Culture Extract, Eucalyptus Globulus Leaf Oil, Rosmarinus Officinalis (Rosemary) Leaf Oil, Lasaridula Angustifolia (Laven der) Oil, 1,2-Hexanediol, Ethylhexylglycerin, Aloe Barbadensis Leaf Extract, Opuntia Coccinifera Fruit Extract, Schizandra Chinensis Fruit Extract, Aronia Arbutifolia Extract, Cordyceps Sinensis Extract, Sparassis Crispa Extract, Dioscorea Japonica Root Extract, Albumen Extract, Hydrolyzed Ginseng Saponins, Sapona Officialis Leaf Extract, Hydrolyzed Silk, Hydrolyzed Elastin, Hydrolyzed Keratin, Limonene, Linalool

Distributor: Kobizstar Co., Ltd.
 Kobizstar building, 16-18, Yanghwa-ro 8-gil, Ma-po-gu, Seoul, Republic of Korea (04044)
 Manufacturer: Ester Co., Ltd.
 Rm 25B-1L Namdong Industrial Complex 254 Namdong-gu, Incheon, S. Korea

Dear My Solepmate,
The beginning and the end of the day, during the journey of a worthy life,
gradly seep into your everyday and give you a premium life.
Sincerely,
From, Solep

프리미어 하이그로 샴푸

탈모예방 기능성샴푸
 탈모예방 및 탈모를 위한 약효성분이 함유

【활용효과】 탈모 증상 완화에 도움을 줍니다.

【주요성분】 프리미어 하이그로 샴푸 [주요성분] 항탈모, 탈모 예방을 위한 사티미디, 카우틸루부티라이드, 카우티도프로필베타인, 코카미드MIPA, 테트라소듐에디타에이, 1,2-헥산디올, 소라이니스우추물, 황금우추물, 부활향우추물, 코세이데, 안제이데, 실코트리치, 폴리부티놀-10, 멘톨, 시트랄레시드, 상리삼치마시드, 황연부리우추물, 에드헥그브헥라스테알우추물, 유칼립투스정오일, 로즈마리우추물, 아비안오일, 이황화합물, 알로에베라우추물, 코지닐산안지향우추물, 코지닐우추물, 에드프로코베라우추물, 동종아우추물, 꽃송이피우추물, 라우리우추물, 알부민우추물, 하이드롤라이즈드엘라스틴, 비우추물, 하이드롤라이즈드실크, 하이드롤라이즈드케라틴, 하이드롤라이즈드코세일, 리모넨, 리날롤

【사용방법】 1. 일 (대략) 1회 사용한다. 2. 찬수나 미온한 물로 충분히 적시준다. 3. 거품이 충분히 일어났을 때 두피를 손가락 끝으로 가볍게 문질러 준다. 4. 2-3분 후 미온수로 헹구어낸다.

【사용상의 주의사항】 1. 약품의 사용 시 모든 사용 후 적시량에 의하여 사용부위가 붉은 반점, 부어오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우 전문의 등과 상담할 것. 2. 상처가 있는 부위 등에는 사용을 자제할 것. 3. 보관 후 취급시 주의사항 기타 약간의 손이 닿지 않는 곳에 보관할 것. 4. 직사광선을 피해서 보관할 것. 5. 눈에 들어감을 피하는 즉시 씻어낼 것. 6. 사용 후 물로 씻어내지 않으면 탈모 또는 탈색의 원인이 될 수 있으므로 주의할 것.

【화장품제조업자】 (주)에스테르
 인천광역시 남동구 남동서로 25(신원동, 25동빌딩 10호)
 【화장품제조업자(판매처)] (주)코비스타
 서울특별시 마포구 양화로 8(16-18 4층)
 【소비자 상담실] 1899-4078
 【제조업체 및 사용처명] 엘도포기
 【용량] 300ml

본 상품에 이상이 있을 경우 공장 가짜위험하고서
 *소비자 분쟁 해결 기준*에 의하여 보상해 드립니다.



MADE IN KOREA

10.14 fl. oz. (300ml)

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81077-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Panthenol (UNII: WV9CM0O67Z) (PANTHENOL - UNII:WV9CM0O67Z)	Panthenol	1.50 g in 300 mL
PYRITHIONE ZINC (UNII: R953O2RHZ5) (PYRITHIONE ZINC - UNII:R953O2RHZ5)	PYRITHIONE ZINC	0.90 g in 300 mL
Salicylic Acid (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	Salicylic Acid	0.60 g in 300 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Potassium Cocoyl Glycinate (UNII: WZ70FUF22U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81077-010-02	1 in 1 CARTON	11/01/2020	
1	NDC:81077-010-01	300 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/01/2020	

Labeler - Kobizstar Co., Ltd. (688506017)**Registrant** - Kobizstar Co., Ltd. (688506017)**Establishment**

Name	Address	ID/FEI	Business Operations
Ester Co., Ltd.		688425766	manufacture(81077-010)

Revised: 11/2020

Kobizstar Co., Ltd.