MINTOX MAXIMUM STRENGTH- aluminum hydroxide, magnesium hydroxide, dimethicone suspension NuCare Pharmaceuticals, Inc.

-----

## Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 400 mg (equivalent to dried gel, USP)
Magnesium hydroxide 400 mg
Simethicone 40mg

## **Purposes**

Antacid

Antigas

#### Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

### **Warnings**

# Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

### **Directions**

- shake well before use
- do not take more than 8 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks

- adults and children 12 years and older: take 2 to 4 teaspoonfuls two times a day, or as directed by a doctor
- children under 12 years: ask a doctor

### Other information

- each 5 mL teaspoonful contains: magnesium 165 mg, sodium 1 mg
- store at room temperature
- · protect from freezing
- keep tightly closed
- TAMPER-EVIDENT: Do not use if breakaway band on bottle cap is missing or broken.

### **Inactive ingredients**

benzyl alcohol, butylparaben, caramel color, carboxymethylcellulose sodium, D and C yellow no.10, flavor, glycerin, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

## package Label



# MINTOX MAXIMUM STRENGTH

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-4114(NDC:0904-5725)	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 5 mL		
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL		
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	40 mg in 5 mL		

Inactive Ingredients			
Ingredient Name	Strength		
BENZYL ALCOHOL (UNII: LKG8494WBH)			
BUTYLPARABEN (UNII: 3QPI1U3FV8)			
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
PROPYLPARABEN (UNII: Z8IX2SC10H)			
WATER (UNII: 059QF0KO0R)			
SORBITOL (UNII: 506T60A25R)			
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
GLYCERIN (UNII: PDC6A3C0OX)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	LEMON (lemon)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071- 4114-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/09/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	02/01/2011	

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
NuCare Pharmaceuticals, Inc.		010632300	relabel(68071-4114)	

Revised: 6/2024 NuCare Pharmaceuticals,Inc.