

**PERRICONE ACNE RELIEF CALMING AND SOOTHING CLAY MASK- salicylic acid lotion**

**Bentley Laboratories, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Perricone MD Acne Relief Calming and Soothing Clay Mask**

**Drug Facts**

**Active Ingredient**

Salicylic Acid (2.0%)

**Purpose**

Acne Treatment

**Use** ■ For the treatment of acne.

**Warnings**

**For external use only.**

**Keep out of eyes.** If product enters the eyes, wash out thoroughly with warm water.

**When Using This Product** ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean the skin thoroughly before applying this product. ■ cover the entire affected area with a thin layer morning & evening. No rinsing is needed. Wait until dry before applying treatment or moisturizer. ■ because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. ■ if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Inactive ingredients** Water/Aqua/Eau, Glycerin, PEG-40 Hydrogenated Castor Oil, Bentonite, Coco-Caprylate, Magnesium Aluminum

Silicate, Titanium Dioxide, Butylene Glycol, Methyl Gluceth-20 Benzoate, Glyceryl Stearate, Lactobacillus Ferment, Sodium Metabisulfite, Tocopherol, Sodium Hydroxide, 1,2-Hexanediol, Caprylyl Glycol, Polyacrylamide, Epilobium Angustifolium Flower/Leaf/Stem Extract, C13-14 Isoparaffin, Succinic Acid, Xanthan Gum, Lactic Acid, Allantoin, Laureth-7, Disodium EDTA, Phenoxyethanol

**Questions?** 1-888-823-7837

## **Product Label**

**Perricone MD**

**ACNE RELIEF**

**Calming &  
Soothing  
Clay Mask**

*Salicylic Acid Acne Treatment*

Lactobacillus Ferment,  
Willowherb, Bentonite Clay

e **59 mL / 2 US fl. oz.**

Dist. By: NV Perricone LLC. Shepherdsville, KY 40165. Made in USA of foreign and domestic components. Perricone MD, a THG brand THG Beauty Limited Voyager House, M90 3DQ, UK 73 Rue Saint-Anne, 75002, Paris, FR. 651362 1 888 823 7837

**perriconemd.com**

**59 mL Carton**



ACNE RELIEF  
**Calming & Soothing  
Clay Mask**

Instantly detoxifies, soothes & hydrates blemish-prone skin.

**Perricone MD**

ACNE RELIEF  
**Calming & Soothing  
Clay Mask**

*Salicylic Acid Acne Treatment*

Lactobacillus Ferment,  
Willowherb, Bentonite Clay

1.59 mL / 2 US fl. oz.

KEY INGREDIENTS

**Lactobacillus Ferment:** Microbiome Balancer & patented ferment created from plant-derived lactobacillus plantarum that promotes clear, calm & soothed complexion by selectively targeting acne-causing bacteria. It helps support skin's natural microbiome to maintain a healthy skin balance.

**Willowherb:** Potent Skin Soother & non-steroidal, anti-irritant plant extract that helps rapidly soothe acne flare-ups by targeting acne-causing bacteria. Sourced from the northern Canadian Prairies, willowherb is rich in antioxidants & helps reduce skin redness.

**Bentonite Clay:** Pure-Minimizing Skin Purifier & mineral-rich clay made of weathered volcanic ash that helps tighten pores, detoxify & smooth oily, blemish-prone skin by gently drawing out dirt, oil & impurities & sloughing away dead cells. An ancient natural remedy known to detoxify, this pharmaceutical grade clay is specially processed to meet strict standards for purity.

Dist. by NY Perricone LLC, Shepherdsville, KY 40365. Made in USA of foreign and domestic components. Perricone MD, THE brand TAG Beauty, InVivo Cosmetics, INC. D.O. LLC 31 Rue Saint-James, 75002, Paris, FR. © 2022  
1 800 221 7827  
perricone.md.com



**Drug Facts**

Active ingredient Purpose  
Salicylic Acid (2.0%) Acne Treatment

Use • For the treatment of acne.

Warnings  
For external use only.  
Keep out of eyes. If product enters the eyes, wash out thoroughly with warm water.

When Using This Product • Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • Clean the skin thoroughly before applying this product. • Cover the entire affected area with a thin layer morning & evening. No rinsing is needed. Wait until dry before applying treatment or moisturizer.  
• Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.  
• If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Inactive ingredients: Water, Glycerin, PEG-40 Hydrogenated Castor Oil, Bentonite, Coco-Caprylate, Magnesium Aluminum Silicate, Titanium Dioxide, Butylene Glycol, Methyl Gluceth-20, Benzoin, Glyceryl Stearate, Lactobacillus Ferment, Sodium Metabisulfite, Tocopherol, Sodium Hydroxide, 1,2-Hexanediol, Caprylyl Glycol, Polyacrylamide, Epilobium Angustifolium Flower Leaf Stem Extract, C15-17 Isoparaffin, Succinic Acid, Xanthan Gum, Lactic Acid, Maltitol, Laureth-7, Disodium EDTA, Phenoxyethanol.

Questions? 1 888-828-7837

Perricone MD ACNE RELIEF Prebiotic Acne Therapy is a simple, comprehensive system that works with your surface skin's natural microbiome to safely, gently & effectively treat & prevent the most troublesome acne, while restoring & maintaining a healthy skin balance, for clearer, blemish-free skin.

The Calming & Soothing Clay Mask can be used several times a week to gently boost your existing acne-fighting regimen, or as an overnight spot treatment to nourish skin & calm acne flare-ups. Maximum-strength salicylic acid, bentonite clay & lactobacillus ferment gently exfoliate, unclog pores, remove impurities, absorb excess oil & attack acne-causing bacteria. Combined with willowherb extract to rapidly soothe & reduce skin redness, this clarifying mask leaves skin visibly healthy & hydrated with a radiant-looking glow.

APPLICATION

Apply a liberal amount onto clean, dry skin. Massage until the formula is evenly distributed over the face & neck & begins to dry. Leave on for 10-15 minutes. Rinse with warm water.



UPC: 65147 3712909

Perricone MD



ACNE RELIEF

Calming &  
Soothing  
Clay Mask

*Salicylic Acid Acne Treatment*

59 mL / 2 US fl. oz.

ACTIVE INGREDIENT: Salicylic Acid 2.0%.

APPLICATION: Apply a liberal amount onto clean, dry skin. Massage until the formula is evenly distributed over the face & neck & begins to dry. Leave on for 10-15 minutes. Rinse with warm water.

USE: For the treatment of acne. For external use only.

WARNINGS: **Keep out of eyes. Rinse with water to remove. Keep out of reach of children.**

Dist. By: NV Perricone LLC, Shepherdsville, KY 40165. Made in USA of foreign and domestic components. Perricone MD, a THG brand The Hut.com Limited, Voyager House, M90 3DQ, UK 73 Rue Saint-Anne, 75002, Paris, FR150764

perriconemd.com  
1 866 623 7637



**10 mL Packet**

Perricone MD



**ACNE RELIEF**  
**Calming & Soothing Clay Mask**

*Salicylic Acid Acne Treatment*

e 10 mL / 0.3 US fl. oz.

**Drug Facts**

**Active ingredient** **Purpose**  
Salicylic Acid (2.0%).....Acne Treatment

**Use** ■ For the treatment of acne.

**Warnings** For external use only. When using this product ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ Clean the skin thoroughly before applying this product ■ Cover the entire affected area with a thin layer two to three times weekly. Leave on for 10-15 minutes. Rinse with warm water. ■ Because excessive drying of the skin may occur, start with one application weekly, then gradually increase to two or three times weekly if needed or as directed by a doctor. ■ If bothersome dryness or peeling occurs, reduce application frequency.

**Inactive ingredients** Water/Aqua/Eau, Glycerin, PEG-40 Hydrogenated Castor Oil, Bentonite, Coco-Caprylate, Magnesium Aluminum Silicate, Titanium Dioxide, Butylene Glycol, Methyl Gluceth-20 Benzoate, Glyceryl Stearate, Lactobacillus Ferment, Sodium Metabisulfite, Tocopherol, Sodium Hydroxide, 1,2-Hexanediol, Caprylyl Glycol, Polyacrylamide, Epilobium Angustifolium Flower/Leaf/Stem Extract, C13-14 Isoparaffin, Succinic Acid, Xanthan Gum, Lactic Acid, Allantoin, Laureth-7, Disodium EDTA, Phenoxyethanol

**Questions?** 1-888-823-7837

Dist. By: NV Perricone LLC, Shepherdsville, KY 40165. Made in USA of foreign and domestic components. Perricone MD, The Hut.com Ltd, Voyager House, M90 3DQ, UK 73 Rue Saint-Anne, 75002, Paris, FR. 150766

perriconemd.com  
1 888 823 7837



res

**PERRICONE ACNE RELIEF CALMING AND SOOTHING CLAY MASK**

salicylic acid lotion

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:54111-156 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

| Active Ingredient/Active Moiety                                      |  |  |                      |                    |
|--|--|--|----------------------|--------------------|
| Ingredient Name  |  | Basis of Strength                                    | Strength             |                    |
| SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) |  | SALICYLIC ACID                                       | 2.0 g in 100 mL      |                    |
| Inactive Ingredients   |  |  |                      |                    |
| Ingredient Name  |  |  | Strength             |                    |
| WATER (UNII: 059QF0KO0R)   |  |  |                      |                    |
| GLYCERIN (UNII: PDC6A3C0OX)  |  |  |                      |                    |
| POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)               |  |  |                      |                    |
| BENTONITE (UNII: A3N5ZCN45C)   |  |  |                      |                    |
| COCO-CAPRYLATE (UNII: 4828G836N6)                                    |  |  |                      |                    |
| MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)                       |  |  |                      |                    |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                                  |  |  |                      |                    |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA)                                   |  |  |                      |                    |
| METHYL GLUCETH-20 (UNII: J3QD0LD11P)                                 |  |  |                      |                    |
| BENZOIC ACID (UNII: 8SKN0B0MIM)                                      |  |  |                      |                    |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)                             |  |  |                      |                    |
| LACTOBACILLUS FERMENTUM (UNII: 2C1F12C6AP)                           |  |  |                      |                    |
| SODIUM METABISULFITE (UNII: 4VON5FNS3C)                              |  |  |                      |                    |
| TOCOPHEROL (UNII: ROZB2556P8)  |  |  |                      |                    |
| SODIUM HYDROXIDE (UNII: 55X04QC32I)                                  |  |  |                      |                    |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G)                                    |  |  |                      |                    |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U)                                   |  |  |                      |                    |
| POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)                         |  |  |                      |                    |
| EPILOBIUM ANGUSTIFOLIUM FLOWERING TOP (UNII: 08H094218D)             |  |  |                      |                    |
| C13-14 ISOPARAFFIN (UNII: E4F12ROE70)                                |  |  |                      |                    |
| SUCCINIC ACID (UNII: AB6MNQ6J6L)                                     |  |  |                      |                    |
| XANTHAN GUM (UNII: TTV12P4NEE)                                       |  |  |                      |                    |
| LACTIC ACID (UNII: 33X04XA5AT)                                       |  |  |                      |                    |
| ALLANTOIN (UNII: 344S277G0Z)   |  |  |                      |                    |
| LAURETH-7 (UNII: Z95S6G8201)   |  |  |                      |                    |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)                        |  |  |                      |                    |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)                                    |  |  |                      |                    |
| Packaging  |  |  |                      |                    |
| #  | Item Code                                | Package Description                                  | Marketing Start Date | Marketing End Date |
| 1  | NDC:54111-156-50                         | 1 in 1 CARTON  | 12/01/2021           |                    |
| 1  |  | 59 mL in 1 TUBE; Type 0: Not a Combination Product   |                      |                    |
| 2  | NDC:54111-156-51                         | 10 mL in 1 PACKET; Type 0: Not a Combination Product | 12/01/2021           |                    |
| Marketing Information  |  |  |                      |                    |
| Marketing Category   | Application Number or Monograph Citation |  | Marketing Start Date | Marketing End Date |

|                     |          |            |  |
|---------------------|----------|------------|--|
| OTC monograph final | part333D | 12/01/2021 |  |
|---------------------|----------|------------|--|

**Labeler** - Bentley Laboratories, LLC (068351753)

**Registrant** - Bentley Laboratories, LLC (068351753)

Revised: 10/2021

Bentley Laboratories, LLC