

## **PROMESCENT- lidocaine spray**

### **Absorption**

-----

### **Promescent**

### **Active Ingredient (per spray)**

Lidocaine approx. 10mg

### **Purpose**

Anesthetic

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

### **Use:**

Helps in temporarily slowing the onset of ejaculation.

### **Warnings:**

**For external use only.**

#### **Do not use if**

- You or your partner are allergic to lidocaine or topical anesthetics.
- Your partner is, or may be pregnant.

#### **Ask a doctor or pharmacist before use if**

- You have liver problems.

#### **When using this product**

- Do not spray on broken, irritated or sensitive skin.
- Avoid contact with the eyes.

#### **Stop use and ask a doctor**

- If you or your partner develop a rash or irritation, such as burning or itching, discontinue use. If symptoms persist, consult a doctor.
- Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed does not provide relief, discontinue use and consult a doctor.

### **Directions:**

Break front tab first. To unlock, press in special Child Resistant (R) tab in back of the actuator while turning the actuator to the right. Press the actuator down repeatedly until

product dispenses to prime spray pump. Apply 3 or more sprays, not to exceed 10, to head and shaft of penis 10 minutes before sexual intercourse, or use as directed by a doctor. Recommended Initial Dosage: 3 sprays. Rub Promescent into the skin of the penis until all of the product is absorbed. Wash product off after intercourse. After spraying, turn actuator to the left to lock.

**Inactive Ingredients:**

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Cetareth-20, Cetaryl Alcohol, Citric Acid, Dimethicone, Farnesol, Fragrance, Glycerin, Hydrogenated Polyisobutene, Macadamia Ternifolia Seed Oil, Panthenol, Phenoxyethanol, Purified Water (Aqua), SD Alcohol 40-B, Sodium Hydroxide, Soy Lecithin, Stearoxytrimethylsilane, Stearyl Alcohol, Thymol, Tocopheryl Acetate (Vitamin E).


**Labeling**

MAKE LOVE LONGER®

PROMESCENT®



PROMESCENT®  
CLIMAX CONTROL SPRAY



MAKE LOVE LONGER®

Contains 60 Sprays  
NET CONTENTS 0.25 fl oz (7.4 ml)  
Male Genital Desensitizer



LOT NO. 70565  
EXPI. DATE 01/2023



**Drug Facts**

**Active ingredient (per spray)** Purpose  
Lidocaine 10mg... Male Genital Desensitizer

**Indication** Helps in temporarily slowing the onset of ejaculation.

**Warnings**

For external use only.  
Do not use if • You or your partner are allergic to lidocaine or topical anesthetics.

Ask a doctor or pharmacist before use if • You have liver problems. • Your partner is, or may be, pregnant.

When using this product • Do not spray on broken, irritated or sensitive skin. • Avoid contact with the eyes.

Stop use and ask a doctor • If you or your partner develop a rash or irritation, such as burning or itching, discontinue use. If symptoms persist, consult a doctor. • Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed does not provide relief, discontinue use and consult a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Flammable: Do not spray while smoking or near heat or flame

**Directions** Apply 3 or more sprays, not to exceed 10, to head and shaft of penis 10 minutes before sexual intercourse, or use as directed by a doctor. Recommended Initial Dosage: 3 sprays. Rub Promescent® into the skin of the penis until all of the product is absorbed. Wash product off after intercourse. After spraying, turn actuator to the left to lock.

**Inactive ingredients**

Acrylates (C10-30 Alkyl Acrylate Crosspolymer, Ceteareth 20, Cetearyl Alcohol, Citric Acid, Dimethicone, Farnesol, Fragrance, Glycerin, Hydrogenated Polyisobutene, Macadamia Ternstroemia Seed Oil, Panthenol, Phenylethanol, Purified Water (Aqua), SD Alcohol 40-B, Sodium Hydroxide, Soy Lecithin, Stearoyltrimethylsilane, Stearyl Alcohol, Thymol, Tocopheryl Acetate (Vitamin E).

**Questions?** Phone 1-877-852-0106 for reporting serious adverse events associated with use of this product, or visit us at promescent.com.

**It's Time for Great Sex**

PROMESCENT® was developed by a doctor to help men achieve greater control over their climax, giving couples more time for intimacy and sexual connection.

**FAST ACTING  
ADJUSTABLE DOSING  
CONTAINS 60 SPRAYS**

For usage tips visit [www.promescent.com](http://www.promescent.com)

- ✓ Helps improve intimacy and sexual enjoyment between partners
- ✓ Unique formula with patented TARGETZONE™ technology
- ✓ Safe & easy to use
- ✓ No transfer to partner if used as directed

Instrucciones y advertencias en español disponibles dentro de la caja



How to Use

DISTRIBUTED BY: Absorption Pharmaceuticals LLC, Las Vegas, NV 89147, USA

lidicaine spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55636-590
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	10 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
GLYCERIN (UNII: PDC6A3C0OX)	
PANTHENOL (UNII: WW9CM0O67Z)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
MACADAMIA OIL (UNII: 515610SU8C)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
FARNESOL (UNII: EB41QIU6JL)	
THYMOL (UNII: 3J50XA376E)	
ALCOHOL (UNII: 3K9958V90M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55636-590-74	1 in 1 CARTON	01/11/2013	
1		7.4 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
2	NDC:55636-590-13	1 in 1 CARTON	01/11/2013	
2		1.3 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
3	NDC:55636-590-26	1 in 1 CARTON	01/11/2013	
3		3.8 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

4	NDC:55636-590-52	1 in 1 CARTON	01/11/2013	
4		5.4 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/11/2013	

**Labeler - Absorption (014937753)**

Revised: 2/2024

Absorption