

MYHEALTH MOOD CARE UNISSEX- aluminum sesquichlorohydrate aerosol, spray

Aeroflex Industria de Aerosol Ltda

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Aluminum sesquichlorohydrate 25%

Purpose

Antiperspirant

Uses

Reduces underarm wetness.

Warnings

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- KEEP OUT OF REACH OF CHILDREN.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

Directions

For underarm use only.

Other Information

Do not expose to the sun or to temperatures above 120°F/ 50°C

Inactive Ingredients


butane, isobutane, propane, methylal, cyclopentasiloxane, isopropyl myristate, parfum, quaternium-18, hectorite, propylene carbonate, 2-methyl 5-

cyclohexylpentanol, butylphenyl methylpropional, citronellol, linalool, geraniol

Product label

MODO DE USAR: AGITE BEM ANTES DE USAR. Aplicar o produto a 15 cm de distância das axilas. Esperar secar antes de se vestir. Em caso de funcionamento anormal da válvula, agite bem, vire o frasco de cabeça para baixo e acione o atuador até que o produto volte a sair normalmente. | **INSTRUCCIONES DE USO: AGITAR BIEN ANTES DE USAR.** Aplicar el producto a 15 cm de las axilas. Espere a que se seque antes de vestirse. En caso de funcionamiento anormal de la válvula, agitar bien, dar la vuelta a la botella y accionar el actuador hasta que el producto vuelva a salir normalmente. | **PRECAUÇÕES: INFLAMÁVEL.** Conteúdo sob pressão. Não armazenar ou pulverizar perto do fogo ou superfície incandescente. Não fumar. Não perfurar, nem incinerar mesmo depois de vazio. Não expor ao sol nem a temperaturas superiores a 50 ° C. Armazenar em ambiente fresco e ventilado. Seguir modo de uso para sua segurança. USO EXTERNO. Use este produto apenas nas axilas. Usar em ambientes ventilados. Não ingerir. Evitar a inalação. Proteger os olhos durante aplicação. Não usar se a pele estiver irritada ou lesionada. Caso ocorra alergia, irritação e/ou prurido no local aplicado, suspenda o uso imediatamente. **MANTER FORA DO ALCANCE DAS CRIANÇAS E DOS ANIMAIS DOMÉSTICOS. Lote e validade: vide embalagem.** | **PRECAUCIONES: INFLAMABLE** Contenido bajo presión. No almacenar ni rociar cerca del fuego o de una superficie incandescente. No fume. No perforar ni incinerar aunque esté vacío. No exponer a la luz del sol ni a temperaturas superiores a 50°C. Almacenar en un lugar fresco y ventilado. Siga las instrucciones de uso para su seguridad. USO EXTERNO. Utilice este producto sólo en las axilas. Utilizar en una zona ventilada. No ingerir. Evitar la inhalación. Proteger los ojos durante la aplicación. No utilizar si la piel está irritada o dañada. Si se produce alergia, irritación y/o picor en el lugar de aplicación, interrumpa su uso inmediatamente. **MANTENER FUERA DEL ALCANCE DE LOS NIÑOS Y LOS ANIMALES DOMÉSTICOS. Lote y fecha de caducidad: véase el envase.** **COMPOSIÇÃO (PORTUGUÊS):** BUTANO, ISOBUTANO, PROPANO, METILAL, SESQUICHLORIDRATO DE ALUMÍNIO, DECA-METILCICLOPENTASILOXANO, MIRISTATO DE ISOPROPILA, FRAGRÂNCIA, QUATERNÍUM-18 HECTORITA, CARBONATO DE PROPILENO, 2-METIL 5-CICLOHEXILPENTANOL, BUTILFENIL METILPROPIONAL, CITRONELOL, GERANIOL, LINALOL.

Aeroflex
 Registrado por: Aeroflex Laboratório de Pesquisas e Desenvolvimento de Produtos Químicos e Cosméticos Ltda. CNPJ: 32.931.957/0001-48 AFE 4.02.085-3 | Fabricado por: Aeroflex Indústria de Aerosol Ltda. Rua Paul Gartner, 1335 | CEP 81460-040 | CIC - Curitiba, PR Tel + 55 (41) 3265-7730 - 4042.112 | www.aeroflexindbr contato@aeroflexindbr | Responsável Técnica: Geisla C. Cividini Milicez | CFQ: 0920713 - 9º região | Número do processo de registro: xxxxx-xxxxxx/xxxx-xx | CNPJ: 07.872.967/0001-02 | AFE 2.08.965-2 **INDÚSTRIA BRASILEIRA | MADE IN BRAZIL | HECHO EN BRASIL**
 Nós confiamos em Deus | We trust in God





MOOD

care

Unisex




48H





ANTITRANSPIRANTE
 Antiperspirant Unisex
 Triclosan & Alcohol Free

150ml / 87g
 NET WT: 5.07 fl.oz / 3.0 oz.

Drug Facts	
Active Ingredient Aluminum sesquichlorohydrate	Purpose antiperspirant
Uses Reduces underarm wetness.	
Warnings	
<ul style="list-style-type: none"> FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. Keep away from face and mouth to avoid breathing in. Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat. Do not use on broken skin. Stop use if rash or irritation occurs. Ask a doctor before using if you have kidney disease. KEEP OUT OF REACH OF CHILDREN. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. 	
Directions For underarm use only.	
Other information	
<ul style="list-style-type: none"> Do not expose to the sun or to temperatures above 120°F/ 50°C. 	
Inactive Ingredients BUTANE; ISOBUTANE; PROPANE; METHYLAL; ALUMINUM SESQUICHLOROHYDRATE; CYCLOPENTASILOXANE; ISOPROPYL MYRISTATE; PARFUM; QUATERNIUM-18 HECTORITE; PROPYLENE CARBONATE; 2-METHYL 5-CYCLOHEXYPENTANOL; BUTYLPHENYL METHYLPROPIONAL; CITRONELOL; GERANIOL; LINALOL.	

Instagram: @myhealthbr
 Facebook: @myhealthbr
 QR Code: 

NOVO CÓD. BARRAS

MYHEALTH MOOD CARE UNISSEX

aluminum sesquichlorohydrate aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80661-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM)	ALUMINUM	25 g

SESQUICHLOROHYDRATE - UNII:UCN889409V)

SESQUICHLOROHYDRATE in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
ISOBUTANE (UNII: BXR49TP611)	
PROPANE (UNII: T75W9911L6)	
METHYLAL (UNII: 7H1M4G2NUE)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
QUATERNIUM-18 (UNII: O7757NO1VL)	
HECTORITE (UNII: 08X4KI73EZ)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
2-METHYL 5-CYCLOHEXYLPENTANOL (UNII: 460837ILID)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
GERANIOL (UNII: L837108USY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80661-010-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2023	

Labeler - Aeroflex Industria de Aerosol Ltda (898397347)**Establishment**

Name	Address	ID/FEI	Business Operations
Aeroflex Industria de Aerosol Ltda		898397347	manufacture(80661-010)

Revised: 12/2022

Aeroflex Industria de Aerosol Ltda