

HERPECIN L- dimethicone and meradimate and octinoxate and octisalate and oxybenzone stick

Focus Consumer Healthcare, LLC

Herpecin L

Skin protectant....Sunscreen

Dimethicone 1%

Meradimate 5%

Octinoxate 7.5%

Octisalate 5%

Oxybenzone 6%

Uses

- helps prevent sunburn on lips
- relieves dry chapped lips
- helps treat and relieve cold sores/fever blisters

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn where applied on lips, not skin cancer or early skin aging.

For external use only

Do not use

- on broken skin
- if you are allergic to any ingredient in this product

When using this product

- keep out of eyes. Rinse with water to remove.
- apply only to affected areas
- avoid applying directly inside your mouth
- do not share this product with anyone since this may spread infection

Stop use and ask a doctor if

- rash occurs, condition worsens or does not improve within 7 days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years or over:

- apply liberally and evenly to affected area on lips at first sign of cold sore and 15 minutes before sun exposure
- rub in gently but completely
- for cracking or dryness continue to cover lips until absorbed
- reapply liberally as often as needed and at least every 2 hours when in sun
- use a water resistant sunscreen on lips if swimming or sweating

children under 12 years: ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

helianthus annuus (hybrid sunflower) oil, petrolatum, ozokerite, mineral oil, microcrystalline wax, talc, titanium dioxide, beeswax, melissa officinalis (balm mint) extract, cetyl lactate, glyceryl laurate, flavor, lysine HCl, ascorbyl palmitate, tocopheryl acetate, pyridoxine HCl, panthenol, BHT

Herpecin L

Everyday Protection for Cold Sores, Fever Blisters & Chapped Lips

SPF 30

Natural Complex

Moisturizing

Lip Protectant/Cold Sore & Sunscreen Lip Balm Stick NET WT 0.1 OZ (2.8 g)



**FEVER BLISTERS
& CHAPPED LIPS**



**Moisturizing
Soothes & Relieves**



Tube may look different than pictured.

Helps protect from triggers that can cause cold sores such as UV exposure, skin damage & cracked lips.

Lip Protectant/Cold Sore & Sunscreen Lip Balm Stick NET WT 0.1 OZ (2.8g)



3 71687 77732 6

F O C U S
consumer healthcare

Distributed by Focus Consumer Healthcare, LLC
801 Broad Street, Chattanooga, TN 37402 USA
© 2020 Focus Consumer Healthcare, LLC

Made in Canada

0044303-01

Keep carton. It contains important information.

Drug Facts (continued)
Inactive ingredients helianthus annuus (hybrid sunflower) oil, petrolatum, ozokerite, mineral oil, microcrystalline wax, talc, titanium dioxide, beeswax, melissa officinalis (balm mint) extract, cetyl lactate, glyceryl laurate, flavor, lysine HCl, ascorbyl palmitate, tocopheryl acetate, pyridoxine HCl, panthenol, BHT

Drug Facts (continued)

- rub in gently but completely
- for cracking or dryness continue to cover lips until absorbed
- reapply liberally as often as needed and at least every 2 hours when in sun
- use a water resistant sunscreen on lips if swimming or sweating
- children under 12 years: ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Warnings
Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn where applied on lips, not skin cancer or early skin aging.
For external use only
Do not use ■ on broken skin ■ if you are allergic to any ingredient in this product
When using this product ■ keep out of eyes. Rinse with water to remove.

- apply only to affected areas ■ avoid applying directly inside your mouth
- do not share this product with anyone since this may spread infection
- rash occurs, condition worsens or does not improve within 7 days

Stop use and ask a doctor if

- keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly to affected area on lips at first sign of cold sore and 15 minutes before sun exposure


Uses ■ helps prevent sunburn on lips ■ relieves dry chapped lips ■ helps protect and relieve cold sores/fever blisters

Active ingredients
 Dimethicone 1%Skin protectant
 Meradimate 5%, Octinoxate 7.5%,
 Octisalate 5%, Oxybenzone 6%Sunscreens

Drug Facts

NO VARNISH • NON VERNI
 W/GN12395d1
 NO VARNISH • NON VERNI

NO VARNISH • NON VERNI
 NO VARNISH • NON VERNI



HERPECIN L

dimethicone and meradimate and octinoxate and octisalate and oxybenzone stick

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71687-7773 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE | 1 g in 100 g |
| MERADIMATE (UNII: J9QGD60OUZ) (MERADIMATE - UNII:J9QGD60OUZ) | MERADIMATE | 5 g in 100 g |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 7.5 g in 100 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 5 g in 100 g |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 6 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| CERESIN (UNII: Q1LS2UJO3A) | |
| MINERAL OIL (UNII: T5L8T28FGP) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| APIS MELLIFERA (UNII: 7S82P3R43Z) | |
| MELISSA OFFICINALIS (UNII: YF70189L0N) | |
| CETYL LACTATE (UNII: A7EVH2RK4O) | |
| GLYCERYL LAURATE (UNII: Y98611C087) | |
| LYSINE HYDROCHLORIDE (UNII: JNJ23Q2COM) | |
| ASCORBYL PALMITATE (UNII: QN83US2B0N) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) | |
| PANTHENOL (UNII: WW9CM0O67Z) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:71687-7773-2 | 1 in 1 CARTON | 10/13/2017 | |
| 1 | | 2.8 g in 1 TUBE; Type 0: Not a Combination | | |

| | | | | |
|---|------------------|--|------------|--|
| 1 | | Product | | |
| 2 | NDC:71687-7773-1 | 2 in 1 CARTON | 06/01/2020 | |
| 2 | | 2.8 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016 | 10/13/2017 | |

Labeler - Focus Consumer Healthcare, LLC (080743737)

Revised: 1/2024

Focus Consumer Healthcare, LLC