

7 SELECT ORIGINAL NASAL- oxymetazoline hydrochloride spray
7-ELEVEN, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

7 Select Nasal Spray Original 1 oz (58849) 2019

Active ingredient	Purpose
--------------------------	----------------

Oxymetazoline HCl 0.05%.....	Nasal decongestant
------------------------------	--------------------

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor. Shake well before use. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap back onto the bottle.

Other information

- store between 20° to 25°C (68° to 77°F)

- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride, benzyl alcohol, edetate disodium, polyethylene glycol 1500, povidone k30, purified water, sodium phosphate dibasic, sodium phosphate monobasic

DISTRIBUTED BY 7-ELEVEN, INC.

Irving, TX 75063

WWW.7-ELEVEN.COM

Made in Korea

24/7life BY 7-ELEVEN™

Original Congestion Pump Mist

Nasal Relief

Oxymetazoline HCl 0.05% (Nasal Decongestant)

24/7life BY 7-ELEVEN™



Original Congestion Pump Mist

Nasal Relief

Oxymetazoline HCl 0.05% (Nasal Decongestant)

Maximum Strength
Fast, Powerful
Congestion Relief


12 HOUR Relief

from Colds & Allergies

compare to the active ingredient in **Afrin® Original***

CHILD SAFETY CAP

1 FL OZ (30 ML)



DIRECTIONS FOR USE:

STEP 1: To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp.

STEP 2: Use as directed.

STEP 3: Wipe nozzle clean after use, and snap cap back onto the bottle.

FULL DIRECTIONS IN THE DRUG FACTS PANEL

58849-ZDP-BX-R4
NAS-MD-ZDP100-R3

Drug Facts (continued)

Inactive ingredients

benzalkonium chloride, benzyl alcohol, edetate disodium, polyethylene glycol 1500, povidone K30, purified water, sodium phosphate dibasic, sodium phosphate monobasic monohydrate

Questions or comments?

Call 1-888-645-8204 Monday-Friday 9AM-5PM (PST)

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL AROUND PUMP AND CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Bayer®, distributor of Afrin® Original Nasal Spray.

DISTRIBUTED BY 7-ELEVEN, INC.
Irving, TX 75063
WWW.7-ELEVEN.COM

Satisfaction Guaranteed
1-800-255-0711

Made in China



Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%.....Nasal decongestant

Purpose

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: consult a doctor
- shake well before use. Remove safety seal. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap onto bottle.

Other information

- store at room temperature 20-25°C (68-77°F)

Lot:

Exp:

7 SELECT ORIGINAL NASAL

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10202-849	
Route of Administration	NASAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 1 mL	
Inactive Ingredients				
Ingredient Name				Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
WATER (UNII: 059QF0KO0R)				
POLYETHYLENE GLYCOL 1500 (UNII: 1212Z7S33A)				
POVIDONE K30 (UNII: U725QWY32X)				
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)				
BENZODODECINIUM CHLORIDE (UNII: Y5A751G47H)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10202-849-30	1 in 1 BOX	10/04/2016	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	10/04/2016		

Labeler - 7-ELEVEN, INC. (007347602)

Revised: 11/2019

7-ELEVEN, INC.