

**KIEHLS SUPER FLUID DAILY UV DEFENSE SPF 50 PLUS ANTI-POLLUTION
LIGHTWEIGHT FORMULA FOR ALL SKIN TYPES- avobenzene, homosalate,
octisalate, octocrylene and oxybenzone cream
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Avobenzene 3%

Homosalate 10.7%

Octisalate 3.2%

Octocrylene 6%

Oxybenzone 3.9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry. Do not use near fire, flame or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, alcohol denat., silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsequioxane, nylon-12, dicaprylyl carbonate, phenoxyethanol, lauryl PEG/PPG- 18/18 methicone, cellulose, sodium chloride, caprylyl glycol, PEG-8 laurate, poly C10-30 alkyl acrylate, disteardimonium hectorite, tocopherol, isostearyl alcohol, p-anisic acid, scutellaria baicalensis root extract, disodium EDTA, dodecene, poloxamer 407, propylene carbonate, triethanolamine

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10.7%	Sunscreen
Octisalate 3.2%	Sunscreen
Octocrylene 6%	Sunscreen
Oxybenzone 3.9%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry. Do not use near fire, flame or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, alcohol denat., silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsesquioxane, nylon-12, dicaprylyl carbonate, phenoxyethanol, lauryl PEG/PPG-18/18 methicone, cellulose, sodium chloride, caprylyl glycol, PEG-8 laurate, poly C10-30 alkyl acrylate, disteardimonium hectorite, tocopherol, isostearyl alcohol, p-anisic acid, scutellaria baicalensis root extract, disodium EDTA, dodecane, poloxamer 407, propylene carbonate, triethanolamine

Questions or comments?

Call toll free 1-800-946-4453

Form 685777 F.L.L. Code D207725 1

Our advanced sunscreen, formulated with effective UVA/UVB filters and pollution-deflecting technology, provides protection against environmental aggressors. When used as directed with other sun protection measures (see **Directions**), this lightweight fluid helps prevent early skin aging caused by the sun and visibly improves rough skin. Our formula feels gentle on skin, leaving a soft, matte finish and no residue.

Dermatologist-tested for safety and suitable for sensitive skin.

Kiehl's Dermatologist Solutions are highly advanced targeted treatments developed by Kiehl's Since 1851. Relying on our extensive skincare expertise and botanical knowledge, Kiehl's chemists partner with an international team of leading dermatologists to deliver powerful, yet safe skincare solutions.



SINCE 1851

KIEHL'S

DERMATOLOGIST
SOLUTIONS™

Super Fluid Daily UV Defense

SUNSCREEN

Broad Spectrum
SPF 50+

ANTI-POLLUTION

Advanced UVA/UVB Technology
Helps Prevent Early Skin Aging
Caused by the Sun*

Lightweight Formula
for All Skin Types

SHAKE WELL

Fragrance-Free
Non-Comedogenic
Paraben-Free

4.2 fl. oz. - 125 ml

*When used with sun protection measures
(see **Directions**)

FSC LOGO
FPO



KIEHL'S SINCE 1851 LLC
NEW YORK, NY 10014
Ingredients sourced worldwide,
made in U.S.A.
Dist., Kiehl's Canada, Montreal H4T 1K5
106 rue Danton 92691 Levallois Perret Cedex
TSA 75000 93584 ST. OUIEN CEDEX FR
www.kiehls.com
0438179

UPC

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3%.....	Sunscreen
Homosalate 10.7%.....	Sunscreen
Octisalate 3.2%.....	Sunscreen
Octocrylene 6%.....	Sunscreen
Oxybenzone 3.9%.....	Sunscreen
Uses	
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Flammable until dry. Do not use near fire, flame or heat.	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
For sunscreen use:	
<ul style="list-style-type: none"> shake well before use apply liberally 15 minutes before sun exposure reapply at least every 2 hours use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeved shirts, pants, hats and sunglasses children under 6 months of age: Ask a doctor 	
Other information	
<ul style="list-style-type: none"> protect the product in this container from excessive heat and direct sun 	
Inactive ingredients	
water, cyclopentasiloxane, alcohol denat., silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsesquioxane, nylon-12, dicaprylyl carbonate, phenoxyethanol, lauryl PEG/PPG-18/18 methicone, cellulose, sodium chloride, caprylyl glycol, PEG-8 laurate, poly C10-30 alkyl acrylate, disteardimonium hectorite, tocopherol, isostearyl alcohol, p-anisic acid, scutellaria baicalensis root extract, disodium EDTA, dodecane, poloxamer 407, propylene carbonate, triethanolamine	
Questions or comments?	
Call toll free 1-800-946-4453	

Frnt: 685777 F.L.L. Code D207725 1

Our advanced sunscreen, formulated with effective UVA/UVB filters and pollution-deflecting technology, provides protection against environmental aggressors. When used as directed with other sun protection measures (see **Directions**), this lightweight fluid helps prevent early skin aging caused by the sun and visibly improves rough skin. Our formula feels gentle on skin, leaving a soft, matte finish and no residue.
Dermatologist-tested for safety and suitable for sensitive skin.

Kiehl's Dermatologist Solutions are highly advanced targeted treatments developed by Kiehl's Since 1851. Relying on our extensive skincare expertise and botanical knowledge, Kiehl's chemists partner with an international team of leading dermatologists to deliver powerful, yet safe skincare solutions.


 SINCE 1851
KIEHL'S
 DERMATOLOGIST
 SOLUTIONS™
Super Fluid
Daily UV Defense

SUNSCREEN

**Broad Spectrum
SPF 50+**

ANTI-POLLUTION

Advanced UVA/UVB Technology
Helps Prevent Early Skin Aging
Caused by the Sun*

**Lightweight Formula
for All Skin Types**

SHAKE WELL

**Fragrance-Free
Non-Comedogenic
Paraben-Free**

4.2 fl. oz. - 125 ml

*When used with sun protection measures
(see *Directions*)

**FSC LOGO
FPO**



KIEHL'S SINCE 1851 LLC
 NEW YORK, NY 10014
 Ingredients sourced worldwide,
 made in U.S.A.
 Dist., Kiehl's Canada, Montreal H4T 1K5
 106 rue Danton 92691 Levallois Perret Cedex
 TSA.75000.93584.ST.OUEN.CEDEX.FR
 www.kiehls.com
 0438179

UPC

KIEHL'S SUPER FLUID DAILY UV DEFENSE SPF 50 PLUS ANTI-POLLUTION LIGHTWEIGHT FORMULA FOR ALL SKIN TYPES

avobenzone, homosalate, octisalate, octocrylene and oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-181
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	107 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	32 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	60 mg in 1 mL
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	39 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ALCOHOL (UNII: 3K9958V90M)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
STYRENE/ACRYLAMIDE COPOLYMER (50000 MW) (UNII: 5Z4DPO246A)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
NYLON-12 (UNII: 446U8J075B)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
dodecene (UNII: WYE669F3GR)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-181-01	1 in 1 CARTON	01/01/2018	
1		125 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49967-181-02	1 in 1 CARTON	01/01/2018	
2		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2018	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Dimensional Merchandising Inc.		076693183	manufacture(49967-181)

Revised: 1/2024

L'Oreal USA Products Inc