

**MEMBERS MARK CLEARLAX- polyethylene glycol 3350 powder, for solution**  
**Sam's West Inc**

-----  
**Sam's West, Inc. ClearLax® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## **Directions**

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there any clumps
  - use once a day
  - use no more than 7 days
- children 16 years of age or under: ask a doctor

## **Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

## **Inactive ingredients**

none

## **Questions or comments?**

**1-800-809-0469**

## **Principal Display Panel**

Compare to MiraLAX<sup>®</sup> active ingredient

ClearLAX<sup>®</sup>

Polyethylene Glycol 3350

Powder for Solution, Osmotic Laxative

90 ONCE-DAILY DOSES

Unflavored Powder / Grit Free

Relieves occasional constipation / irregularity

Softens stool

3 BOTTLES - NET WT 17.9 OZ (510g) EACH

TOTAL NET WT 53.7 OZ (1530g)



MEMBERS MARK CLEARLAX			
polyethylene glycol 3350 powder, for solution			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68 196-306
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g
<b>Product Characteristics</b>			
<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-306-07	3 in 1 CARTON	10/08/2009	
1	NDC:68196-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/08/2009	

**Labeler** - Sam's West Inc (051957769)

Revised: 7/2020

Sam's West Inc