

OUR FAMILY TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Nash-Finch Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Our Family[®]
Triple Antibiotic**

Drug Facts

| <i>Active ingredients (each gram contains)</i> | <i>Purpose</i> |
|---|-----------------------|
| Bacitracin zinc 400 units | First aid antibiotic |
| Neomycin sulfate 3.5 mg | First aid antibiotic |
| Polymyxin B sulfate 5,000 units | First aid antibiotic |

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use longer than 1 week
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Questions?

Call 1-866-923-4914

DISTRIBUTED BY
NASH FINCH COMPANY
MINNEAPOLIS, MN 55435

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Triple Antibiotic

Polymyxin B Sulfate • Bacitracin Zinc • Neomycin Sulfate
First Aid Antibiotic Ointment

ORIGINAL STRENGTH

NET WT 1 OZ (28.4g)

Original Strength

* Compare to the Active Ingredients in Neosporin®



First Aid Antibiotic Ointment

Helps Prevent Infection In Minor Cuts, Scrapes and Burns

Triple Antibiotic

Polymyxin B Sulfate • Bacitracin Zinc • Neomycin Sulfate

First Aid Antibiotic Ointment

ORIGINAL STRENGTH

NET WT 1 OZ (28.4g)

LPK69H5-0
0412-0
M252

T51



DISTRIBUTED BY
NASH FINCH COMPANY ©2004, 1996
MINNEAPOLIS, MN 55435
www.ourfamilyfoods.com
Made in Canada NF16415



NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

Drug Facts

Active Ingredients (each gram contains)
 Bacitracin zinc 400 units
 Neomycin sulfate 3.5 mg
 Polymyxin B sulfate 5,000 units
 First aid antibiotic
 First aid antibiotic

Purpose
 First aid antibiotic
 First aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, burns

Warnings For external use only.
 Do not use
 • in the eyes
 • if you are allergic to any of the ingredients
 • over large areas of the body

Ask a doctor before use if you have
 • deep or puncture wounds • animal bites • serious burns

Stop use and ask a doctor if • condition persists or gets worse
 • you need to use longer than 1 week

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • clean the affected area and dry thoroughly
 • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 • may be covered with a sterile bandage

Other information
 • To open: unscrew cap, pull tab to remove foil seal
 • store at 20° to 25° C (68° to 77° F)
 • see carton or tube clamp for lot number and expiration date

Inactive ingredient white petrolatum

Questions? Call 1-866-923-4914

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin®

OUR FAMILY TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

| | | | | |
|--|---|-----------------------------|-----------------------------|---------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70253-016 | |
| Route of Administration | TOPICAL | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| Bacitracin zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I) | | Bacitracin | 400 [iU] in 1 g | |
| Neomycin sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297) | | Neomycin | 3.5 mg in 1 g | |
| Polymyxin B sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K) | | Polymyxin B | 5000 [iU] in 1 g | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| petrolatum (UNII: 4T6H12BN9U) | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:70253-016-02 | 1 in 1 CARTON | | |
| 1 | | 28.4 g in 1 TUBE | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC MONOGRAPH FINAL | part333B | 12/14/1995 | | |

Labeler - Nash-Finch Company (006962294)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------|---------|-----------|------------------------|
| Taro Pharmaceuticals Inc. | | 206263295 | MANUFACTURE(70253-016) |

Revised: 3/2013

Nash-Finch Company