

**CLARINS BROAD SPECTRUM SPF 50 DRY TOUCH FACIAL SUNSCREEN-  
avobenzene, homosalate, octisalate, octocrylene, oxybenzone cream  
Laboratoires Clarins**

-----  
**CLARINS BROAD SPECTRUM SPF 50+ Dry Touch Facial Sunscreen**

***Drug facts***

***Active ingredients***

AVOBENZONE 3%,  
HOMOSALATE 10%,  
OCTISALATE 5%,  
OCTOCRYLENE 2.7%,  
OXYBENZONE 6%

***Purpose***

Sunscreen

***Uses:***

• helps prevent sunburn • if used as directed with other sun protection measures (see

**Directions)**

, decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings:***

**For external use only.**

**Do not use**

• on damaged or broken skin.

**When using this product**

• keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

• rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

- apply liberally 15 minutes before sun exposure • apply to all skin exposed to the sun • children under 6 months: Ask a doctor

**• Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating

**Other information:**

- protect this product from excessive heat and direct sun

**□ Inactive ingredients**

AQUA/WATER/EAU . BUTYLOCTYL SALICYLATE . STYRENE/ACRYLATES COPOLYMER . BUTYLENE GLYCOL . POLYGLYCERYL-6 STEARATE . POLYESTER-7 . NEOPENTYL GLYCOL DIHEPTANOATE . ALOE BARBADENSIS LEAF JUICE . DIETHYLHEXYL SYRINGYLIDENEMALONATE . PARFUM/FRAGRANCE . POLYSILICONE-15 . MANNITOL . POTASSIUM CETYL PHOSPHATE . PHENOXYETHANOL . PEG-8 LAURATE . DIMETHICONE . GLYCERIN . POLYGLYCERYL- 6 BEHENATE . DISODIUM EDTA . ETHYLHEXYLGLYCERIN . TOCOPHERYL ACETATE . POLYACRYLATE CROSSPOLYMER-6 . SODIUM DEHYDROACETATE . CAPRYLIC/CAPRIC TRIGLYCERIDE . TOCOPHEROL . DIMETHICONOL . CYCLODEXTRIN . PISUM SATIVUM (PEA) EXTRACT . CASSIA ALATA LEAF EXTRACT . FAEX EXTRACT/YEAST EXTRACT/EXTRAIT DE LEVURE . DEXTRIN . HYDROLYZED ADANSONIA DIGITATA EXTRACT . BHT . OLEA EUROPAEA (OLIVE) LEAF EXTRACT . T-BUTYL ALCOHOL . PLATANUS OCCIDENTALIS BARK EXTRACT . CITRIC ACID . POTASSIUM SORBATE . SODIUM BENZOATE.

**Questions or comments?**

Call 1-866-325-2746 Monday-Friday 9am to 6:30pm ET

**Package Labeling:**

CLARINS

"Clarins: effective, serious treatments, ensuring maximum results with the highest quality ingredients."  
Jacques Courtin Clarins

"Clarins, un maximum d'efficacité par un maximum de principes actifs dans leur concentration la plus efficace."  
Jacques Courtin Clarins

**Drug facts (continued)****Other information :**

- protect this product from excessive heat and direct sun

**Drug facts (continued) / Información sobre el producto (continuación)**

**Inactive ingredients/Ingredientes inactivos:** AQUA/WATER/EAU · C12-15 ALKYL BENZOATE · BUTYLOCTYL SALICYLATE · DIPROPYLENE GLYCOL DIBENZOATE · BUTYLENE GLYCOL · ALCOHOL · ALUMINUM STARCH OCTENYLSUCCINATE · ALOE BARBADENSIS LEAF JUICE · PPG-15 STEARYL ETHER BENZOATE · MANNITOL · CETEARYL ALCOHOL · PARFUM/FRAGRANCE · POTASSIUM CETYL PHOSPHATE · GLYCERIN · PHENOXYETHANOL · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · CETEARYL GLUCOSIDE · DISODIUM EDTA · ETHYLHEXYLGLYCERIN · TOCOPHERYL ACETATE · XANTHAN GUM · TROMETHAMINE · TOCOPHEROL · CYCLODEXTRIN · PISUM SATIVUM (PEA) EXTRACT · CASSIA ALATA LEAF EXTRACT · FAEX EXTRACT/YEAST EXTRACT/EXTRAIT DE LEVURE · DEXTRIN · HYDROLYZED ADANSONIA DIGITATA EXTRACT · HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL · OLEA EUROPAEA (OLIVE) LEAF EXTRACT · PLATANUS OCCIDENTALIS BARK EXTRACT · CITRIC ACID · POTASSIUM SORBATE · SODIUM BENZOATE · BENZYL SALICYLATE · LIMONENE · BUTYL-PHENYL METHYLPROPIONAL · HEXYL CINNAMAL · CITRONELLOL. [S1762A]

**Questions or comments?**

Call 1-866-325-2746 Monday-Friday 9am to 6:30pm ET

**Dry Touch Facial Sunscreen Broad Spectrum SPF 50+**

- Sun care for all skin types, even the most sensitive, in all circumstances.
- Moisturizes and protects against the harmful effects of the sun.
- Fine, melting texture.
- Dry, velvety finish.

**Clarins Exclusive Multi-Protection:**

- [SunFilterComplex]: a combination of sun filters to provide optimal protection against UVA/UVB rays.
- [SunPlantComplex]: five plant extracts to help prevent the visible signs of early photoaging.

**Información sobre el producto (continuación)****Información adicional:**

- proteger este producto del calor excesivo y del sol directo

**¿Preguntas o comentarios?**

Llama al 1-866-325-2746 de lunes a viernes de 9 a.m. a 6:30 p.m. hora del este.

CLARINS - 92200 Neuilly-sur-Seine - 95300 Pontoise - France  
Made in France



ref. 80107455



CET ARTICLE NE PEUT ÊTRE VENDU QUE PAR LES DÉPOSITAIRES AGRÉÉS CLARINS  
EXCLUSIVE SALE THROUGH AUTHORIZED RETAILERS

www.clarins.com

**Drug facts**

Active ingredients	Purpose
AVOBENZONE 3%	Sunscreen
HOMOSALATE 10%	Sunscreen
OCTISALATE 5%	Sunscreen
OCTOCRYLENE 2.7%	Sunscreen
OXYBENZONE 6%	Sunscreen

**Uses:**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:**

For external use only.

Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating



[SUNPLANTCOMPLEX]  
ENRICHÉ EN EXTRAITS  
DE PLANTES  
ENRICHED WITH  
PLANT EXTRACTS



PACKAGINGS  
ECO-PENSES  
ECO-FRIENDLY  
PACKAGING

SUN CARE  
MULTI CELLULAR PROTECTIONCLARINS  
PARIS

50+



BROAD SPECTRUM SPF 50+

Crème Solaire  
Visage Toucher Sec  
Enrichie en antioxydantsDry Touch  
Facial Sunscreen  
Enriched with antioxidants

50 mL - 1.7 Oz. Net Wt.

**Información sobre el producto**

Ingredientes activos	Función
AVOBENZONE 3%	Protección solar
HOMOSALATE 10%	Protección solar
OCTISALATE 5%	Protección solar
OCTOCRYLENE 2.7%	Protección solar
OXYBENZONE 6%	Protección solar

**Usos:**

- ayuda a prevenir los enrojecimientos
- si se utiliza como se recomienda, con otras medidas de protección (ver Instrucciones), disminuye el riesgo de cáncer de piel y de envejecimiento prematuro de la piel ocasionado por el sol

**Advertencia:**

Para uso externo únicamente.  
No utilizar en la piel lastimada. Al utilizar este producto evitar el contacto con los ojos. Enjuagar con agua para retirarlo. Interrumpir la utilización y consultar con un médico en caso de irritación. Mantener fuera del alcance de los niños. En caso de ingestión, acudir al médico o llamar al servicio nacional de información toxicológica de inmediato.

**Instrucciones:**

- aplicar generosamente 15 minutos antes de la exposición al sol
- aplicar en toda la piel que va a ser expuesta al sol
- para niños menores de 6 meses, consultar con un médico
- Recomendaciones sobre protección solar. La exposición al sol incrementa el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, utilizar con regularidad un protector solar con SPF 15 o superior, así como otras medidas de protección tales como:
  - limitar el tiempo de la exposición, especialmente entre 10 a.m. y 2 p.m.
  - utilizar camiseta de manga larga, pantalón, gorra y gafas de sol
  - repetir la aplicación por lo menos cada 2 horas
  - utilizar un protector solar resistente al agua en caso de nadar o transpirar

WITH PLANT EXTRACTS

AUX EXTRAITS DE PLANTES

WITH PLANT EXTRACTS

OC507003



3 666057 246074

EMPLACEMENT  
N° DE LOT

CLARINS  
PARIS

50+

BROAD SPECTRUM SPF 50+

Crème Solaire  
Visage Toucher Sec

Enrichie en antioxydants  
Anti-taches

Dry Touch  
Facial Sunscreen

Enriched with antioxidants  
Prevents sun-induced age spots

Warnings: for external use only. Do not use on damaged or broken skin. When using this product keep out of eyes.

Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. Directions: apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months: ask a doctor.

Questions or comments?

Call 1-866-325-2746

Monday-Friday 9am to 6:30pm ET

ACTIVE INGREDIENTS/INGREDIENTES ACTIVOS: AVOBENZONE 3% · HOMOSALATE 10% · OCTISALATE 5% · OCTOCRYLENE 2.7% · OXYBENZONE 6%.

Advertencia: para uso externo únicamente. No utilizar en la piel lastimada. Al utilizar este producto, evitar el contacto con los ojos. Enjuagar con agua para retirarlo. Interrumpir la utilización y consultar con un médico en caso de irritación. Mantener fuera del alcance de los niños. Uso: aplicar generosamente 15 minutos antes de la exposición al sol. Repetir la aplicación por lo menos cada 2 horas. Utilizar un protector solar resistente al agua en caso de nadar o transpirar. Para niños menores de 6 meses, consultar con un médico.

¿Preguntas o comentarios?

Llama al 1-866-325-2746

de lunes a viernes de 9 a.m. a 6:30 p.m. hora del este.



CLARINS - 92200 Neuilly-sur-Seine

95300 Pontoise - France

Made in France

50 mL 1.7 Oz. Net Wt.

## CLARINS BROAD SPECTRUM SPF 50 DRY TOUCH FACIAL SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene, oxybenzone cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58668-9921
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	27 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	60 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>WATER</b> (UNII: 059QF0KO0R)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>DIPROPYLENE GLYCOL DIBENZOATE</b> (UNII: 6OA5ZDY41O)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>PPG-15 STEARYL ETHER BENZOATE</b> (UNII: 80D2J6361M)
<b>MANNITOL</b> (UNII: 3OWL53L36A)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>CYCLODEXTRINS</b> (UNII: 7E6SK9QDT8)
<b>PEA</b> (UNII: W4X7H8GYFM)
<b>SENNA ALATA LEAF</b> (UNII: 4BXR6YZN92)
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>OLEA EUROPAEA LEAF</b> (UNII: MJ95C3OH47)
<b>PLATANUS OCCIDENTALIS BARK</b> (UNII: 85RMN3QGSE)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>BENZYL SALICYLATE</b> (UNII: WAO5MKNK9TU)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>BUTYLPHENYL METHYLPROPIONAL</b> (UNII: T7540GJV69)
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58668-9921-1	50 mL in 1 TUBE; Type 0: Not a Combination Product	01/01/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2024	

---

**Labeler** - Laboratoires Clarins (266317555)

Revised: 12/2023

Laboratoires Clarins