SENNA SYRUP- sennosides liquid Llorens Pharmaceutical International Division, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Per teaspoonful-5mL

Sennosides - 8.8 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally causes bowel movment in 6 to 12 hours

Warnings

Do not use

laxative products for longer than 1 week unless directed by a doctor

Ask a doctor or pharmacis before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden changed in bowel movement that continues over a period of 2 weeks

Stope use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use of laxative. They may indicate a serious condition.

If pregnant or breast-feeding ask a health professional before use


Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately

- shake well before use
- Do not exceed recommended dose

Age	Starting Dose	Maximum dosage
Adults and	2-3 teaspoonfuls once a day preferably at	3 teaspoons in the
children 12	bedtime; increase as needed or as	morning and 3
years and older	recommended by a doctor	teaspoons at bedtime
Under 12 years of age	ask a doctor	ask a doctor

Inactive ingredients artificial and natural chocolate flavor, methylparaben, propylene

Questions or comments? 1-866-595-5598





NDC 54859-808-08



Compare to the active ingredient in Senokot® Syrup

8 FL OZ (237 mL)

Drug Facts (continued)

If pregnant or breast-feeding ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1–800–222-1222) immediately.

Directions

shake well before use Do not exceed recommended dose

Age	Starting Dose	Maximum Dosage		
adults and children 12 years and older	2-3 teaspoonfuls once a day preferably at bedtime; increase as needed or as recommended by a doctor	3 teaspoons in the morning and 3 teaspoons at bedtime		
Under 12 years of age	ask a doctor	ask a doctor		

Other Information = Store at room temperature 15°-25°C (59°-77°F).

Tamper-Evident: Do not use if aluminum foil over bottle opening is torn, broken, or missing.

Inactive Ingredients Artificial and natural chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water, and sucrose.

Questions or comments? 1-866-595-5598



SENNA SYRUP

sennosides liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:54859-808

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)

SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UO37 D4)	

Packaging

Item Code Package Description Marketing Start Marketing End
Date Date

	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019			
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part334	05/01/2019			

Labeler - Llorens Pharmaceutical International Division, Inc. (037342305)

Registrant - Llorens Pharmaceutical International Division, Inc. (037342305)

Revised: 7/2022 Llorens Pharmaceutical International Division, Inc.