

GUAIFENESIN 200MG- guaifenesin tablet
Marlex Pharmaceuticals Inc

Guaifenesin 200mg

GUAIFENESIN 200 MG TABLETS

MarlexPharmaceuticals, Inc.

Drug Fact

Active ingredient (in each tablet)

Guaifenesin 200mg

Purpose

Expectorant

Guaifenesin 200 mg Tablets

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageway of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have

- Persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- Cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

cough last more than 7 days, come back or is accompanied by fever, rash, or persistent headache. There could be signs of a serious illness.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

If pregnant or breast- feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

- Do not take more than 6 doses in any 24-hour period.
- This product is not intended for use in children under 12 years of age
- Adults & children 12 years and over: 1 to 2 tablets every 4 hours
- Children under 12 years: do not use

Other Information:

- Store at 15°C-30°C (59°F-86°F)

Inactive Ingredients:

Colloidal silicon dioxide, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, stearic acid

Manufactured for & Distributed by:

Marlex Pharmaceuticals, Inc.

New Castle, DE 19720

Rev: 02/19TCL


PRINCIPAL DISPLAY PANEL

NDC 10135-0681-01

Guaifenesin

200 mg

100 TABLETS



Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- this product is not intended for use in children under 12 years of age
- adults & children 12 years and over: 1 to 2 tablets every 4 hours
- children under 12 years: do not use

Other information

- store at 15°C - 30°C (59°F - 86°F)

Inactive ingredients

colloidal silicon dioxide, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, stearic acid

GUAIFENESIN 200MG

guaifenesin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10135-681
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	G2
Contains			

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10135-681-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	03/01/2019		

Labeler - Marlex Pharmaceuticals Inc (782540215)

Revised: 11/2023

Marlex Pharmaceuticals Inc