

LIDOCAINE- burn relief aerosol, spray
Fred's Stores of Tennessee, Inc

Fred's Burn Relief Spray with Aloe

Active Ingredients

Lidocaine 0.5%

Purpose

External analgesic

Uses

for the temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- scrapes
- insect bites
- minor skin irritations

Warnings

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F

Do not use

in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clears up and occurs again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake can well
- for adults and children 2 years and older, apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age, ask a doctor
- to apply to face spray in palm of hand and gently apply

Other information

store between 20° and 25°C (68° and 77°F)

Inactive ingredients

aloe barbadensis gel, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerine, methylparaben, propane, propylene glycol, propylparaben, tocopheryl acetate (vitamin E acetate), triethanolamine, simethicone, water

Questions?

Call 1-888-423-0139

Principal Display Panel**Fred's****Burn Relief Spray**

LIDOCAINE 0.5%

External Analgesic

COOLING

Relieves pain and itching from sunburn, minor burns and insect bites

Cools, moisturizes and soothes sunburned skin

NET WT 4.5 OZ (127 g)

fred's Pharmacy NDC 55315-374-45

Compare to the active ingredient in Solarcaine® Burn Relief Spray*

Burn Relief Spray

LIDOCAINE 0.5% External Analgesic

COOLING

Relieves pain and itching from sunburn, minor burns and insect bites

Cools, moisturizes and soothes sunburned skin

NET WT 4.5 OZ (127 g)

Drug Facts
Active ingredient Purpose
 Lidocaine 0.5%.....External analgesic

Uses for temporary relief of pain and itching associated with:
 ■ sunburn ■ minor burns
 ■ minor cuts ■ insect bites
 ■ scrapes ■ minor skin irritations

Warnings
For external use only.
Flammable
 Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
Do not use in large quantities, particularly over raw surfaces or blistered areas.
When using this product
 ■ do not get into eyes
 ■ ask a doctor before using on children under 2 years of age
Stop use and ask a doctor if
 ■ condition gets worse
 ■ symptoms last more than 7 days or clear up and occur again in a few days
Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)
Directions
 ■ shake can well
 ■ for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
 ■ for children under 2 years of age: consult a doctor
 ■ to apply to face, spray in palm of hand and gently apply

Other information
 store between 20° to 25°C (68° to 77°F)

Inactive ingredients
 aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

Questions? Call 1-866-964-0939

SKU30810
 0-84579-11865-6
UPC

DISTRIBUTED BY: fred's, Inc.
 4300 NEW GETWELL RD, MEMPHIS, TN 38118
 www.fredsinc.com
 MADE IN USA WITH U.S. AND IMPORTED PARTS

100% satisfaction guaranteed
 Questions or comments:
 1-866-331-FRED (3733)

This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Solarcaine®.

3/16 INCH OVERWRAP (NO TEXT)
 50-022FR-01

LIDOCAINE

burn relief aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-374
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.64 g in 127 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTANE (UNII: 6LV4FOR43R)	
CARBOMER 934 (UNII: Z135WT9208)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3COOX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPANE (UNII: T75W9911L6)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-374-45	127 g in 1 CAN; Type 0: Not a Combination Product	12/19/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/19/2017	

Labeler - Fred's Stores of Tennessee, Inc (005866116)

Revised: 1/2024

Fred's Stores of Tennessee, Inc