

**PROTECT IRON- vitamin c, vitamin e, thiamin, riboflavin, niacin, vitamin b6, folate, vitamin b12, biotin, pantothenic acid, calcium, iron, magnesium, zinc, selenium, copper, manganese, molybdenum, coenzyme q10, citrus bioflavonoids, l cystine, ascorbyl palmitate, bioperine tablet
GIL PHARMACEUTICAL CORP.**

**PROTECT IRON
METABOLIC OPTIMIZATION†
The Most Comprehensive Blood Support Supplement
Free of Sugar, Gluten, Yeast & Sodium**

Supplement Facts

Serving Size: 1 Tablet

Amount Per Serving		% Daily Value
Vitamin C (as Calcium Ascorbate and Magnesium Ascorbate)	500 mg	556%
Vitamin E (as d-Alpha Tocopheryl Succinate)	67 mg	447%
Thiamin (as Thiamine HCl)	15 mg	1250%
Riboflavin	15 mg	1154%
Niacin (Vitamin B-3)	20 mg	125%
Vitamin B-6 (as Pyridoxine HCl)	15 mg	882%
Folate	1700 mcg DFE (1000 mcg Folic Acid)	425%
Vitamin B-12 (as Cyanocobalamin)	100 mcg	4167%
Biotin	50 mcg	167%
Pantothenic Acid (as Calcium Pantothenate)	15 mg	300%
Calcium (as Calcium Malate, Dicalcium Phosphate and Calcium Ascorbate)	80 mg	6%
Iron (as Polysaccharide Iron)	60 mg	333%
Magnesium (as Magnesium Ascorbate and Magnesium Amino Acid Chelate)	32 mg	8%
Zinc (as Zinc Amino Acid Chelate)	5 mg	45%
Selenium (as Selenium Amino Acid Chelate)	10 mcg	18%
Copper (as Copper Amino Acid Chelate)	1 mg	111%
Manganese (as Manganese Amino Acid Chelate)	2 mg	87%
Molybdenum (as Molybdenum Amino Acid Chelate)	10 mcg	22%
Coenzyme Q-10	30 mg	*
Citrus Bioflavonoids	25 mg	*
L-Cystine	25 mg	*
Ascorbyl Palmitate	10 mg	*
Bioperine™	5 mg	*

*Daily Value (DV) not established.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of

children. In case of accidental overdose, call a doctor or poison control center immediately.

KEEP OUT OF THE REACH OF CHILDREN.

Store at room temperature, USP.

†These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Other Ingredients: Microcrystalline Cellulose, Stearic Acid, Croscarmellose Sodium, Hypromellose, Citric Acid, Dicalcium Phosphate, Magnesium Stearate, Silica, Glycine, Triacetin, Rice Flour, FD&C Yellow #6 Lake, Titanium Dioxide, Mineral Oil, FD&C Red #40 Lake, Ethyl Vanillin, FD&C Blue #1 Lake and Talc.

**Bioperine™ is a trademark of Sabinsa.

Contains: Soy.

DOSAGE AND ADMINISTRATION

Take one tablet daily or one tablet twice a day (one in the morning and one in the evening) or as directed by your physician. For children under 12 years of age, consult your physician.

MANUFACTURED FOR:

GIL PHARMACEUTICAL CORP.

PONCE, PUERTO RICO 00717-1565

**DO NOT ACCEPT IF SEAL IS MISSING OR BROKEN.
PROFESSIONAL SAMPLE, NOT FOR SALE**

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

Protect Iron Metabolic Optimization NDC-58552-316-30 - 30s Label

PROTECT IRON



METABOLIC OPTIMIZATION†

The Most Comprehensive Blood Support Supplement†

Free of Sugar, Gluten, Yeast & Sodium

30 TABLETS

MANUFACTURED FOR: GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1565

protection.com

GIL

Supplement Facts

Serving Size: 1 Tablet

Amount Per Serving		% Daily Value
Vitamin C	500 mg	556%
(as Calcium Ascorbate and Magnesium Ascorbate)		
Vitamin E (as d-Alpha Tocopheryl Succinate)	67 mg	447%
Thiamin (as Thiamine HCl)	15 mg	1250%
Riboflavin	15 mg	1154%
Niacin (Vitamin B-3)	20 mg	125%
Vitamin B-6 (as Pyridoxine HCl)	15 mg	882%
Folate	1700 mcg DFE (1000 mcg. Folic Acid)	425%
Vitamin B-12 (as Cyanocobalamin)	100 mcg	4167%
Biotin	50 mcg	167%
Pantothenic Acid (as Calcium Pantothenate)	15 mg	300%
Calcium (as Calcium Malate, Dicalcium Phosphate and Calcium Ascorbate)	80 mg	6%
Iron (as Polysaccharide Iron)	60 mg	333%

†These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

MANUFACTURED FOR: GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1565

DO NOT ACCEPT IF SEAL IS MISSING OR BROKEN.

7648-11-20



3 58552 31630 9

PEEL HERE FOR MORE INFORMATION

Supplement Facts

(continued)

Serving Size: 1 Tablet

Amount Per Serving		% Daily Value
Magnesium (as Magnesium Ascorbate and Magnesium Amino Acid Chelate)	32 mg	8%
Zinc (as Zinc Amino Acid Chelate)	5 mg	45%
Selenium (as Selenium Amino Acid Chelate)	10 mcg	18%
Copper (as Copper Amino Acid Chelate)	1 mg	111%
Manganese (as Manganese Amino Acid Chelate)	2 mg	87%
Molybdenum (as Molybdenum Amino Acid Chelate)	10 mcg	22%
Coenzyme Q-10	30 mg	*
Citrus Bioflavonoids	25 mg	*
L-Cystine	25 mg	*
Ascorbyl Palmitate	10 mg	*
Bioperine™	5 mg	*

* Daily Value not established.

Other Ingredients: Microcrystalline Cellulose, Stearic Acid, Croscarmellose Sodium, Hypromellose, Citric Acid, Dicalcium Phosphate, Magnesium Stearate, Silica, Glycine, Triacetin, Rice Flour, FD&C Yellow #6 Lake, Titanium Dioxide, Mineral Oil, FD&C Red #40 Lake, Ethyl Vanillin, FD&C Blue #1 Lake and Talc.

**Bioperine™ is a trademark of Sabinsa.

Contains: Soy.

DOSAGE AND ADMINISTRATION

Take one tablet daily or one tablet twice a day (one in the morning and one in the evening) or as directed by your physician. For children under 12 years of age, consult your physician.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

KEEP OUT OF THE REACH OF CHILDREN.

Store at room temperature, USP.

Protect Iron Metabolic Optimization -NDC-58552-316-02-2s Label



PROTECT IRON



LABOLIC OPTIMIZATION†

The Most Comprehensive Blood

Support Supplement†

Free of Sugar,

Gluten, Yeast & Sodium

2 TABLETS
protectgill.com

Supplement Facts

Serving Size: 1 Tablet

Amount Per Serving		%DV
Vitamin C	500 mg	556%
(as Calcium Ascorbate and Magnesium Ascorbate)		
Vitamin E	67 mg	447%
(as d-Alpha Tocopheryl Succinate)		
Thiamin	15 mg	1250%
(as Thiamine HCl)		
Riboflavin	15 mg	1154%

Other Ingredients: Microcrystalline Cellulose, Stearic Acid, Croscarmellose Sodium, Hypromellose, Citric Acid, Dicalcium Phosphate, Magnesium Stearate, Silica, Glycine, Triacetin, Rice Flour, FD&C Yellow #6 Lake, Titanium Dioxide, Mineral Oil, FD&C Red #40 Lake, Ethyl Vanillin, FD&C Blue #1 Lake and Talc.
 **Biperine™ is a trademark of Sabinsa.
 Contains: Soy.

MANUFACTURED FOR:
GIL PHARMACEUTICAL CORP.
 PONCE, PUERTO RICO 00717-1565

DO NOT ACCEPT IF SEAL IS
 MISSING OR BROKEN.

DOSAGE AND ADMINISTRATION

Take one tablet daily or one tablet twice a day (one in the morning and one in the evening) or as directed by your physician. For children under 12 years of age, consult your physician.

PROFESSIONAL SAMPLE, NOT FOR SALE



7645-11-20

PEEL HERE
FOR MORE
INFORMATION

Supplement Facts

(continued)

Serving Size: 1 Tablet

Amount Per Serving		%DV
Niacin (Vitamin B-3)	20 mg	125%
Vitamin B-6 (as Pyridoxine HCl)	15 mg	882%
Folate (1000 mcg Folic Acid)	1700 mcg DFE	425%
Vitamin B-12 (as Cyanocobalamin)	100 mcg	4167%
Biotin	50 mcg	167%
Pantothenic Acid (as Calcium Pantothenate)	15 mg	300%
Calcium (as Calcium Malate, Dicalcium Phosphate and Calcium Ascorbate)	80 mg	6%
Iron (as Polysaccharide Iron)	60 mg	333%
Magnesium (as Magnesium Ascorbate and Magnesium Amino Acid Chelate)	32 mg	8%
Zinc (as Zinc Amino Acid Chelate)	5 mg	45%
Selenium (as Selenium Amino Acid Chelate)	10 mcg	18%
Copper (as Copper Amino Acid Chelate)	1 mg	111%
Manganese (as Manganese Amino Acid Chelate)	2 mg	87%
Molybdenum (as Molybdenum Amino Acid Chelate)	10 mcg	22%
Coenzyme Q-10	30 mg	*
Citrus Bioflavonoids	25 mg	*
L-Cystine	25 mg	*
Ascorbyl Palmitate	10 mg	*
Biperine™	5 mg	*

* Daily Value (DV) not established.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

KEEP OUT OF THE REACH OF
 CHILDREN.

Store at room temperature, USP.

†These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

PROTECT IRON

vitamin c, vitamin e, thiamin, riboflavin, niacin, vitamin b6, folate, vitamin b12, biotin, pantothenic acid, calcium, iron, magnesium, zinc, selenium, copper, manganese, molybdenum, coenzyme q10, citrus bioflavonoids, l cystine, ascorbyl palmitate, bioperine tablet

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:58552-316
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	500 mg
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1)	.ALPHA.-TOCOPHEROL	67 mg
THIAMINE (UNII: X66NSO3N35) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	15 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	15 mg
NIACIN (UNII: 2679MF687A) (NIACIN - UNII:2679MF687A)	NIACIN	20 mg
PYRIDOXINE (UNII: KV2JZ1BI6Z) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	15 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1.7 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	0.1 mg
BIOTIN (UNII: 6S06U10H04) (BIOTIN - UNII:6S06U10H04)	BIOTIN	0.05 mg
PANTOTHENIC ACID (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	15 mg
CALCIUM (UNII: SY7Q814VUP) (CALCIUM - UNII:SY7Q814VUP)	CALCIUM	80 mg
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	60 mg
MAGNESIUM (UNII: I38ZP9992A) (MAGNESIUM - UNII:I38ZP9992A)	MAGNESIUM	32 mg
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	5 mg
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	0.01 mg
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	1 mg
MANGANESE (UNII: 42Z2K6ZL8P) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE	2 mg
MOLYBDENUM (UNII: 81AH48963U) (MOLYBDENUM - UNII:81AH48963U)	MOLYBDENUM	0.01 mg
UBIDECARENONE (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	30 mg
CITRUS BIOFLAVONOIDS (UNII: BD70459I50) (HESPERIDIN - UNII:E750006Y60)	CITRUS BIOFLAVONOIDS	25 mg
CYSTINE (UNII: 48TCX9A1VT) (CYSTINE - UNII:48TCX9A1VT)	CYSTINE	25 mg
ASCORBYL PALMITATE (UNII: QN83US2B0N) (ASCORBYL PALMITATE - UNII:QN83US2B0N)	ASCORBYL PALMITATE	10 mg
PIPERINE (UNII: U71XL721QK) (PIPERINE - UNII:U71XL721QK)	PIPERINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCINE (UNII: TE7660XO1C)	
TRACETIN (UNII: XHX3C3X673)	
BROWN RICE (UNII: 659G217HPG)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MINERAL OIL (UNII: T5L8T28FGP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ETHYL VANILLIN (UNII: YC9ST449YJ)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
TALC (UNII: 7SEV7J4R1U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:58552-316-30	30 in 1 PACKAGE		
2	NHRIC:58552-316-02	2 in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		11/05/2022	

Supplement Facts

Serving Size :		Serving per Container :	
	Amount Per Serving		% Daily Value
shape			
size (solid drugs)	2 mm		
scoring	1		
color			

Labeler - GIL PHARMACEUTICAL CORP. (176826592)

Establishment

Name	Address	ID/FEI	Business Operations
Contract Pharmacal Corp.		057795122	analysis, label, manufacture, pack