

**DOVE MEN PLUS CARE HYDRATE FACE- avobenzone, ensulizole, octisalate, octocrylene lotion**  
**CONOPCO Inc. d/b/a Unilever**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Dove Men plus Care Hydrate Face Lotion SPF 15**

**Active Ingredients**

Avobenzone (2.0%)

Ensulizole (1.5%)

Octisalate (5.0%)

Octocrylene (1.3%)

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**• apply liberally to face and neck 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10a.m. - 2p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age; ask a doctor

**Inactive ingredients**

Water (Aqua), Glycerin, Stearic Acid, Glycol Stearate, PEG-100 Stearate, Dimethicone, Tocopheryl Acetate, Glyceryl Stearate, Potassium Stearate, Carbomer, Caprylyl Glycol, Cetyl Alcohol, Xanthan Gum, Fragrance (Parfum), Stearamide AMP, BHT, Phenoxyethanol, Disodium EDTA

## Questions or comments?

Call toll free 1-800-761-DOVE (3683)

### PDP 1.69 fl oz

**MEN+CARE.**  
**HYDRATE +**

*Directions:* Apply liberally to face and neck 15 minutes before sun exposure. See outer carton for full directions.  
*Warnings:* For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**FACE LOTION**  
**HYDRATE +**

**ADDED CARE FOR MEN'S SKIN**

**Active Ingredients**  
Avobenzone 2.0%, Ensulizole 1.5%, Octisalate 5.0%, Octocrylene 1.3%

[ + Broad Spectrum SPF 15 Sunscreen ]

83228652 1.69 FL. OZ. /50ml

### Carton 1.69 fl oz

**MEN+CARE.**  
**HYDRATE +**

*Directions:* Apply liberally to face and neck 15 minutes before sun exposure.  
• reapply at least every 2 hours  
• use a water resistant sunscreen if swimming or sweating  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. - 2 p.m.  
• wear long-sleeved shirts, pants, hats, and sunglasses

**Drug Facts**  
**Active Ingredients** Purpose  
Avobenzone 2.0% } Sunscreen  
Ensulizole 1.5% }  
Octisalate 5.0% }  
Octocrylene 1.3% }

**Uses**  
• helps prevent sunburn  
• if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**  
Do not use on damaged or broken skin.  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**  
• children under 6 months of age: Ask a doctor

**Inactive ingredients**  
Water (Aqua), Glycerin, Stearic Acid, Glycol Stearate, PEG-100 Stearate, Dimethicone, Tocopheryl Acetate, Glyceryl Stearate, Potassium Stearate, Carbomer, Caprylyl Glycol, Cetyl Alcohol, Xanthan Gum, Fragrance (Parfum), Stearamide AMP, BHT, Phenoxyethanol, Disodium EDTA.

**Other information**  
• protect the product in this container from excessive heat and direct sun

**Questions or comments?**  
Call toll free 1-800-761-DOVE (3683)

**FACE LOTION** Dermatologist Tested

**HYDRATE +** [ ADDED CARE FOR MEN'S SKIN ]

[ + Keeps skin feeling hydrated all day  
+ Broad Spectrum SPF 15 Sunscreen ]

1.69 FL. OZ. /50mL

**Result:**  
• Skin looks healthy.  
• Skin feels smooth and protected.

**The fast absorbing formula effectively moisturizes men's skin plus keeps skin feeling hydrated all day.**  
**The advanced formula is designed for men's skin to:**  
• Feel non-greasy  
• Help skin to lock in moisture  
• Help protect from environmental damage with Broad Spectrum SPF 15

© UNILEVER Trumbull, CT 06611 1-800-761-DOVE (3683) www.dove.com Made in Canada 83228653

## DOVE MEN PLUS CARE HYDRATE FACE

avobenzone, ensulizole, octisalate, octocrylene lotion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:64942-1334 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

|   |             |                 |
|---|-------------|-----------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE  | 2 g in 100 mL   |
| <b>ENSULIZOLE</b> (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)   | ENSULIZOLE  | 1.5 g in 100 mL |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE  | 5 g in 100 mL   |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 1.3 g in 100 mL |

## Inactive Ingredients

| Ingredient Name                                      | Strength |
|--|----------|
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)      |          |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)            |          |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)              |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                |          |
| <b>STEARAMIDE AMP</b> (UNII: U3K8640346)             |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)             |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)           |          |
| <b>WATER</b> (UNII: 059QF0K00R)                      |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                   |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)               |          |
| <b>GLYCOL STEARATE</b> (UNII: 0324G66D0E)            |          |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)           |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0) |          |
| <b>POTASSIUM STEARATE</b> (UNII: 17V812XK50)         |          |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:64942-1334-2 | 1 in 1 CARTON  | 01/22/2016           |                    |
| 1 | NDC:64942-1334-1 | 50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:64942-1334-3 | 15 mL in 1 TUBE; Type 0: Not a Combination Product         | 01/22/2016           |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352                                  | 01/22/2016           |                    |

**Labeler** - CONOPCO Inc. d/b/a Unilever (001375088)