

ANTACID- calcium carbonate tablet, chewable
Select Brand

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Select Brand Ultra Strength Assorted Fruit Antacid Tablets

Active ingredient (in each tablet)

Calcium carbonate 1000 mg

Purpose

Antacid

Uses

relieves

- acid indigestion
- heartburn

Warnings

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 8 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Keep out of reach of children.

Directions

- chew 2-4 tablets as symptoms occur, or as directed by a doctor.

Other information

- do not use if printed seal under cap is torn or missing.
- store at room temperature


Inactive ingredients

adipic acid, corn starch, crospovidone, red 27 lake, red 30 lake, yellow 10 lake, dextrose, blue 1 lake, yellow 6 lake, flavors, magnesium stearate, maltodextrin, sucrose, talc.

Principal Display Panel

Select Brand

Compare to the active ingredient in TUMS® ULTRA
 Antacid Tablets
 Ultra Strength
 Assorted Fruit
 Naturally and Artificially Flavored
 72 CHEWABLE TABLETS



Drug Facts

| Active ingredient (in each tablet) | Purpose |
|------------------------------------|---------|
| Calcium carbonate 1000 mg..... | Antacid |

Uses relieves: ■ acid indigestion ■ heartburn

Warnings
 Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.
 When using this product do not take more than 8 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Keep out of reach of children.

Directions
 ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor.

Other information
 ■ do not use if printed seal under cap is torn or missing.
 ■ store at room temperature.

Inactive ingredients
 adipic acid, blue 1 lake, corn starch, croscopolone, dextrose, flavors, magnesium stearate, maltodextrin, red 27 lake, red 30 lake, sucrose, talc, yellow 6 lake, yellow 10 lake.

| CALCIUM SUPPLEMENT | |
|---|----------------|
| USES: As a daily source of extra calcium. | |
| DIRECTIONS: Chew 2 tablets twice daily. | |
| Supplement Facts | |
| Serving Size: 2 Tablets | |
| Servings Per Container: 36 | |
| Amount Per Serving | % Daily Value* |
| Calories 12 | |
| Sugars 3g | † |
| Calcium 800 mg | 80% |

*Percent Daily Values are based on a diet of other people's misdeeds.
 †Percent Daily Values are based on a diet of other people's misdeeds.

0 15127 01837 1

*This product is not manufactured or distributed by GlaxoSmithKline, the distributor of TUMS® Ultra Strength.

Distributed by:
 SELECT BRAND® DISTRIBUTORS
 Pine Bluff, AR 71603 USA
 AC (870) 535-3635
 MADE IN THE U.S.A.

MFF# 53041 REV 1208

LOT:

EXP:

ANTACID

calcium carbonate tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:15127-955 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D) | CALCIUM CARBONATE | 1000 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------------|----------|
| ADIPIC ACID (UNII: 76A0JE0FKJ) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSPVIDONE (UNII: 68401960MK) | |
| D&C RED NO. 27 (UNII: 2LRS185U6K) | |
| D&C RED NO. 30 (UNII: 2S42T2808B) | |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) | |
| DEXTROSE (UNII: IY9XDZ35W2) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MALTO DEXTRIN (UNII: 7CVR7L4A2D) | |
| SUCROSE (UNII: C151H8M554) | |
| TALC (UNII: 7SEV7J4R1U) | |

Product Characteristics

| | | | |
|----------|--|--------------|----------|
| Color | orange, yellow, green, pink (reddish-pink) | Score | no score |
| Shape | ROUND | Size | 17mm |
| Flavor | FRUIT (orange, cherry, lemon, lime) | Imprint Code | G171 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:15127-955-72 | 72 in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part331 | 12/12/2008 | |

Labeler - Select Brand (043562370)