

CONJU PRINCESS BB - arbutin cream

Conju Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

Active ingredient: titanium dioxide, arbutin, adenosine

Inactive ingredient: water, titanium dioxide, cyclopentasiloxane, ethylhexyl methoxycinnamate, propylene glycol, cyclohexasiloxane, butylene glycol dicaprylate/dicaprate, cetyl/peg/ppg-10/1 dimethicone, dimethicone, hexyl laurate, arbutin, talc, PEG-10 dimethicone, panax ginseng root extract, sorbitan, olivate, magnesium sulfate, sorbitan sesquioleate, disteardimonium hectorite, quaternium-19 bentonite, chamomilla recutita (matricaria) flower extract, silica, triethyl citrate, allantoin, tocopheryl acetate, dipotassium glycyrrhizate, iron oxide (CI 77492), iron oxide (CI 77491), iron oxide (CI 77499), ultramarines (CI 77007), triethoxycaprylylsilane, propylparaben, methylparaben, phenoxyethanol, adenosine, mica, sodium hyaluronate

helps prevent sunburn

keep out of reach of the children

After following the daily skin care routine, apply the Conju Princess BB Cream generously on face and sensitive area. Reapply it again every two hours if sensitive exposure is contrast and also be used as a make-up base

Warning

For external use only

When using this product

- Avoid eye area. If contact occurs, rinse eyes thoroughly with water
- If following abnormal symptoms occurs after use, stop use and ask doctor
red specks, swelling, itching


- for external use only

- apply frequently when needed

은박

검정

PANTONE :



CONJU PRINCESS BB

arbutin cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:599 15-100 1
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	10.15 mL in 100 mL
ARBUTIN (UNII: C5INA23HXF) (ARBUTIN - UNII:C5INA23HXF)	ARBUTIN	2 mL in 100 mL
ADENOSINE (UNII: K72T3FS567) (ADENOSINE - UNII:K72T3FS567)	ADENOSINE	0.04 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
OCTINOXATE (UNII: 4Y5P7MUD51)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TALC (UNII: 7SEV7J4R1U)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
HECTORITE (UNII: 08X4KI73EZ)	
BENTONITE (UNII: A3N5ZCN45C)	
CHAMOMILE (UNII: FGL3685T2X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
ALLANTOIN (UNII: 344S277G0Z)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
LICORICE (UNII: 61ZBX54883)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
OCTYLTRIETHOXY SILANE (UNII: LDC331P08E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MICA (UNII: V8A1AW0880)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59915-1001-1	30 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/24/2011	

Labeler - Conju Inc (012345486)

Revised: 1/2011

Conju Inc