

**ASSURED NASAL RELIEF ORIGINAL- oxymetazoline hydrochloride spray
GREENBRIER INTERNATIONAL, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Assured Nasal Spray Severe Congestion 0.5 oz (50138)

Active Ingredient	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal decongestant

Uses

- temporarily relieved nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- sinusitis
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

For external use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor. To open, rotate cap to align the marks.

Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap back onto the bottle.

Other information

- store between 20 ° and 25 °C (68 ° and 77 °F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride, benzyl alcohol, dibasic sodium phosphate hydrate, disodium EDTA, distilled water, monobasic sodium phosphate dihydrate, PEG 1450, PVP K30

Distributed by:

Greenbrier International, Inc.

500 Volvo Parkway

Chesapeake, VA 23320

Made in Korea

ASSURED

ORIGINAL CONGESTION

Nasal Relief

• Oxymetazoline HCl 0.05%
(Nasal Decongestant)

Drug Facts (continued)

Other information

- store at room temperature 20-25°C (68-77°F)

Inactive ingredients

benzalkonium chloride, benzyl alcohol, edetate disodium, polyethylene glycol 1500, povidone k30, purified water, sodium phosphate dibasic, sodium phosphate monobasic monohydrate

Questions or comments?

Call 1-888-645-8204

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL AROUND PUMP AND CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Bayer®, distributor of Afrin® Original Nasal Spray.

201382

DISTRIBUTED BY:
GREENBRIER INTERNATIONAL, INC.
500 VOLVO PARKWAY
CHESAPEAKE, VA 23320

Made in China

50138-ZDP-BX-R1
NAS-MD-ZDP100-R2



CHILD SAFETY CAP

ASSURED

ORIGINAL CONGESTION

Nasal Relief

• Oxymetazoline HCl 0.05%
(Nasal Decongestant)

Pump Mist
Anti-Drip

- **Maximum Strength**
- **Fast, Powerful Congestion Relief**
- **12 Hour Relief**



0.5 FL OZ
(15 ML)



COMPARE TO AFRIN® ORIGINAL NASAL SPRAY*
ACTIVE INGREDIENT

ASSURED

ORIGINAL CONGESTION

Assured™ Nasal Relief Spray Pump Mist Anti-Drip uses a special formulation that prevents dripping from your nose and down your throat. Our extra strength formulation works almost instantly and will last **12 hours** for your nasal relief.



DIRECTIONS FOR USE:

- STEP 1:** To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp.
- STEP 2:** Use as directed.
- STEP 3:** Wipe nozzle clean after use, and snap cap back onto the bottle.

Full directions in drug facts panel

Drug Facts

Active ingredient	Purpose
Oxymetazoline hydrochloride 0.05%.....	Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

- Ask a doctor before use if you have
- heart disease
 - high blood pressure
 - thyroid disease
 - diabetes
 - trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: consult a doctor
- shake well before use. Remove safety seal. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap onto bottle.

Lot#:

Exp:

ASSURED NASAL RELIEF ORIGINAL

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:33992-8684
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 94255I6E2T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, MONOBASIC, DIHYDRATE (UNII: 5QWK665956)	
POLYETHYLENE GLYCOL 1500 (UNII: 1212Z7S33A)	
POVIDONE K30 (UNII: U725QWY32X)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33992-8684-5	1 in 1 CARTON	11/07/2016	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/08/2011	

Labeler - GREENBRIER INTERNATIONAL, INC. (610322518)

Revised: 3/2022

GREENBRIER INTERNATIONAL, INC.