LISTERINE SMART RINSE BERRY SPLASH- sodium fluoride mouthwash Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LISTERINE ® SMART RINSE ® BERRY SPLASH

Drug Facts

Active ingredient

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

aids in prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older:
- use twice a day after brushing your teeth with a toothpaste
- remove cap and hold bottle upright. Fill to 10 mL line by squeezing the front and back (not the sides) of the bottle. Stop squeezing. Excess liquid will drain back into the bottle. Pour in the cup.
- vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- replace cap promptly after use
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision
- Children under 6 years of age: consult a dentist or doctor

Other information

• store at room temperature

Inactive ingredients

water, sorbitol, flavor, phosphoric acid, cetylpyridinium chloride, sucralose, sodium saccharin, disodium phosphate, red 33, green 3

Questions?

call toll-free 888-222-0182 or 215-273-8755 (collect). www.listerine.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label

NEW!
2X STRONGER TEETH
FOR BETTER CAVITY PROTECTION*
ANTICAVITY FLUORIDE RINSE

LISTERINE ® SMART RINSE ®

SODIUM FLUORIDE & ACIDULATED PHOSPHATE TOPICAL SOLUTION ALCOHOL FREE

*Versus brushing alone, In a lab study. IMPORTANT: Read directions for proper use.

ADA Accepted American Dental Association ®

BERRY SLASH 500 mL (16.9 fl oz)



2X STRONGER TEETH FOR BETTER CAVITY PROTECTION*

ANTICAVITY FLUORIDE RINSE

LISTERINE

SMART RINSE.

SODIUM FLUORIDE & ACIDULATED PHOSPHATE TOPICAL SOLUTION

ALCOHOL FREE

*Versus brushing alone, in a lab study.

IMPORTANT: Read directions for proper use.

30044660



ADA
Accepted
American
Dental
Association



500 ml (16 9 fl oz)

Alcohol Free

LISTERINE® SMART RINSE® is an anticavity mouthwash that helps protect and strengthen teeth. It also cleans the mouth beyond brushing alone:

Helps prevent cavities even in hard to reach places that brushing may miss

• Cleans by removing food particles and debris, for fresh breath and a clean mouth feeling

Tints food particles and debris, leaving proof in the sink of a cleaner mouth



Helps prevent cavities

Drug Facts

Active ingredient

Purpose

Sodium fluoride 0.02% (0.01% w/v fluoride ion).....Anticavity

Use aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older:
 - use twice a day after brushing your teeth with a toothpaste
 - remove cap and hold bottle upright. Fill to 10 mL line by squeezing the front and back (not the sides) of the bottle. Stop squeezing. Excess liquid will drain back into the bottle. Pour in a cup.
 - vigorously swish 10 mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
 - do not swallow the rinse
 - · replace cap promptly after use
 - do not eat or drink for 30 minutes after rinsing
 - instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
 - supervise children as necessary until capable of using without supervision
- Children under 6 years of age: consult a dentist or doctor

Other information

store at room temperature

Inactive ingredients water, sorbitol, flavor, phosphoric acid, cetylpyridinium chloride, sucralose, sodium saccharin, disodium phosphate, red 33, green 3

Ouestions?

call to free 888-222-0182 or

215-273-8755 (collect), www.listerine.com



LISTERINE SMART RINSE BERRY SPLASH

sodium fluoride mouthwash

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69968-0606

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O) | SODIUM FLUORIDE | 0.1 mg in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
PHOSPHORIC ACID (UNII: E4GA8884NN)				
CETYLPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69968- 0606-5	500 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	01/06/2020	09/08/2022	
2	NDC:69968- 0606-3	27 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product	01/06/2020		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part355	01/06/2020	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023 Johnson & Johnson Consumer Inc.