SENNOSIDES- sennosides tablet Marlex Pharmaceuticals Inc

Sennosides

SENNOSIDES 8.6mg Tablet

MarlexPharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity) generally
- produces a bowel movement in 6-12 hours

Warnings

Do not use

• laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach Pain
- Nausea
- Vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and older	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years of age	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years of age	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- Each tablet contains: Calcium 4mg, Sodium 3mg
- Store at 20°C to 25°C (68°F to 77°F) excursions permitted between 15° to 30°C (59°-86°F).

Inactive ingredients

Colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid

*Compare to Senokot®

Product color may vary slightly due to nature of ingredients.

*Marlex Pharmaceuticals, Inc. is not affiliated with the owner of the registered trademark Senokot®.


PRINCIPAL DISPLAY PANEL

NDC 10135-0314-01

Sennosides

8.6 mg

100 TABLETS



that continues	al bleeding of a laxative.	professional In case of son Control	by a doctor	maximum dosage	4 tablets twice a day	2 tablets twice a day	1 tablet twice a day	ask a doctor	lium 3mg rsions	i dioxide, jnesium acid		
(continued) change in bowel habits	if you have recta ement after use us condition.	t or breast-feeding, ask a health profession: . Keep out of reach of children. In case of get medical help or contact a Poison Control nt away.	te or as directed	starting dosage	2 tablets once a day	1 tablet once a day	1/2 tablet once a day	ask a doctor	olcium 4 mg, soc °F to 77°F); excu C (59°-86°F)	ingredients colloidal silicon dioxide, ose sodium, hypromellose, magnesium crocrystalline cellulose, stearic acid		
Facts I a sudden (Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative These may indicate a serious condition.	It pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Directions take preferably at bedtime or as directed by a doctor		adults and children 12 years of age or older	children 6 to under 12 years	children 2 to under 6 vears	children under 2 years	Other information ■ each tablet contains: calcium 4 mg, sodium 3mg ■ store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°-30°C (59°-86°F)	Inactive ingredients colloidal silicon dioxide croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid		
Drug noticed	Stop u or fail These	If preg before overdo Center	Dire	age	adults years (childre	children 2 to under 6 vear	childre	Othe eac storr permit	Inactive croscarmelle stearate, mi		

SENNOSIDES					
sennosides tablet					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10	135-314
Route of Administration	ORAL				
	NA - ¹ - 1				
Active Ingredient/Active	Molety				
Ingree	dient Name		Basis of Stre	ngth	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (S	SENNOSIDES - UNII:3FYP5M	DIJX)	SENNOSIDES		8.6 mg
Inactive Ingredients					
	Ingredient Name			S	Strength

CR	OSCARMELLOSE	SODIUM (UNII: M28OL1HH48)				
НΥ	PROMELLOSES	(UNII: 3NXW29V3WO)				
МА	GNESIUM STEAF	RATE (UNII: 70097M6I30)				
CE	LLULOSE, MICRO	OCRYSTALLINE (UNII: OP1R32D61U)				
sт	EARIC ACID (UNII	: 4ELV7Z65AP)				
_						
	oduct Chara					
	lor	brown (light brown to gray)		Score		no score
	аре	ROUND		Size		9mm
	vor			Imprint Code		S5
Co	ntains					
	ackaging					
Pa	ackaging Item Code	Package Description	r	Marketing Start Date	Ma	arketing End Date
Pa #	Item Code	Package Description 1 in 1 CARTON		-	Ma	
Pa #	Item Code NDC:10135-314- 01	- ·		Date	Ma	
Pa #	Item Code NDC:10135-314- 01	1 in 1 CARTON 100 in 1 BOTTLE; Type 0: Not a Combination		Date	Ma	
Pa #	Item Code NDC:10135-314- 01	1 in 1 CARTON 100 in 1 BOTTLE; Type 0: Not a Combination		Date	Ma	
Pa # 1	Item Code NDC:10135-314- 01	1 in 1 CARTON 100 in 1 BOTTLE; Type 0: Not a Combination		Date	Ma	
Pa # 1	Item Code NDC:10135-314- 01	1 in 1 CARTON 100 in 1 BOTTLE; Type 0: Not a Combination Product	10/	Date		

Labeler - Marlex Pharmaceuticals Inc (782540215)

Revised: 11/2023

Marlex Pharmaceuticals Inc