HARRIS TEETER CASTOR OIL- castor oil liquid Harris Teeter, LLC

Harris Teeter Castor Oil

Drug Facts

Active Ingredient

Castor Oil

Purpose

Stimulant Laxative

Use

For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.

Warings

Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use

if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.

When using this product

Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. Thee symptoms may indicate a serious condition.

If pregnant or breast feeding

ask a health professional before use

Keep out of reach of children.

In case of accidental overdose, seek profssional assistance or contact a Poison Control Center immediately.

Directions

Preferably take on an empty stomach. May be taken with juice to improve taste.

Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.

Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single dose or as directed by a doctor.

Children under 2 yrs. of age: Consult a doctor before use.

WARNINGS:

Do not use if Taper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For your Protection" or foil seal under cap.

Other Information

storage. Keep tightly closed and away from excessive heat.

Inactive Ingredient

None

Label





6 FL OZ (177mL)

| Urug Facts | |
|--|--|
| Active ingredient Castor Oil. | Purpose Stimulant Lavativo |
| USe For temporary relief of cocasional constipation. Bowel movement is generally produced in 6 to 12 hours. | on. Bowel movement is generally |
| Warmings Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives. | or vomiting are present unless use may result in the dependence |
| Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. | a sudden change in bowel habits ive products should not be used ected by a doctor. |
| Stop use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. | rectal bleeding or failure to have . These symptoms may indicate |
| If pregnant or breast feeding ask a health professional before use. | professional before use. |
| Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. | intal overdose, seek professional er immediatelv. |
| Directions Preferably take on an empty stomach. May be taken with juice to improve taste. | May be taken with juice to |
| Adults and children 12 yrs of age 1 to 4 table and older. | 1 to 4 tablespoonfuls in a single daily dose. |
| Children 2 to under 12 yrs of age. 1 to 3 daily of | 1 to 3 teaspoonfuls in a single daily dose or as directed by a doctor. |
| Children under 2 yrs of age. Consu | Consult a doctor before use. |
| Other Information Storage. Keep tightly closed and away from excessive heat. | d and away from excessive heat. |
| R011510RLG | PROUDLY DISTRIBUTED BY: HARD STETTER A MATTHEWS, NC 28105 YOUT PILVS GUATANTEE. |

| castor oil liquid | | | | | | | | | |
|--|---|--|---------------------------------------|----------------|---------------------------|---------------|---------------------|--|--|
| Product Info | ormation | | | | | | | | |
| Product Type | | HUMAN OTC DRUG Item Code (Source) | | | | NDC:69256-515 | | | |
| Route of Admi | nistration | ORAL | | | | | | | |
| Active Ingree | dient/Active | Moiety | | | | | | | |
| | | | | | Basis of Strength St | | Strength | | |
| CASTOR OIL (UNII: D5340Y2I9G) (CASTOR OIL - UNII:D5340Y2I9G) | | | | CASTOR | JIL | | 1 mg in 1 mL | | |
| Inactive Ingr | edients | | | | | | | | |
| | | Strength | | | | | | | |
| | - | redient Name | | | | Juen | gui | | |
| WATER (UNII: 059 | QF0KO0R) | | | | | Juen | gui | | |
| · | QF0KO0R) | | | | | Juen | gen | | |
| · | QF0KO0R) | | | | | | | | |
| Packaging | | ackage Description | | Marketin Da | ng Start | | rketing End Date | | |
| Packaging | Pa | ackage Description TTLE, PLASTIC; Type 0: Not | a | | ng Start te | | rketing End | | |
| Packaging # Item Code | P 177 mL in 1 BO | ackage Description TTLE, PLASTIC; Type 0: Not | a | Da | ng Start te | | rketing End | | |
| Packaging # Item Code 1 NDC:69256- 515-96 | Pa 177 mL in 1 BO Combination Pro | ackage Description TTLE, PLASTIC; Type 0: Not oduct | a | Da | ng Start te | | rketing End | | |
| 1 NDC:69256- | Pa 177 mL in 1 BO Combination Pro Informat | ackage Description TTLE, PLASTIC; Type 0: Not oduct | · · · · · · · · · · · · · · · · · · · | Da | ng Start te g Start | Ma | rketing End | | |

Registrant - Pharma Nobis, LLC (118564114)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|--|
| Pharma Nobis, LLC | | 118564114 | manufacture(69256-515) , analysis(69256-515) , pack(69256-515) , label(69256-515) |

Revised: 12/2023

Harris Teeter, LLC