

COCCI CURE P FOR POULTRY- amprolium solution
Aspen Veterinarian Resources Ltd

Cocci-Cure® P FOR POULTRY
(amprolium)

9.6% Oral Solution

Coccidiostat

Active ingredient: amprolium.....9.6%

Water-soluble treatment for coccidiosis

Treats 800 Gallons at 0.012% level

Restricted Drug (California) - Use Only as Directed

Approved by FDA under ANADA # 200-496

Net Contents: 1 Gallon (128 fl oz)(3.785 L)

INDICATIONS: Cocci-Cure® P FOR POULTRY (amprolium) 9.6% Oral Solution is intended for the treatment of coccidiosis in growing chickens, turkeys, and laying hens. If no improvement is noted within 3 days, have the diagnosis confirmed and follow the instructions of your veterinarian or poultry pathologist. Losses may result from intercurrent disease or other conditions affecting drug intake which can contribute to the virulence of coccidiosis under field conditions.

USE DIRECTIONS: Give amprolium at the 0.012% level (8 fl oz per 50 gallons) as soon as coccidiosis is diagnosed and continue for three to five days. (In severe outbreaks, give amprolium at the 0.024% level). Continue with 0.006% amprolium medicated water for an additional 1 to 2 weeks. No other source of drinking water should be available to the birds during this time.

Use as the sole source of amprolium.

WARNING: Keep this and all drugs out of reach of children. NOT FOR HUMAN USE.

PRECAUTIONS: FOR ORAL USE IN ANIMALS ONLY. MAY CAUSE EYE IRRITATION. For irritation, flush with plenty of water; get medical attention.

FOR ANIMAL USE ONLY

To prepare 50 Gallons of Medicated Water

DOSAGE LEVEL	MIXING DIRECTIONS
0.024%	Add 1 pint (16 fluid ounces) of Cocci-Cure® P FOR POULTRY (amprolium) 9.6% Oral Solution to about 5 gallons of water in a 50-gallon medication barrel. Stir, then add water to the 50-gallon mark. <i>Stir thoroughly.</i>
0.012%	Follow same directions as above but use ½ pint (8 fluid ounces) of Cocci-Cure® P FOR POULTRY 9.6% Oral Solution
0.006%	Follow same directions as above but use 4 fluid ounces of Cocci-Cure® P FOR POULTRY 9.6% Oral Solution

For Automatic Water Proportioners

For automatic water proportioners that meter 1 fluid ounce of stock solution per gallon of drinking water.

DOSAGE LEVEL	Cocci-Cure [®] P FOR POULTRY 9.6% Oral Solution PER GALLON OF STOCK SOLUTION
0.024%	41 fl oz
0.012%	20.5 fl oz
0.006%	10.25 fl oz

Note: Make drinking water fresh daily. Stock solutions for proportioners may be stored in a clean, closed labeled container for up to 3 days.

STORAGE: Store container in an upright position. Store between 5°C-25°C (41°F-77°F) with brief excursions to 40°C.

Benzoic acid as Sodium Benzoate 0.1% added as preservative.

The Safety Data Sheet (SDS) contains more detailed occupational safety information. To report adverse drug events, for technical assistance or to obtain a copy of the SDS, contact the manufacturer at 1-800-792-1238. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or online at www.fda.gov/reportanimalae.

FOR ANIMAL USE ONLY
To prepare 50 Gallons of Medicated Water

DOSAGE LEVEL	MIXING DIRECTIONS
0.024%	Add 1 pint (16 fluid ounces) of Cocci-Cure [®] P FOR POULTRY (amprolium) 9.6% Oral Solution to about 5 gallons of water in a 50-gallon medicant on barrel. Stir, then add water to the 50-gallon mark. <i>Stir thoroughly.</i>
0.012%	Follow same directions as above but use ½ pint (8 fluid ounces) of Cocci-Cure [®] P FOR POULTRY 9.6% Oral Solution.
0.006%	Follow same directions as above but use 4 fluid ounces of Cocci-Cure [®] P FOR POULTRY 9.6% Oral Solution.

For Automatic Water Proportioners
For automatic water proportioners that meter 1 fluid ounce of stock solution per gallon of drinking water.

DOSAGE LEVELS	Cocci-Cure [®] P FOR POULTRY 9.6% Oral Solution PER GALLON OF STOCK SOLUTION
0.024%	41 fl oz
0.012%	20.5 fl oz
0.006%	10.25 fl oz

Note: Make drinking water fresh daily. Stock solutions for proportioners may be stored in a clean, closed labeled container for up to 3 days.

Manufactured for:
Aspen Veterinary Resources[®], LTD.
Liberty, MO 64068
www.aspenveterinaryresources.com
A460B
1AMP029 8AMP031 Rev: 04/22

NDC 46066-901-01



Cocci-Cure[®] P FOR POULTRY

(amprolium)
9.6% Oral Solution
Coccidiostat

Active Ingredient: amprolium.....9.6%

Water-soluble treatment for coccidiosis
Treats 800 Gallons at 0.012% level

Restricted Drug (California) – Use Only as Directed
Approved by FDA under ANADA # 200-496

Net Contents:
1 Gallon (128 fl oz) (3.785 L)

INDICATIONS: Cocci-Cure[®] P FOR POULTRY (amprolium) 9.6% Oral Solution is intended for the treatment of coccidiosis in growing chickens, turkeys, and laying hens. If no improvement is noted within 3 days, have the diagnosis confirmed and follow the instructions of your veterinarian or poultry pathologist. Losses may result from intercurrent disease or other conditions affecting drug intake which can contribute to the virulence of coccidiosis under field conditions.

USE DIRECTIONS: Give amprolium at the 0.012% level (8 fl oz per 50 gallons) as soon as coccidiosis is diagnosed and continue for three to five days. (In severe outbreaks, give amprolium at the 0.024% level). Continue with 0.006% amprolium medicated water for an additional 1 to 2 weeks. No other source of drinking water should be available to the birds during this time.

Use as the sole source of amprolium.

WARNING: Keep this and all drugs out of reach of children. NOT FOR HUMAN USE.

PRECAUTIONS: FOR ORAL USE IN ANIMALS ONLY. MAY CAUSE EYE IRRITATION. For irritation, flush with plenty of water; get medical attention.

STORAGE: Store container in an upright position. Store between 5°C-25°C (41°F-77°F) with brief excursions to 40°C.

Benzoic acid as Sodium Benzoate 0.1% added as preservative.

The Safety Data Sheet (SDS) contains more detailed occupational safety information. To report adverse drug events, for technical assistance or to obtain a copy of the SDS, contact the manufacturer at 1-800-792-1238. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or online at www.fda.gov/reportanimalae.

TAKE TIME TO OBSERVE LABEL DIRECTIONS

Lot: _____ Exp: _____

COCCI CURE P FOR POULTRY

amprolium solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-901
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
AMPROLIUM (UNII: 95CO6N199Q) (AMPROLIUM ION - UNII:H2T307KMZR)			AMPROLIUM	96 mg in 1 mL
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-901-01	3785 mL in 1 JUG		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANADA		ANADA200496	10/02/2014	

Labeler - Aspen Veterinarian Resources Ltd (627265361)

Registrant - Bimeda Inc. (060492923)

Establishment

Name	Address	ID/FEI	Business Operations
Bimeda Inc.		060492923	manufacture

Revised: 12/2023

Aspen Veterinarian Resources Ltd