# ASPIRIN- aspirin tablet, chewable CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### CVS Pharmacy, Inc. Aspirin 81 mg Drug Facts

# Active ingredient (in each chewable tablet)

Aspirin 81 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

# **Purpose**

Pain reliever

#### Uses

for the temporary relief of minor aches and pains

# Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

#### Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

#### Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

#### Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

# Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

These could be signs of a serious condition

# If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor

· children under 12 years: consult a doctor

#### Other information

store at 20-25°C (68-77°F)

# **Inactive ingredients**

corn starch, dextrose excipient, FD&C yellow no. 6 aluminum lake, flavors, saccharin sodium

#### Questions or comments?

1-800-719-9260

# **Principal Display Panel**

**VALUE SIZE** 

108 TOTAL

3 - 36 COUNT BOTTLES

CVS Health®

Compare to the active ingredient in Bayer® Chewable Aspirin

Chewable Tablets

Adult Low Dose

See New Warning

Aspirin 81 mg

Pain reliever (NSAID)

Aspirin regimen

Talk to your doctor or other healthcare provider before using this product for your heart

81 mg

Chewable Orange Flavor

**Actual Size** 

**36 TABLETS EACH** 

**108 CHEWABLE TABLETS** 



#### Drug Facts

Uses for the temporary relief of minor aches and pains

#### Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome. a rare but serious illness.

Allergyalent: Aspirin may cause a severe allergic reaction which may in dude: ■ hives ■ facial swelling ■ asthma(wheezing) ■ shock Stomach bleeding wanning: This product contain san NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulœrs or bleeding problems
- take a blood thinning (anticoa gulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibup rofen, naproxen, or others)
- have 3 or more a looholic drinks every day while using this product
- take more or for a longer time than directed

#### Do not use

126

148

- if you have ever had an all engic reaction to any other pain relie ver/ fever reducer
- for at least7 days after ton sillectomy or oral surgery unless directed by

#### Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as he artburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic you have asthma

Ask a doctor or pharma cist before use if you are taking a prescription drug for ■ gout ■ diabetes ■ arthritis

#### Stopuse and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
   feel faint worn it blood have bloody or black stools
- have stomach pain that does not get better
   pain ge ts worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present new symptoms occur
- ringing in the ears or a loss of hearing occurs

These could be signs of a serious condition

Drug Facts (continued)

Other information

■ store at 20-25°C (68-77°F)

Inactive in gredients com starch, dextrose excipient, FD&C yellow no. 6 aluminum la ke, flavors, saccha in sodium

Questions or comments? 1-800-719-9260

DO NOT USE IF PRINTED SEAL UNDER

<sup>†</sup>This product is not manu factured or distribute d by Bayer Health Care ,LL C, distributor of Bayer® Chewa ble Aspirin .

Distributed by: CVS Pharmacy, Inc. On eCVS Drive, Woonsocket, Rt 0 28 95 © 2022 CVS/pharmacy CVS.com\* 1-800-SHOP CVS V-17 160





#### Drug Facts (continued)

If pre gnant or breast-fee ding, ask a health professional before use. It is especially important not to use a spirin at 20 weeks or later in pre gnan cy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years consult adoctor

# **ASPIRIN**

aspirin tablet, chewable

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:59779-467 Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg	

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		

Product Characteristics				
Color	ORANGE	Score	no score	
Shape	ROUND	Size	8mm	
Flavor	ORANGE	Imprint Code	L467	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-467- 68	1 in 1 CARTON	08/25/1992	
1		36 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59779-467- 08	3 in 1 CARTON	08/25/1992	
2		36 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	08/25/1992	

# Labeler - CVS Pharmacy (062312574)

Revised: 1/2023 CVS Pharmacy