

**MEIJER MAXIMUM STRENGTH SEVERE CONGESTION AND COUGH-  
dextromethorphan hydrobromide, guaifenesin, and phenylephrine  
hydrochloride liquid**  
**MEIJER, INC.**  
**Reference Label Set Id: 7f4ccd7c-9b17-428b-8cdf-42237728f9b2**

-----  
**Meijer Maximum Strength Severe Congestion and Cough**

***Drug Facts***

<b><i>Active ingredients (in each 20 mL)</i></b>	<b><i>Purposes</i></b>
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

- cough that occurs with too much phlegm (mucus)

### **When using this product**

- **do not use more than directed**

### **Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough comes back, or occurs with rash or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter
- **adults and children 12 years of age and older:** 20 mL in dosing cup provided every 4 hours.
- **children under 12 years of age:** Do not use.

### **Other information**

- each 20 mL contains: **sodium 8 mg**
- low sodium
- store at room temperature
- do not refrigerate

### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

### **Questions or comments?**

**1-866-467-2748**

### **PRINCIPAL DISPLAY PANEL**

NDC 41250-446-06

# Compare to Mucinex® Fast- Max® Maximum Strength Severe Congestion & Cough Active Ingredients\*

## Maximum Strength

### Severe Congestion & Cough

Dextromethorphan HBr - Cough Suppressant

Guaifenesin - Expectorant

Phenylephrine HCl - Nasal Decongestant

- **Control Cough**
- **Relieves Nasal and Chest Congestion**
- **Thins & loosens mucus**

For Ages 12+

6 FL OZ (180 mL)


**Tamper evident: do not use if printed seal under cap is broken or missing.**

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Mucinex® and Fast-Max®

**DIST. BY MEIJER DISTRIBUTION, INC.**

**GRAND RAPIDS, MI 49544**



**www.meijer.com**



FRONT

BACK MIRROR IMAGE

BASE



# MEIJER MAXIMUM STRENGTH SEVERE CONGESTION AND COUGH

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-446
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>dextromethorphan hydrobromide</b> (UNII: 9D2RTI9KYH) (dextromethorphan - UNII:7355X3ROTS)	dextromethorphan hydrobromide	20 mg in 20 mL
<b>guaifenesin</b> (UNII: 495W7451VQ) (guaifenesin - UNII:495W7451VQ)	guaifenesin	400 mg in 20 mL
<b>phenylephrine hydrochloride</b> (UNII: 04JA59TNSJ) (phenylephrine - UNII:1WS297W6MV)	phenylephrine hydrochloride	10 mg in 20 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>anhydrous citric acid</b> (UNII: XF417D3PSL)	
<b>edetate disodium</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C Blue NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C Red NO. 40</b> (UNII: WZB9127XOA)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>propylene glycol</b> (UNII: 6DC9Q167V3)	
<b>propyl gallate</b> (UNII: 8D4SNN7V92)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>sodium benzoate</b> (UNII: OJ245FE5EU)	
<b>sorbitol</b> (UNII: 506T60A25R)	
<b>sucralose</b> (UNII: 96K6UQ3ZD4)	
<b>xanthan gum</b> (UNII: TTV12P4NEE)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-446-06	180 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/20/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/20/2020	

**Labeler** - MEIJER, INC. (006959555)

