

**SENNAZON- sennosides a and b syrup**  
**Baysore Pharmaceuticals LLC [FL]**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Sennazon Syrup**

**Drug Facts**

**Active Ingredient (in each teaspoonful)**

Sennosides 8.8 mg

**Purpose**

Laxative

**Uses**

- relieves occasional constipation
- generally produces bowel movement in 6-12 hours

**Warnings**

**Do not use**

- for longer than one week
- when abdominal pain, nausea or vomiting are present

**Ask a doctor before use if you have** noticed a sudden change in bowel habits that lasts over two weeks

**Ask a doctor or pharmacist before use if you are** taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

- you have rectal bleeding
- you fail to have bowel movement after use of this product. These may indicate a serious condition.

**If pregnant or breast-feeding** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take preferably at bedtime or as directed by a doctor

<b>age</b>	<b>starting dose</b>	<b>maximum dosage</b>
adults and children 12 years and older	2 - 3 teaspoons once a day	3 teaspoons twice a day
children 6 to under 12 years	1 - 1 1/2 teaspoons once a day	1 1/2 teaspoons twice a day
children 2 to under 6 years	1/2 - 3/4 teaspoon once a day	3/4 teaspoon twice a day

Children 2 to under 6 years	1/2 - 3/4 teaspoon once a day	3/4 teaspoon twice a day
children under 2 years	ask a doctor	ask a doctor

### Other information

- avoid excessive heat
- store at room temperature 15°- 30°C (59°- 86°F)

### Inactive ingredients

cocoa distillate flavor, natural chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water, sucrose

### Questions?

**Call 1-855-bay-pharm 9 am - 5 pm EST Monday - Friday**

*Mfd. for: Bayshore Pharmaceuticals  
Tampa, FL 33619*

### PRINCIPAL DISPLAY PANEL - 237 mL Bottle Label

NDC 76518-100-08

**COMPARE TO ACTIVE  
INGREDIENTS IN  
SENOKOT®\***

**b  
Protected™**

**Sennazon  
Syrup**

**Natural Vegetable LAXATIVE**

**Alcohol  
Free**

- **Natural Chocolate Flavor**
- **Standardized Senna Fruit Concentrate**

**8 fl. oz. (237 mL)**

NDC 76518-100-08

COMPARE TO ACTIVE  
INGREDIENTS IN  
SENOKOT®\*



# Sennazon Syrup

Natural Vegetable LAXATIVE

Alcohol Free

- Natural Chocolate Flavor
- Standardized Senna Fruit Concentrate

8 fl. oz. (237 mL)

### Drug Facts

**Active Ingredient (in each teaspoonful)**  
Sennosides 8.8 mg ..... Laxative

**Uses** • relieves occasional constipation  
• generally produces bowel movement in 6-12 hours

**Warnings** Do not use  
• for longer than one week • when abdominal pain, nausea or vomiting are present  
Ask a doctor before use if you have noticed a sudden change in bowel habits that lasts over two weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.  
Stop use and ask a doctor if • you have rectal bleeding • you fail to have bowel movement after use of this product. These may indicate a serious condition.  
if pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** • take preferably at bedtime or as directed by a doctor

age	starting dose	maximum dosage
adults and children 12 years and older	2 - 3 teaspoons once a day	3 teaspoons twice a day
children 6 to under 12 years	1 - 1 1/2 teaspoons once a day	1 1/2 teaspoons twice a day
children 2 to under 6 years	1/2 - 3/4 teaspoon once a day	3/4 teaspoon twice a day
children under 2 years	ask a doctor	ask a doctor

**Other information**  
• avoid excessive heat • store at room temperature 15° - 30° C (59° - 86° F)

**Inactive ingredients** cocoa distillate flavor, natural chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water, sucrose

**Questions?** ☎ Call 1-855-bay-pharm 9 am - 5 pm EST Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING**  
\*Bayshore Pharmaceuticals is not affiliated with the owner of the trademark Senokot®.  
Mfd. for: Bayshore Pharmaceuticals  
Tampa, FL 33619 BP10008L r.03/12



## SENNAZON

sennosides a and b syrup

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76518-100
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sennosides A and B (UNII: 1B5FPI42EN) (Sennosides A and B - UNII:1B5FPI42EN)	Sennosides A and B	8.8 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
Methylparaben (UNII: A2I8C7H9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KO0R)	
sucrose (UNII: C151H8M554)	
cocoa (UNII: D9108TZ9KG)	

### Product Characteristics

<b>Color</b>	BROWN	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	

<b>Flavor</b>	CHOCOLATE		<b>Imprint Code</b>	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:76518-100-08	237 mL in 1 BOTTLE, PLASTIC		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC MONOGRAPH NOT FINAL	part334	05/01/2012		

**Labeler** - Bayshore Pharmaceuticals LLC [FL] (963298273)

Revised: 7/2013

Bayshore Pharmaceuticals LLC [FL]