

GOOD SENSE NASAL- oxymetazoline hcl spray

L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Nasal Spray Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Shake well before use. Hold white tabs, SQUEEZE grooved area of cap FIRMLY and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, microcrystalline cellulose and carboxymethylcellulose sodium, monobasic sodium phosphate, polyethylene glycol, povidone, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

12 Hour Relief

Maximum Strength

Nasal Spray

Oxymetazoline HCl 0.05%

Nasal Decongestant

No Drip

Original

Fast, Powerful Congestion Relief

#1 DOCTOR RECOMMENDED adult nasal spray active ingredient

For Colds and Allergies

Won't Drip From Nose or Down Throat

Compare to active ingredient of Afrin® No Drip Original

100% SATISFACTION GUARANTEED

1 FL OZ (30 mL)

Pump Mist

GOODSENSE®
12 Hour Relief
Maximum Strength
Nasal Spray
Oxymetazoline HCl 0.05%
Nasal Decongestant
No Drip Original
• Fast, Powerful Congestion Relief
• For Colds and Allergies
• Won't Drip From Nose or Down Throat
Compare to active ingredient of Afrin® No Drip Original
100% SATISFACTION GUARANTEED
1 FL OZ (30 mL) Pump Mist

Actual Size

♦ Of U.S. physicians surveyed by an independent market research firm.

Drug Facts
Active ingredient Oxymetazoline hydrochloride 0.05%...
Purpose Nasal decongestant

Uses
temporarily relieves nasal congestion due to:
■ common cold ■ hay fever
■ upper respiratory allergies
temporarily relieves sinus congestion and pressure
shrinks swollen nasal membranes so you can breathe more freely

Warnings
Ask a doctor before use if you have
■ heart disease ■ high blood pressure
■ thyroid disease ■ diabetes
■ trouble urinating due to an enlarged prostate gland

When using this product
do not use more than directed
do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
temporarily discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
children under 6 years of age: ask a doctor
To Use: Shake well before use. Hold white tabs, SQUEEZE grooved area of cap FIRMLY, and turn counter clockwise. Before using the first time, prime metered pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. Secure cap after use.

Other information
store at 20-25°C (68-77°F)
retain carton for future reference on full labeling

Drug Facts (continued)
Inactive ingredients
benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, microcrystalline cellulose and carboxymethylcellulose sodium, monobasic sodium phosphate, polyethylene glycol, povidone, purified water

Questions or comments?
1-800-719-9260

Gluten Free
Distributed By
Perrigo®
Allegan, MI 49010

How to use:
Hold white tabs, SQUEEZE grooved area of cap FIRMLY and turn counter clockwise. Secure cap after use.

SQUEEZE grooves FIRMLY while turning

Hold white tabs FIRMLY

700301145119

38810 C2 C6

GOOD SENSE NASAL

oxymetazoline hcl spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0388	
Route of Administration	NASAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL	
Inactive Ingredients				
	Ingredient Name		Strength	
	BENZYL ALCOHOL (UNII: LKG8494WBH)			
	SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)			
	EDETATE DISODIUM (UNII: 7FLD91C86K)			
	MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
	CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)			
	SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)			
	POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
	POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
	WATER (UNII: 059QF0KO0R)			
Product Characteristics				
Color	WHITE (to off white, viscous)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0388-10	1 in 1 CARTON	05/13/2002	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	05/13/2002		

Labeler - L. Perrigo Company (006013346)