

**SALICYLIC ACID- corn and callus remover kit liquid**  
**CVS Pharmacy**

-----  
**Corn & Callus Remover Kit**

***Active ingredient***

Salicylic acid 17%w/w

***Purpose***

Corn and callus remover

***Uses***

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

***Warnings***

**For external use only.**

**Flammable**

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

**Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

**Stop and ask a doctor if**

discomfort persists, see your doctor or podiatrist

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

### ***Other information***

store between 20°C to 30°C (68°F to 86°F)

### ***Inactive ingredients***

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

### ***Questions?***

Call 1-866-964-0939

### **Principal Display Panel**

**CVS Health**

**Medicated**

**Corn & Callus Remover Kit**

**17% SALICYLIC ACID LIQUID &**

**NON-MEDICATED CUSHIONS**

- Removes corns & calluses safely & effectively
- Supersoft foam cushions & protects

**3 CUSHIONS | REMOVER 0.5 FL OZ (15mL)**



Medicated

NDC 59779-139-15

# Corn & Callus Remover Kit

17% SALICYLIC ACID LIQUID & NON-MEDICATED CUSHIONS

- Removes corns & calluses safely & effectively
- Supersoft foam cushions & protects



3 CUSHIONS | REMOVER 0.5 FL OZ (15 mL)

Only use product on feet & hands



### Drug Facts

**Active Ingredient** Salicylic acid 17% w/w **Purpose** Corn and callus remover

- Uses**
- for the removal of corns and calluses
  - relieves pain by removing corns and calluses

- Warnings**  
For external use only.
- Flammable**
- keep away from fire or flame
  - cap bottle tightly and store at room temperature away from heat

- Do not use**
- on irritated skin
  - on any area that is infected or reddened
  - if you are a diabetic, or if you have poor blood circulation

- When using this product**
- avoid contact with eyes
  - avoid inhaling vapors
  - if product gets into the eye, flush with water for 15 minutes

**Stop use and ask a doctor** if discomfort persists, see your doctor or podiatrist.  
**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

- Directions**
- wash the affected area and dry thoroughly
  - carefully apply one drop at a time with applicator to sufficiently cover each corn/callus
  - do not apply to face or neck
  - let dry
  - use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
  - repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
  - may soak corn/callus in warm water for 5 minutes to assist in removal

- Other Information**
- store between 20°–25°C (68°–77°F)
  - close tightly to prevent solidification
  - store in a cool place

**Inactive Ingredients** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?** Call 1-866-964-0939

- Care**
- Wipe top of bottle clean after each use
  - Avoid surrounding skin when applying product

#139231

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2020 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
Made in U.S.A. with U.S.  
and imported parts V-13698



FPO 85%  
UPC# 050428350850

CVS Quality Money Back Guarantee

41-030CV-03

XXXXXXXX XXXXXX X

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE



Medicated

# Corn & Callus Remover

Salicylic acid removes corns & calluses safely & effectively

CLOSE CAP TIGHTLY AFTER USE

0.5 FL OZ (15 mL)

NDC 59779-139-15

**Active ingredient:** Salicylic acid (17% w/w)  
**Purpose:** Corn and callus remover **Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat. **Do not use** this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

**Do not use this product** on irritated skin, on any area that is infected or reddened. **When using this product** avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area and dry thoroughly. Carefully apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed). May soak corn/callus in warm water for 5 minutes to assist in removal. **Other information:** Store at 20°–25° C (68°–77° F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose. **Questions?** Call 1-866-964-0939 **Keep packaging for complete drug facts information**

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2020 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
Made in U.S.A. with U.S.  
and imported parts V-13698



50-030CV-03

## SALICYLIC ACID

corn and callus remover kit liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-139
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 151 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:59779-139-15	15 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	01/01/2014	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M030	01/01/2014	

**Labeler** - CVS Pharmacy (062312574)

Revised: 1/2024

CVS Pharmacy