MILK OF MAGNESIA- magnesium hydroxide liquid AMERISOURCEBERGEN DRUG CORPORATION

GNP milk of mag original

Active ingredient (in each 15 mL, 1 Tablespoon)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL tablespoonful contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed

Inactive ingredients

purified water, sodium hypochlorite

Questions or Comments?

1-800-540-3765

package label

GOOD NEIGHBOR PHARMACY

Compare to Phillips'® Milk of Magnesia Original active ingredient*

Milk of Magnesia

Saline Laxative

MAGNESIUM HYDROXIDE

- stimulant free
- cramp free
- sugar free

ORIGINAL FLAVOR

12 FL OZ (355 mL)



Compare to Phillips' Milk of Magnesia Original active ingredient*

NDC 46122-437-40

agnesia

saline laxative

Magnesium Hydroxide

- Stimulant Free
- Cramp Free
- Sugar Free

297-19112-0 REV0917

Original Flavor

12 fl oz (355 mL)

Drug Facts

TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

Active ingredient (in each 15 mL)

Purpose Saline laxative

Use • relieves occasional constipation (irregularity)

generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

Magnesium hydroxide 1200 mg..

- · kidney disease
- a magnesium-restricted diet a magnesium-restricted diet
 a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information • each 15 mL contains: magnesium 500 mg avoid freezing · store at room temperature tightly closed



Inactive ingredients purified water, sodium hypochlorite

Questions or Comments? 1-800-540-3765



Distributed By mertsourceBergen 1300 Morris Drive sterbrook, PA 19097 stions or Concerns?

997-19112-0 REV0917

*This product is not manufactured or distributed by Bayer Healthcare LLC., distributors of Phillips'® brand Milk of Magnesia.

MILK OF MAGNESIA

magnesium hydroxide liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:46122-437

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

l	Packaging				
# Item Code Package Description		Marketing Start Date	Marketing End Date		
	1	NDC:46122-437- 40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/19/2018	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/01/2017	

Labeler - AMERISOURCEBERGEN DRUG CORPORATION (007914906)

Registrant - GCP Laboratories (965480861)

Establishment					
Name	Address	ID/FEI	Business Operations		
GCP Laboratories		965480861	manufacture(46122-437)		

Revised: 11/2023 AMERISOURCEBERGEN DRUG CORPORATION