ALLERGY RELIEF CHILDRENS- diphenhydramine hcl tablet, chewable Meijer Distribution Inc

Meijer 44-599

Active ingredient (in each chewable tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- find right dose on chart below
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Age (yr)	Dose (chewable tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

Inactive ingredients

D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

Questions or comments?

1-800-426-9391

Principal Display Panel

meijer_®

NDC 41250-599-44

Compare to Children's Benadryl® Chewables

active ingredient*

CHILDREN'S

allergy relief

Diphenhydramine HCl | 12.5 mg Chewable Tablets Antihistamine

Relieves: Sneezing, Itchy Throat, Runny Nose & Itchy, Watery Eyes

Cherry Flavored

18 Chewable Tablets

Actual Size

Chew or crush tablets completely before swallowing.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com

OUR QUALITY GUARANTEE

The Meijer Family WWW.MEIJER.COM/SATISFACTION

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl® Chewables.

50844 REV1218B59944

C Questions or comments? 1-800-426-9391

acid, sucralose, sucrose

hydroxypropyl cellulose, magnesium stearate, mannifol, stearic red #30aluminum lake, dextrates hydrated, ethylcellulose, flavor, Inactive ingredients D&C red #27 aluminum lake, D&C

Drug Facts (continued)

REV1218B59944 20844 Benadryl®Chewables.

Johnson Corporation, owner of the registered trademark Children's *This product is not manufactured or distributed by Johnson &

> ■ see end flap for expiration date and lot number Vibimud Agid biovs ■

(£98-86°F)

■ store at 25°C (77°F); excursions permitted between 15°-30°C OPENED OR BLISTER IS TORN OR BROKEN

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Other information

2 to 4 chewable tablets (25 mg to 02 mg)	adults and children 12 years and over
t to 2 chewable tablets (tr.5 mg to 25 mg)	children 6 to 11 years
do not use unless directed by a doctor	children 2 to 5 years
esu fon ob	children under 2 years
Dose (chewable tablets)	(1y) 9gA

■ do not take more than 6 times in 24 hours ■ take every 4 to 6 hours, or as directed by a doctor swallow tablets whole

■ chew or crush tablets completely before swallowing; do not ■ find right dose on chart below UIYections

help or contact a Poison Control Center (1-800-222-1222) right Keep out of reach of children. In case of overdose, get medical

(pənuituos) **stərə finu**

If pregnant or breast-feeding, ask a health professional before

- excitability may occur, especially in children machinery ■ avoid alcoholic beverages
- use caution when driving a motor vehicle or operating
- alcohol, sedatives, and tranquilizers may increase drowsiness When using this product marked drowsiness may occur

sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking

- difficulty in urination due to enlargement of the prostate gland a breathing problem such as emphysema or chronic bronchitis Ask a doctor before use if you have

 glaucoma

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com

■ with any other product containing diphenhydramine, even one Do not use To make a child sleepy Marnings

> ■ itching of the nose or throat ดิแ∉ลอแร∎ ■ itchy, watery eyes ■ runny nose

fever or other upper respiratory allergies:

səsn

■ temporarily relieves these symptoms due to hay

Antihistamine

Purpose

Diphenhydramine HCl 12.5 mg (in each chewable tablet)

Active ingredient

COMPLETE PRODUCT INFORMATION

Drug Facts

PID 3335585

No Print/No Varnish Lot and Expiration No

meijer

CHILDREN'S allergy relief

Diphenhydramine HCl | 12.5 mg Chewable Tablets

Antihistamine

18 Chewable Tablets

NDC 41250-599-44

Compare to Children's Benadryl® Chewables active ingredient*

meijer

CHILDREN'S allergy relief

Diphenhydramine HCl | 12.5 mg Chewable Tablets **Antihistamine**

Relieves: Sneezing, Itchy Throat, Runny Nose & Itchy, Watery Eyes



Cherry

Chew or crush tablets completely before swallowing.

18 Chewable Tablets



Actual

Meijer 44-599

B-1214-599-44-R REV1218B59944

ALLERGY RELIEF CHILDRENS

diphenhydramine hcl tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-599
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg	

Inactive Ingredients	
Ingredient Name	Strength
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 30WL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	12mm
Flavor	CHERRY	Imprint Code	44;599
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:41250-599- 44	3 in 1 CARTON	04/25/2011		
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing In	nformation		
Marketing	Application Number or Monograph Citation	Marketing Start	Marketing End
Category		Date	Date

OTC Monograph Drug	M012	04/25/2011	

Labeler - Meijer Distribution Inc (006959555)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41250-599) , pack(41250-599)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41250-599)

Revised: 5/2024 Meijer Distribution Inc