

**DE LA CRUZ TINCTURE OF IODINE- iodine and sodium iodide and alcohol liquid
DLC Laboratories, Inc.**

De La Cruz Tincture of Iodine

Drug Facts

Active ingredient

Iodine 2%

Purpose

First Aid Antiseptic

Active ingredient

Sodium Iodide 2.4%

Purpose

First Aid Antiseptic

Active ingredient

Alcohol 47%

Purpose

First Aid Antiseptic

Indications

First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns
- Flammable: Keep away from sparks heat and flame

Stop use and consult doctor if

- the condition persists or gets worse, or if using for longer than one week

When using this product

- do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids
- do not apply over large areas of the body

Keep out of reach of children.

In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount on the area 1 to 3 times daily
- may be covered with sterile bandage
- if bandaged let dry first

Other information

- will stain skin and clothing

Inactive ingredient

Purified Water

Label

De la Cruz

Tincture of Iodine

Tintura de Yodo

USP 2% • Alcohol 47%

First Aid Antiseptic
Antiséptico Para Primeros Auxilios

For External Use Only
Para Uso Externo Únicamente

POISON / DANGER  **VENENO / PELIGRO**

1 FL OZ (30 mL)

TRUSTED QUALITY

Distributed by / Distribuido por:
De La Cruz Products
A Division of DLC Laboratories, Inc.
Paramount, CA 90723 USA
Questions / Preguntas: 1-800-858-3889
www.dlclabs.com © 2013 DLC

P0950-HZX


3 24286 15301 5

WARNING: FLAMMABLE. KEEP AWAY FROM SPARKS, HEAT AND FIRE.
ADVERTENCIA: INFLAMABLE. MANTÉNGASE ALEJADO DE CHISPAS, CALOR Y FUEGO.

Drug Facts
Datos Medicinales

Peel Here
Levante Aquí

Drug Facts
Active Ingredients

Iodine 2%, Sodium Iodide 2.4%.....antiseptic

Purpose
First aid antiseptic

Uses Treat skin antiseptic to help prevent infection in minor cuts, scrapes, burns

Warnings For external use only
Flammable. Keep away from sparks, heat and fire.
Consult a doctor before use if you have:
■ deep or puncture wounds ■ animal bites ■ serious burns

When using this product
■ do not use in or near the eyes. If eye contact occurs, flush with large amounts of water while holding upper and lower lids. Do not apply over large areas of the body.
Stop use and consult a doctor if
■ the condition persists or gets worse. Do not use this product longer than 1 week unless directed by a doctor.
Keep out of reach of children.
If swallowed, give milk then give a starch solution made by mixing 2 tablespoons of corn starch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions
■ clean the affected area
■ apply a small amount of this product to the area 1 to 3 times daily ■ may be covered with a sterile bandage. If abscess, let dry first.

Other Information
■ will stain skin and clothing ■ store at room temperature

Inactive Ingredients
alcohol, purified water

Datos Medicinales
Ingredientes activos
Yodo 2%, Yoduro de sodio 2.4%.....antiséptico para primeros auxilios

Propósito
Antiséptico para primeros auxilios

Usos Antiséptico para primeros auxilios, ayuda a prevenir infecciones en: ■ cortes y rasguños menores ■ abrasiones menores ■ quemaduras menores

Advertencias Para uso externo únicamente
Inflamable. Manténgase alejado de chispas, calor y fuego.
Consulte con un médico antes de usar si tiene:
■ heridas profundas o punzantes ■ mordeduras de animales ■ quemaduras graves

Cuando use este producto ■ no usar en los ojos ni cerca de ellos. En caso de contacto con los ojos, enjuague con abundante agua mientras levanta los párpados superiores e inferiores. ■ no aplicar en áreas supuras del cuerpo

Deje de usar y consulte con un médico si
■ la condición persiste o empeora. No use por más de 1 semana a menos que sea recomendado por un médico.

Manténgase fuera del alcance de los niños. En caso de ingestión, dé leche tibia y agua una solución de 2 cucharadas de fécula de maíz o harina en un vaso de agua. Comuníquese con un Centro de Control de Envenenamientos inmediatamente.

Instrucciones ■ limpie el área afectada
■ aplique este producto al compararse con el 1 a 3 veces al día ■ puede cubrir el área afectada con una venda estéril. Antes de volver, deje que el producto se seque

Otra información ■ manchará la piel y la ropa ■ manchará a la ropa y al ambiente

Ingredientes inactivos alcohol, agua purificada

Ingredients
Iodine 2.4%.....antiseptic

Purpose
First aid antiseptic

Uses To help prevent infection in minor cuts, scrapes, burns

Warnings For external use only
Flammable. Keep away from sparks, heat and fire.
Consult a doctor before use if you have:
■ deep or puncture wounds ■ animal bites

Directions
■ clean the affected area
■ apply a small amount of this product to the area 1 to 3 times daily ■ may be covered with a sterile bandage. If abscess, let dry first.

Other Information
■ will stain skin and clothing ■ store at room temperature

Inactive Ingredients
alcohol, purified water

Datos Medicinales
Ingredientes
Yodo 2.4%.....antiséptico

Propósito
Antiséptico para primeros auxilios

Usos Para ayudar a prevenir infecciones en cortes y rasguños menores

Advertencias Para uso externo únicamente
Inflamable. Manténgase alejado de chispas, calor y fuego.
Consulte con un médico antes de usar si tiene:
■ heridas profundas o punzantes ■ mordeduras de animales ■ quemaduras graves

Cuando use este producto ■ no usar en los ojos ni cerca de ellos. En caso de contacto con los ojos, enjuague con abundante agua mientras levanta los párpados superiores e inferiores. ■ no aplicar en áreas supuras del cuerpo

Deje de usar y consulte con un médico si
■ la condición persiste o empeora. No use por más de 1 semana a menos que sea recomendado por un médico.

Manténgase fuera del alcance de los niños. En caso de ingestión, dé leche tibia y agua una solución de 2 cucharadas de fécula de maíz o harina en un vaso de agua. Comuníquese con un Centro de Control de Envenenamientos inmediatamente.

Instrucciones ■ limpie el área afectada
■ aplique este producto al compararse con el 1 a 3 veces al día ■ puede cubrir el área afectada con una venda estéril. Antes de volver, deje que el producto se seque

Otra información ■ manchará la piel y la ropa ■ manchará a la ropa y al ambiente

Ingredientes inactivos alcohol, agua purificada

Datos Medicinales

Ingredientes activos

Propósito
Antiséptico para
Yodo 2%, Yoduro de sodio 2.4%.... primeros auxilios

Usos Antiséptico para primeros auxilios; ayuda a
prevenir infecciones en: ■ cortaduras menores
■ abrasiones menores ■ quemaduras menores

Advertencias Para uso externo únicamente
inflamable. Manténgase alejado de chispas, calor
y fuego.

Consulte con un médico antes de usar si tiene
■ heridas profundas o punzantes ■ mordeduras de
animales ■ quemaduras graves

Cuando use este producto ■ no usar en los ojos ni
cerca de ellos. En caso de contacto con los ojos,
enjuague con abundante agua mientras levanta los
párpados superiores e inferiores. ■ no aplicar en
áreas grandes del cuerpo

Deje de usar y consulte con un médico si
■ la condición persiste o empeora. No usar por más
de 1 semana a menos que sea recomendado por un
médico.

Manténgase fuera del alcance de los niños. En
caso de ingestión, se debe tomar leche y luego una
solución de 2 cucharadas de fécula de maíz o harina
en medio litro de agua. Comuníquese con un Centro
de Control de Envenenamientos inmediatamente.

Instrucciones ■ limpie el área afectada
■ aplique este producto en cantidades pequeñas de
1 a 3 veces al día ■ puede cubrir el área afectada
con una venda esterilizada. Antes de vendar, deje que
el producto se seque.

Otra información ■ manchará la piel y la
ropa ■ manténgase a temperatura ambiente

Ingredientes inactivos alcohol, agua
purificada

Drug Facts

Active ingredie

Iodine 2%, Sodium Iod

Uses First aid antiseptic
in minor: ■ cuts ■ sc

Warnings For external use only

Flammable. Keep away from heat, sparks, and open flames.

Consult a doctor before using if you have:
■ deep or puncture wounds
■ serious burns

When using this product:
■ do not use in or near the eyes
■ occurs, flush with large amounts of water
■ lifting upper and lower eyelids
■ large areas of the body

Stop use and consult a doctor if:
■ the condition persists
■ this product longer than 1 week
■ by a doctor.

Keep out of reach of children.
If swallowed, give milk or water.
Do not mix with other liquids.
Do not use in a hot water bottle or on a heating pad.
Do not use on a child's face.
Do not use on a child's hands.
Do not use on a child's feet.
Do not use on a child's mouth.
Do not use on a child's nose.
Do not use on a child's ears.
Do not use on a child's neck.
Do not use on a child's chest.
Do not use on a child's back.
Do not use on a child's stomach.
Do not use on a child's legs.
Do not use on a child's arms.
Do not use on a child's hands.
Do not use on a child's feet.
Do not use on a child's mouth.
Do not use on a child's nose.
Do not use on a child's ears.
Do not use on a child's neck.
Do not use on a child's chest.
Do not use on a child's back.
Do not use on a child's stomach.
Do not use on a child's legs.
Do not use on a child's arms.

Directions

■ clean the affected area with soap and water
■ apply a small amount of product to the affected area
■ 1 to 3 times daily
■ re-bandage if bandaged.

Other information
■ will stain skin and clothing
■ temperature

Inactive ingredients
alcohol, purified water

DE LA CRUZ TINCTURE OF IODINE

iodine and sodium iodide and alcohol liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:24286-1528 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) | IODINE | 20 mg in 1 mL |
| SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q) | IODIDE ION | 20.4 mg in 1 mL |
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 470 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:24286-1528-7 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 10/27/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003 | 01/01/1979 | |

Labeler - DLC Laboratories, Inc. (093351930)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------|---------|-----------|---|
| Pharma Nobis, LLC | | 118564114 | manufacture(24286-1528) , analysis(24286-1528) , pack(24286-1528) , label(24286-1528) |

Revised: 12/2023

DLC Laboratories, Inc.