

VETALYTE PLUS- vetalyte plus injection, solution
Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Vetalyte Plus

INDICATIONS:

For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS:

Do not administer intraperitoneally to horses.

CAUTION:

This product contains no preservatives. Use entire contents when first opened. Do not use if solution is not clear. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses - 1000 to 2000 mL

Calves, Ponies and Foals - 500 to 1000 mL **Adult Sheep and Swine** - 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

TAKE TIME OBSERVE LABEL DIRECTIONS

RMS# 92-501
18-804

Manufactured for:

Aspen Veterinary Resources®, Ltd. Liberty, MO 64068, USA
09/15

A287NT

Rev.

**I.V. Solution Injection
Electrolytes - Dextrose**

NET CONTENTS:1000 mL (33.81 fl oz)

Lot No. Exp. Date

For Animal Use Only

Keep Out of Reach of Children

Caution:

**Federal law restricts this drug to use
by or on the order of a licensed veterinarian.**

COMPOSITION:

Each 500 mL of sterile aqueous
solution contains:

Dextrose•H ₂ O.....	12.50 g	Sorbitol.....	12.50 g	Sodium
Lactate.....	3.95 g	Sodium Chloride.....	2.40 g	Potassium
Chloride.....	0.37 g	Magnesium Chloride•6H ₂ O.....	0.21 g	Calcium
Chloride•2H ₂ O.....	0.19 g			

Milliequivalents per liter

Cations Sodium.....	153 mEq/L	Potassium.....	9	
mEq/L	Calcium.....	6 mEq/L	Magnesium.....	4 mEq/L

Anions Chloride.....	101 mEq/L	Lactate.....	71
mEq/L	Osmolarity (calc.)	602 mOsmol/L	

Store between 15°C-30°C (59°F-86 degrees F).

INDICATIONS: For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS: Do not administer intraperitoneally to horses.

CAUTION: This product contains no preservatives. Use entire contents when first opened. Do not use if solution is not clear. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses – 1000 to 2000 mL
Calves, Ponies and Foals – 500 to 1000 mL
Adult Sheep and Swine – 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

RMS# 92-1026
18-804



Manufactured for:

Aspen Veterinary Resources, Ltd.
 Liberty, MO 64068, USA A286NT Rev. 09/15
 www.aspenveterinaryresources.com

NDC# 46066-804-50



Vetalyte Plus®

**I.V. Solution Injection
 Electrolytes – Dextrose**



CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**For Animal Use Only
 Keep Out of Reach of Children**

**NET CONTENTS:
 500 mL (16.91 fl oz)**

COMPOSITION: Each 500 mL of sterile aqueous solution contains:

Dextrose • H ₂ O	12.50 g
Sorbitol	12.50 g
Sodium Lactate	3.95 g
Sodium Chloride	2.40 g
Potassium Chloride	0.37 g
Magnesium Chloride • 6H ₂ O	0.21 g
Calcium Chloride • 2H ₂ O	0.19 g

Milliequivalents per liter

Cations

Sodium	153 mEq/L
Potassium	9 mEq/L
Calcium	6 mEq/L
Magnesium	4 mEq/L

Anions

Chloride	101 mEq/L
Lactate	71 mEq/L
Osmolarity (calc.)	602 mOsmol/L

Store between 15°C-30°C (59°F-86°F).



Lot No. Exp. Date

INDICATIONS: For use in conditions associated with fluid and electrolyte loss, such as dehydration, shock, vomiting and diarrhea, particularly when an immediate source of energy is also indicated.

CONTRAINDICATIONS: Do not administer intraperitoneally to horses.

CAUTION: This product contains no preservatives. Use entire contents when first opened. Do not use if solution is not clear. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature and administer slowly (10 to 30 mL per minute) by intravenous or intraperitoneal injection, using strict aseptic procedures.

Adult Cattle and Horses – 1000 to 2000 mL
Calves, Ponies and Foals – 500 to 1000 mL
Adult Sheep and Swine – 500 to 1000 mL

These are suggested dosages. The actual amount and rate of fluid administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

RMS# 92-501
18-804



Manufactured for:

Aspen Veterinary Resources, Ltd.
 Liberty, MO 64068, USA A287NT Rev. 09/15
 www.aspenveterinaryresources.com

NDC# 46066-804-60



Vetalyte Plus®

**I.V. Solution Injection
 Electrolytes – Dextrose**



CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**For Animal Use Only
 Keep Out of Reach of Children**

**NET CONTENTS:
 1000 mL (33.81 fl oz)**

COMPOSITION: Each 500 mL of sterile aqueous solution contains:

Dextrose • H ₂ O	12.50 g
Sorbitol	12.50 g
Sodium Lactate	3.95 g
Sodium Chloride	2.40 g
Potassium Chloride	0.37 g
Magnesium Chloride • 6H ₂ O	0.21 g
Calcium Chloride • 2H ₂ O	0.19 g

Milliequivalents per liter

Cations

Sodium	153 mEq/L
Potassium	9 mEq/L
Calcium	6 mEq/L
Magnesium	4 mEq/L

Anions

Chloride	101 mEq/L
Lactate	71 mEq/L
Osmolarity (calc.)	602 mOsmol/L

Store between 15°C-30°C (59°F-86°F).



Lot No. Exp. Date

VETALYTE PLUS

vetalyte plus injection, solution

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:46066-804
Route of Administration	INTRAVENOUS, INTRAPERITONEAL		

Active Ingredient/Active Moiety

Base of

Ingredient Name	Basis of Strength	Strength
Dextrose Monohydrate (UNII: LX22YL083G) (Anhydrous Dextrose - UNII:5SLOG7R0OK)	Dextrose Monohydrate	12.50 g in 1000 mL
Sorbitol (UNII: 506T60A25R) (Sorbitol - UNII:506T60A25R)	Sorbitol	12.50 in 1000 mL
Sodium Lactate (UNII: TU7HW0W0QT) (Sodium Cation - UNII:LYR4M0NH37)	Sodium Lactate	3.95 in 1000 mL
Sodium Chloride (UNII: 451W47IQ8X) (Chloride Ion - UNII:Q32ZN48698)	Sodium Chloride	2.40 in 1000 mL
Potassium Chloride (UNII: 660YQ98I10) (Potassium Cation - UNII:295O53K152)	Potassium Chloride	0.37 in 1000 mL
Magnesium Chloride (UNII: 02F3473H9O) (Magnesium Cation - UNII:T6V3LHY838)	Magnesium Chloride	0.21 in 1000 mL
Calcium Chloride (UNII: M4I0D6VV5M) (Calcium Cation - UNII:2M83C4R6ZB)	Calcium Chloride	0.19 in 1000 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-804-60	1000 mL in 1 BOTTLE, PLASTIC		
2	NDC:46066-804-50	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/01/2017	

Labeler - Aspen Veterinary (627265361)

Revised: 6/2024

Aspen Veterinary