

RITE AID STOMACH RELIEF ORIGINAL FLAVOR- bismuth subsalicylate tablet, chewable
RITE AID CORPORATION

Rite Aid Pink Bismuth Subsalicylate 262mg 30 Chewable Tablets

Active ingredient (in each tablet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and antidiarrheal

Uses

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep Out of Reach of Children

In case of overdose, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

Directions

- chew completely or dissolve tablets in mouth. Do not swallow tablets whole.
- **adults and children 12 years and over:**
- 2 tablets (1 dose) every ½ hour or 4 tablets (2 doses) every hour as needed for diarrhea
- 2 tablets (1 dose) every ½ hour as needed for over indulgence (upset stomach, heartburn, indigestion, nausea.
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty clear fluids to help prevent dehydration caused by diarrhea.

Other information

- **each tablet contains:** salicylate 102 mg
- store at room temperature.
- avoid excessive heat

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF STRIP UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

Inactive ingredients

D&C Red No. 27 lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sorbitol, sucralose.

Questions or comments?

1-866-467-2748

Principal Display

NDC# 11822-2430-0

Compare to the active ingredient in Pepto-Bismol® Chewables*

Stomach Relief**Chewable Tablets**

Bismuth Subsalicylate

Upset Stomach Reliever / Antidiarrheal

5 Symptoms Digestive Relief:

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

Original Flavor

30 Chewable Tablets

DISTRIBUTED BY:

RITE AID, 30 HUNTER LANE,

CAMP HILL, PA 17011

www.riteaid.com

SATISFACTION GUARANTEE

If you're not satisfied, we will happily refund your money.

IMPORTANT: Keep this carton for future labeling.

*This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of Pepto-Bismol® Chewables.



RITE AID STOMACH RELIEF ORIGINAL FLAVOR

bismuth subsalicylate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-2430
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 (UNII: 2LRS185U6K)	

MAGNESIUM STEARATE (UNII: 70097M6I30)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color	PINK	Score	no score	
Shape	ROUND	Size	17mm	
Flavor		Imprint Code	RP124	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-2430-0	5 in 1 CARTON	03/30/2020	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M008	03/30/2020	

Labeler - RITE AID CORPORATION (014578892)

Revised: 11/2023

RITE AID CORPORATION