

**POLYETHYLENE GLYCOL 3350- polyethylene glycol 3350 powder, for solution
Bryant Ranch Prepack**

Polyethylene Glycol 3350 Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

HOW SUPPLIED

NDC: 72162-2172-2: 238 g Powder for Solution

NDC: 72162-2172-4: 510 g Powder for Solution

Polyethylene Glycol 3350 Powder #238



GTIN 00363629106424
 Lot LOT123
 Exp 06/16/2025
 SN 1234567890

Drug Facts	
Active Ingredient (in each dose)	Purpose
Polyethylene Glycol 3350, 17 g (cap filled to line)	Osmotic Laxative
Uses	
-relieves occasional constipation (irregularity) -generally produces a bowel movement in 1 to 3 days	
Warnings	
Allergy alert: Do not use if you are allergic to polyethylene glycol. Do not use if you have kidney disease, except under the advice and supervision of a doctor. Ask a doctor before use if you have: -nausea, vomiting or abdominal pain -a sudden change in bowel habits that lasts over 2 weeks -irritable bowel syndrome. Ask a doctor or pharmacist before use if you are taking a prescription drug. When using this product you may have loose, watery, more frequent stools. Stop use and ask a doctor if: -you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. -you get diarrhea -you need to use a laxative for longer than 1 week. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Other Information	
-store at 20°-25°C (68°-77°F) -tamper-evident: do not use if printed foil seal under cap is missing, open or broken	
Directions	
-do not take more than directed unless advised by your doctor -the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) -children 16 years of age or under: ask a doctor. Adults and children 17 years of age and older: -use once a day -fill to top of white section in cap which is marked to indicate the correct dose (17 g) -slir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink -do not combine with starch-based thickeners used for difficulty swallowing -ensure that the powder is fully dissolved before drinking -do not drink if there are any clumps -do not use more than 7 days -children 16 years of age or under: ask a doctor.	
Inactive Ingredients	
none	

NDC 72162-2172-2

**Polyethylene Glycol 3350
 Powder for Solution
 Osmotic Laxative**

14 Once-Daily Doses



NET WT 8.3 OZ (238 g)

Relabeled by:
 Bryant Ranch Prepack, Inc.
 Burbank, CA 91504 USA

Manufactured by:
 Padagis

7216221722



POLYETHYLENE GLYCOL 3350

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72162-2172(NDC:45802-868)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-2172-2	238 g in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2024	
2	NDC:72162-2172-4	510 g in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

ANDA	ANDA090685	10/13/2009	
------	------------	------------	--

Labeler - Bryant Ranch Prepack (171714327)

Registrant - Bryant Ranch Prepack (171714327)

Establishment

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-2172) , RELABEL(72162-2172)

Revised: 2/2024

Bryant Ranch Prepack