

RITE AID CALAMINE- calamine 8% and zinc oxide 8% lotion
Rite Aid Corporation

Rite Aid Calamine Topical Suspension, USP

Drug Facts

Active Ingredients

Calamine 8% and Zinc Oxide 8%

Purpose

Skin protectant

Uses

dries the oozing and weeping o poison ivy, poison oak, and poison sumac.

Warnings

For external use only. Use only as directed.

Avoid contact with eyes and mucous membranes.

Ask a doctor before using on children 6 months of age.

When using this product

Discontinue use if condition worsens or does not improve within 7 days and consult a doctor.

Keep out of reach of children

In case of accidental ingestion, seek professional assistance or contact a Poison Control center immediately.

Directions

Adults and children 2 years of age and older: shake well before using. Cleanse the skin with soap and water and let it dry before each use. Apply lotion to the affected area using a cotton or soft cloth, as often as needed for comfort.

Children under 6 months of age: Consult a doctor before use.

Other information

Store at room temperature 13-30C (50-86F)

Inactive ingredients

Avicel, bentonite magma, calcium hydroxide, carrageenan, glycerin, purified water, and xanthan gum.

Label

Compare to the active ingredients of Caladryl® Lotion*
NDC 11822-4352-9

Drug Facts
Active ingredients Calamine 8%, Zinc Oxide 8%.....Skin protectant
Uses Dries the oozing and weeping of poison ivy, poison oak, and poison sumac
Warnings ■ For External use only. Use only as directed. ■ Avoid contact with eyes and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.
When using this product Discontinue use if condition worsens, does not improve, if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
Continued ▶

CALAMINE LOTION USP
CALAMINE TOPICAL SUSPENSION USP
SKIN PROTECTANT
dries the oozing & weeping of poison ivy, poison oak & poison sumac

DRUG FACTS (continued)
Directions ■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, as often as needed for comfort. ■ Children under 2 years age: Consult a doctor before use.
Other information Store at room temperature 15-30°C (59-86°F)
Inactive ingredients Avicel, Bentonite Magma, Calcium Hydroxide, Carageenan, Glycerin, Purified Water, and Xanthan Gum.

DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011
www.riteaid.com 8020370 R01072019

6 FL OZ (177 mL)



0 11822 43529 1

*This product is not manufactured or distributed by Valeant Pharmaceuticals, distributor of Caladryl Lotion.
SATISFACTION GUARANTEE: If you're not satisfied, we'll happily refund your money.



Drug Facts
Active ingredients Calamine 8%, Zinc Oxide 8%.....Skin protectant
Uses Dries the oozing and weeping of poison ivy, poison oak, and poison sumac.
Warnings ■ For External use only. Use only as directed. ■ Avoid contact with eyes and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.
When using this product Discontinue use if condition worsens, does not improve, if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
Continued ▶

CALAMINE LOTION USP
CALAMINE TOPICAL SUSPENSION USP
SKIN PROTECTANT
dries the oozing & weeping of poison ivy, poison oak & poison sumac

Drug Facts (continued)
Directions ■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, as often as needed for comfort. ■ Children under 2 years age: Consult a doctor before use.
Other information Store at room temperature 15-30°C (59-86°F)
Inactive ingredients Avicel, Bentonite Magma, Calcium Hydroxide, Carageenan, Glycerin, Purified Water, and Xanthan Gum.


DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011
www.riteaid.com R01072019

6 FL OZ (177 mL)



0 11822 43529 1

Drug Facts	
Active ingredients	Purpose
Calamine 8%, Zinc Oxide 8%.....	Skin protectant
Uses Dries the oozing and weeping of poison ivy, poison oak, and poison sumac.	
Warnings	
<ul style="list-style-type: none"> ■ For External use only. Use only as directed ■ Avoid contact with eyes and mucous membranes ■ Ask a doctor before using on children under 6 months of age 	
When using this product Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<i>Continued</i> ▶	



Drug Facts (CONTINUED)	
Directions	
<ul style="list-style-type: none"> ■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, as often as needed for comfort. ■ Children under 6 months age: Consult a doctor before use. 	
Other information	
Store at room temperature 15-30°C (50-86°F)	
Inactive ingredients	
Avicel, Bentonite Magma, Calcium Hydroxide, Carrageenan, Glycerin, Purified Water, and Xanthan Gum.	



R111615RLG

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE
CAMP HILL, PA 17011
MADE IN USA



RITE AID CALAMINE

calamine 8% and zinc oxide 8% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-4352
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	160 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
XANTHAN GUM (UNII: TTV12P4NEE)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
BENTONITE (UNII: A3N5ZCN45C)	
CALCIUM HYDROXIDE (UNII: PF5DZW74VN)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-4352-9	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/25/1998	

Labeler - Rite Aid Corporation (014578892)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	label(11822-4352) , manufacture(11822-4352) , analysis(11822-4352) , pack(11822-4352)

Revised: 12/2023

Rite Aid Corporation