

# **PHYTOZINE RINGWORM TREATMENT MAXIMUM STRENGTH-**

**tolnaftate ointment**

**The Sisquoc Healthcare Corporation**

-----  
**Sisquoc HC (as PLD) - PHYTOZINE RINGWORM TREATMENT (71229-101)**

## **ACTIVE INGREDIENT**

TOLNAFTATE 1%

## **PURPOSE**

ANTIFUNGAL

## **USES**

- CURES MOST RINGWORM
- RELIEVES ITCHING, REDNESS, IRRITATION AND DISCOMFORT WHICH ACCOMPANY THIS CONDITION.

## **WARNINGS**

FOR EXTERNAL USE ONLY.

WHEN USING THIS PRODUCT AVOID CONTACT WITH THE EYES.

STOP USE AND ASK A DOCTOR IF

- IRRITATION OCCURS
- THERE IS NO IMPROVEMENT WITHIN 4 WEEKS.

DO NOT USE ON CHILDREN UNDER 2 YEARS OF AGE UNLESS DIRECTED BY A DOCTOR.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

## **DIRECTIONS**

- For the cure of most ringworm (tinea corporis) and athlete's foot (tinea pedis). For relief of itching, scaling, cracking, burning, redness, soreness, irritation and discomforts which may accompany these conditions.
- Wash affected area and dry thoroughly. Apply a layer of PHYTOZINE over the affected area twice daily (morning and night). Allow the cream to dry for at least 3 minutes before covering the affected area with clothing.
- Wash hands after each application to prevent the chance of the infection spreading to other parts of the skin.
- Most ringworm infections will require between 3-4 weeks of continuous daily treatment before the infection is completely eliminated.
- Proper use of PHYTOZINE will eliminate most ringworm infections. If the condition persists longer, contact a physician or medical professional.

## **INACTIVE INGREDIENTS**

Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Polysorbate-20, Sodium Polyacrylate, Hydrogenated Polydecene, Trideceth-6, Glyceryl Stearate, PEG-100, Stearate, Propylene Glycol, Cetyl Alcohol, Oleth-10 Phosphate, Glycerin, Avena (Oat), Kernel Extract, Aloe Barbadensis Leaf Juice, Actrostaphylos Uva Ursi Leaf Extract, Propolis Extract, Theobroma Cacao (Cocoa) Seed Butter, Rosa Canina Fruit Oil, Camphor, Menthol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Jasminum Officinale (Jasmine) Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Tocopheryl Acetate, Stearic Acid, Propylene Glycol, Butylene Glycol, Cetyl Hydroxyethylcellulose, Sodium Hydroxide, Phenoxyethanol, Ethylhexylglycerin

Store between 20°C to 25°C (68° to 77°F)



# MAXIMUM STRENGTH PHYTOZINE

## RINGWORM TREATMENT

1 OZ / 28 G

**Active Ingredient:** Tolnaftate 1%

**Uses:** ■ cures most ringworm ■ relieves itching, redness, irritation and discomfort which accompany this condition.

**Warnings:** for external use only.

**When using this product** avoid contact with the eyes.

**Stop use and ask a doctor if** ■ irritation occurs ■ there is no improvement within 4 weeks.

**Do not use** on children under 2 years of age unless directed by a doctor. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ wash affected area and dry thoroughly ■ apply a thin layer over affected area twice daily (morning and night) ■ supervise children in the use of this product ■ use daily for 4 weeks ■ if condition persists longer, ask a doctor ■ this product is not effective on the scalp or nails.

**Store between 20° to 25°C (68° to 77°F).** Distributed by:  
Sisquoc Healthcare, Inc. Newport Beach, CA 92660 U.S.A. ©2017

### *Maximum Strength*



## PHYTOZINE

### Ringworm Treatment

Specifically designed to eliminate ringworm infections on the skin and scalp.

### **HOW LONG SHOULD TREATMENT LAST?**

Ringworm infections should be treated the moment that infection is detected. The earlier you begin treating the infected areas of skin, the shorter the treatment period will be. Once treatment with **PHYTOZINE** begins, it should be uninterrupted for a minimum of 3 weeks. More severe treatments may require up to 3 months to eliminate all existing fungal agents. It is **VERY IMPORTANT** to continue treatment

## **WHAT IS A RINGWORM INFECTION?**

Ringworm, or dermatophytosis, is a superficial fungal infection of the skin. Having nothing to do with parasitic worms as the name suggests, ringworm is actually a condition caused by several different species of fungus. The fungi that cause this parasitic infection (dermatophytes) feed on keratin, the material found in the outer layer of skin, hair and nails. These fungi thrive on skin that is warm and moist, but may also survive directly on the outsides of hair shafts or in their interiors. In pets, the fungus responsible for the disease survives in skin and on the outer surface of hairs. Ringworm belongs to a group of superficial fungal infections that are usually classified according to the location on the body.

Another predisposing factor is the combination of warm weather and tight clothing, which encourages fungus growth. These infections are common in most adult people, with over 20 percent of the United States population having one of these infections at any given moment.

Ringworm specifically tends to get worse during the summer season or in locations that have a warmer, humid climate. Animals such as dogs and cats can also be affected by ringworm and the disease can easily be transmitted between animals and humans. Although remissions and exacerbations are common, the success rate of people treating their infection with **PHYTOZINE** is extremely high. However, it is important to begin treatment as soon as an infection is suspected because nearly 25 percent of all infected people develop chronic conditions.

## **WHY USE PHYTOZINE RINGWORM TREATMENT?**

**PHYTOZINE** is one of the few ointments that is specifically created to fight ringworm infections. **PHYTOZINE** is a wonderful combination of anti-fungal agents, essential oils and fungus-fighting extracts. To create this powerful ringworm treatment, Sisquoc Healthcare drew on the best research from both traditional and herbal medicine on how to battle the fungal agents that attack the skin and cause ringworm infections to grow and spread. The exture of **PHYTOZINE** allows it to be more readily absorbed into surrounding affected skin than a simple ointment. Many anti-fungal creams are not specifically created to combat a particular kind of

beyond the time when the infection is no longer visible. Ringworm infections often return if the treatment period is not thorough enough to kill ALL of the fungal agents, not just those visible. In stubborn cases if substantial progress is not by then, a medical professional should be consulted to discuss alternative methods of treatment.

## **DIRECTIONS:**

- ✦ For the cure of most ringworm (tinea corporis) and athlete's foot (tinea pedis). For relief of itching, scaling, cracking, burning, redness, soreness, irritation and discomforts which may accompany these conditions.
- ✦ Wash affected area and dry thoroughly. Apply a layer of **PHYTOZINE** over the affected area twice daily (morning and night). Allow the cream to dry for at least 3 minutes before covering the affected area with clothing.
- ✦ Wash hands after each application to prevent the chance of the infection spreading to other parts of the skin.
- ✦ Most ringworm infections will require between 3-4 weeks of continuous daily treatment before the infection is completely eliminated.
- ✦ Proper use of **PHYTOZINE** will eliminate most ringworm infections. If the condition persists longer, contact a physician or medical professional.

## **WARNINGS:**

- ✦ Use only as directed. For external use only.
- ✦ Ask a doctor before using on children under 2 years of age.
- ✦ When using this product, avoid contact with eyes.
- ✦ Stop using and consult a physician if the condition continues and there is no improvement within 4 weeks.
- ✦ Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

**Active Ingredient:** *Tolnaftate (1%)*

**Inactive Ingredients:** Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Polysorbate-20, Sodium Polyacrylate, Hydrogenated Polydecene, Trideceth-6, Glyceryl Stearate, PEG-100, Stearate, Propylene Glycol, Cetyl Alcohol, Oleth-10 Phosphate, Glycerin, Avena (Oat), Kernel Extract, Aloe Barbadensis Leaf Juice, Actrostaphylos Uva Ursi Leaf Extract, Propolis Extract, Theobroma Cacao (Cocoa) Seed Butter, Rosa Canina Fruit Oil, Camphor, Menthol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Jasminum Officinale (Jasmine) Oil, Eugenia Caryophyllus (Clove) Leaf Oil, Tocopheryl Acetate, Stearic Acid, Propylene Glycol, Butylene Glycol, Cetyl Hydroxyethylcellulose, Sodium Hydroxide, Phenoxyethanol, Ethylhexylglycerin

fungal infection. There is simply no topical solution created to eliminate ringworm infection that is as effective as **PHYTOZINE**.

The active ingredient in PHYTOZINE has been recognized to be safe and effective by an FDA Expert Advisory Panel, when used as directed.



868132000110



Sisquoc Healthcare, Inc.  
Newport Beach, CA 92660 USA  
Questions? (800) 589-8913

## PHYTOZINE RINGWORM TREATMENT MAXIMUM STRENGTH

tolnaftate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71229-101
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TOLNAFTATE</b> (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALMOND OIL</b> (UNII: 66YXD4DKO9)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>HYDROGENATED POLYDECENE (550 MW)</b> (UNII: U333RI6EB7)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>OLETH-10 PHOSPHATE</b> (UNII: Q95361F4VS)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>OAT</b> (UNII: Z6J799EAJK)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ARCTOSTAPHYLOS UVA-URSI LEAF</b> (UNII: 3M5V3D1X36)	
<b>PROPOLIS WAX</b> (UNII: 6Y8XYV2NOF)	
<b>THEOBROMA CACAO WHOLE</b> (UNII: EB048G1S9J)	
<b>ROSA CANINA FRUIT OIL</b> (UNII: CR7307M3QZ)	
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	

<b>MELALEUCA ALTERNIFOLIA LEAF</b> (UNII: G43C57162K)	
<b>LAVANDULA ANGUSTIFOLIA WHOLE</b> (UNII: 51217XIL5L)	
<b>JASMINUM OFFICINALE WHOLE</b> (UNII: X3314B4SYD)	
<b>CLOVE LEAF OIL</b> (UNII: VCA5491KVF)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CETYL HYDROXYETHYLCELLULOSE (350000 MW)</b> (UNII: T7SWE4S2TT)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71229-101-11	28 g in 1 TUBE; Type 0: Not a Combination Product	03/25/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	03/25/2019	

**Labeler** - The Sisquoc Healthcare Corporation (021517142)

Revised: 10/2023

The Sisquoc Healthcare Corporation