

INFANTS GAS RELIEF- simethicone suspension
Geri-Care Pharmaceuticals, Corp

hst infants gas relief

Active ingredient (in each 0.3 mL)

Simethicone 20 mg

Purpose

Antigas

Use

relieves the symptoms referred to as gas

Warnings

Keep out of reach of children. In case of overdose, get medical help or contact a poison control center right away.

Directions

- shake well before using
- all dosages may be repeated as needed, after meals and at bedtime, or as directed by a physician
- do not exceed 12 doses per day
- fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek dosage can also be mixed with 1 oz. of cool water, infant formula or other suitable liquids
- clean dropper well after each use and replace original cap on bottle

Age (years)	Weight (lbs)	Dose
infants (under 2)	under 24	0.3 mL
children (2 and over)	24 and over	0.6 mL

Other information

- TAMPER-EVIDENT: Do not use if foil seal under the cap is broken or punctured.
- store at room temperature
- do not freeze
- see bottom panel for lot number and expiration date

Inactive ingredients

carboxymethylcellulose sodium, citric acid, flavor, maltitol, microcrystalline cellulose, purified water, sodium benzoate, sodium citrate, xanthan gum

Questions or comments?

1-800-540-3765

Package Label

NDC 57896-798-01

Health star

the sensible choice for price and health

INFANTS'
GAS RELIEF
DROPS

dye free

Simethicone Oral Suspension USP

Antigas
Relieves the Symptoms
Referred to as Gas

Plastic Dropper Enclosed
Antigas
Relieves the Symptoms
Referred to as Gas
Simethicone Oral Suspension USP
1 FL OZ
(30 mL)
Compare to active
ingredient of
Infants MYLICON®*

SAVE CARTON FOR COMPLETE DRUG FACTS

Drug Facts

Active ingredient
(in each 0.3 mL)

Simethicone 20 mg

Antigas

Purpose

Antigas

Use

relieves the symptoms referred to as gas

Warnings

Keep out of reach of children. In case of overdose, get medical help or contact a poison control center right away.

Directions

- shake well before using
- all dosages may be repeated as needed, after meals and at bedtime, or as directed by a physician
- do not exceed 12 doses per day
- fill enclosed dropper to recommended dosage level and dispense liquid slowly into baby's mouth, toward the inner cheek
- dosage can also be mixed with 1 oz. of cool water, infant formula or other suitable liquids
- clean dropper well after each use and replace original cap on bottle

Age (years)	Weight (lbs)	Dose
infants (under 2)	under 24	0.3 mL
children (2 and over)	24 and over	0.6 mL

Other information

- TAMPER-EVIDENT: Do not use if foil seal under the cap is broken or punctured.
- store at room temperature
- do not freeze
- see bottom panel for lot number and expiration date

Drug Facts
(continued)

Inactive ingredients

carboxymethylcellulose
sodium, citric acid, flavor,
maltitol, microcrystalline
cellulose, purified water,
sodium benzoate, sodium
citrate, xanthan gum

Questions or
comments?

1-800-540-3765

HEALTH STAR

THE SENSIBLE CHOICE
FOR PRICE AND HEALTH

INFANTS'
GAS RELIEF
DROPS

DYE FREE

Simethicone Oral Suspension USP



Antigas

Relieves the Symptoms
Referred to as Gas

Plastic Dropper Enclosed

1 FL OZ
(30 mL)

U

Compare to active
ingredient of
Infants MYLICON®

NDC 57896-798-01

DOSAGE

Children
2 years
and over

0.6 mL

Infants
under
2 years

0.3 mL

DROPPER ENCLOSED

Distributed by
Geri-Care Pharmaceuticals
1650 63rd Street
Brooklyn, NY 11204
REV 0414
410-26119-0

N 3 57896-79801 7

INFANTS GAS RELIEF

simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-798
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
MALTITOL (UNII: D65DG142WK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
WATER (UNII: 059QF0KO0R)	

SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-798-01	1 in 1 BOX	05/01/2014	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M002	05/01/2014	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(57896-798)

Revised: 11/2023

Geri-Care Pharmaceuticals, Corp