

UMCKA ELDERBERRY- umcka elderberry syrup
Schwabe North America

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Umcka Elderberry

Active Ingredients:

Aconitum napellus 4x

Bryonia alba 4x

Eucalyptus globulus 2x

Eupatorium perfoliatum 2x

Gelsemium sempervirens 4x

Ipecacuanha 3x

Pelargonium sidoides 1x

Phosphorus 6x

Sambucus nigra 3x

Inactive Ingredients:

Alcohol (0.45%)

Citric acid

Elderberry extract

Lactose

Maltodextrin

Natural Raspberry flavor

Purified water

Sorbitol

Vegetable-source glycerin

Purpose:

Temporarily relieves flu symptoms. Shortens duration and reduces severity of symptoms associated with common colds and throat/nasal/bronchial irritations.

Directions:

For best results, use at first sign of symptoms.

Continue to use for an additional 48 hours after symptoms cease.

Adults and children 12 years of age and older: take 1 1/2 teaspoons (7.5 mL) three times daily.

Children 6 to 11 years of age: take 1 teaspoon (5mL) three times daily.

Children under 6 years of age: consult a doctor.

Warnings:

Sore throat warning: SEvere or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting, or rash may be serious.

Consult a doctor promptly.

Ask a doctor before use if you have: persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema, a cough accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if: new symptoms occur, symptoms get worse or last more than 7 days, cough lasts more than 7 days or occurs with rash or persistent headache, fever worsens or lasts more than 3 days.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Purpose:

Temporarily relieves flu symptoms. Shortens duration and reduces severity of symptoms associated with common colds and throat/nasal/bronchial irritations:

chills/fever, congestion, cough, headache, hoarseness, minor aches/pains, sore throat, stuffy nose, sneezing/runny nose

UMCKA Elderberry Intensive Cold + Flu Syrup 4 oz. (15845)

UMCKA 15845_CF_ELDERBERRY_05.jpg



UMCKA ELDERBERRY

umcka elderberry syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-5845
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	4 [hp_X] in 120 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	4 [hp_X] in 120 mL
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	2 [hp_X] in 120 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	2 [hp_X] in 120 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	4 [hp_X] in 120 mL
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	3 [hp_X] in 120 mL
PELARGONIUM SIDOIDES ROOT (UNII: H6J53HEX8E) (PELARGONIUM SIDOIDES ROOT - UNII:H6J53HEX8E)	PELARGONIUM SIDOIDES ROOT	1 [hp_X] in 120 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_X] in 120 mL
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	3 [hp_X] in 120 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EUROPEAN ELDERBERRY (UNII: BQY1UBX046)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BERRY (RASPBERRY AND ELDERBERRY FLAVOR)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499-5845-4	1 in 1 BOX	10/01/2012	03/31/2019
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/01/2012	03/31/2019

Labeler - Schwabe North America (831153908)

Establishment

Name	Address	ID/FEI	Business Operations
Schwabe North America		831153908	manufacture(53499-5845)

Revised: 4/2017

Schwabe North America