OBSTETRIX ONE- calcium ascorbate dihydrate, cholecalciferol, d-alpha tocopheryl acetate, pyridoxine hydrochloride, calcium I-5-methyltetrahydrofolate, cyanocobalamin, carbonyl iron, magnesium oxide, zinc oxide, docosahexaenoic acid capsule, gelatin coated Seyer Pharmatec, Inc.

ObstetrixTM One

Cupplement Easts		
Supplement Facts		20
Serving Size: 1 Softgel / Servings P	er Containe	er: 30
	Amount of Per Serving	% Daily /alue**
Vitamin C (as calcium ascorbate dihydrate)	18 mg	15%
Vitamin D (as cholecalciferol)	6.25 mcg	42%
Vitamin E (as d-alpha tocopheryl acetate)	10 mg	53%
Vitamin B6 (as pyridoxine HCl)	30 mg	1500%
Folate (as L-5-methylfolate, calcium salt) -Metafolin $^{(0)}$ (1mg folate)	1.7 mg DFE	284%
Vitamin B12 (as cyanocobalamin)	15 mcg	536%
Iron (as carbonyl iron)	38 mg	141%
Magnesium (as magnesium oxide)	15 mg	4%
Zinc (as zinc oxide)	20 mg	154%
DHA (Docosahexaenoic Acid from Algal Oil)	225 mg	*
* Daily Value not established. ** Daily Value for Pregnant and Lactating Women.		

OTHER INGREDIENTS: Gelatin capsule (bovine gelatin, glycerin, purified water, annatto, and sodium copper chlorophyllin), sunflower lecithin, white beeswax.

Metafolin® is a registered trademark of Merck KGaA, Darmstadt Germany.

To report a serious adverse event or to obtain product information, contact (888) 444-5072.

For lot number and expiration date, please see bottom of the box.

Rev.: 03/24 Code: SEY2625-30UC

DESCRIPTION: OBSTETRIX ONE is a premium prenatal vitamin and mineral supplement with DHA taken throughout pregnancy and during the postnatal period for both lactating and non-lactating mothers. **OBSTETRIX ONE** is also useful in improving nutritional status prior to conception. It is recommended that folate levels be high for at least one month prior to possible conception and continued at that level for the first three months of pregnancy. †

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN**. In case of accidental overdose, call a doctor or poison control center immediately.

DO NOT USE OBSTETRIX ONE if you have a known hypersensitivity to any of the ingredients within. This product is not intended for children under 12 years of age.

WARNING: Ingestion of more than 3 grams per day of Omega-3 fatty acids, such as DHA (docosahexaenoic acid) has been shown to have potential anti-thrombotic effects, including increased bleeding times. Talk to your doctor if you are concerned about the effects of the DHA in **OBSTETRIX ONE** especially if you are taking anticoagulants.

CAUTION:

This product contains 1.7mg DFE (1mg) folic acid, the maximum safe Reference Daily Intake (RDI) amount for this nutrient. Folic Acid alone should not be used for individuals with pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in amounts above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations remain progressive. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

ADDITIONAL INFORMATION: Potential discoloration and/or darkening on soft gels or soft gel seams may occur immediately or over time, due to the Vitamin C and Iron. This does not affect product efficacy and is merely cosmetic.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DIRECTIONS FOR USE:

Take One (1) Softgel Daily with or without food or as recommended by your healthcare provider.

OTHER INFORMATION:

Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). Protect from extreme temperatures. Freezing & excessive heat may damage softgels.

† These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

Dietary Supplement

PREMIUM PRENATAL MULTI-VITAMIN WITH DHA

with 100% Bioactive Folate

NO ARTIFICIAL COLORANTS OR DYES

FINALLY, A PRENATAL YOU CAN STOMACH!

PRODUCT BENEFITS

Metafolin® - increases plasma folate more effectively than folic acid

Carbonyl Iron - slow release, 98% pure, high bioavailability

Plant based DHA - no fishy 'burp backs'

Vitamin B6 - to help relieve morning sickness and minimize fatigue

Non-constipating formula – changing hormone levels in early **pregnancy** cause constipation

Small Softgel — easy to swallow, reduces gag reflex

OBSTETRIX ONE was specifically formulated to help reduce some of the unpleasant side effects associated with pregnancy and prenatal vitamin supplementation, while providing the latest in prenatal nutrition.

Manufactured in the USA for: Seyer Pharmatec, Inc. Caguas, Puerto Rico 00725

Packaging



DESCRIPTION+ OBSTETRIX ONE is a german prevatal vitamin and mineral supplement with DHA taken throughout preparancy and during the postnatial princies for both lacturing and non-locating moderses. OBSTETRIX ONE all also used but reprevedy nutritional status prot to conception. It is recommended that foliate levels be high for at least do monthly prior to possible conception and contracted at that the for the farther ementals of pregnancy. The

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

DO NOT USE OBSTETRIX ONE if you have a known hypersensitivity to any of the ingredient

within. This product is not intended for children under 12 years of age.

CALTIMON: This product contains 17 page (Firm) folion acid the measimum safe heference Daily Intake (RDI) amount for this rustrient. Folic Acid alone should not be used for individuals with permissions amenia and not fer meglioblants camerias where Variant RDI 2 delicitiest. Folic acid in amounts above 0.1 mg daily may obscure permission amenia in their hematologic reministion can not represent a result of the resulting call manifestations remain progressive. Allergic sensitization has been reported following both or along parenterial administration of fice acid.

ADDITIONAL INFORMATION: Potential discoloration and/or darkening on soft gels or soft gel seams may occur immediately or over time, due to the Vitamin C and Iron. This does not affect product efficacy and is merely cosmetic.

WARNING: Injection of more than 3 grams per day of Dmegpa3 fatty acids, such as DHA (decosaheaencic acid) has been shown to have potential anti-thrombotic effects, including increased believing lines. Talk to your doors if you are concerned about the effects of the DHA in OBSTETRIX ONE especially if you are taking anticoagulants.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DIRECTIONS FOR USE: Take One (1) Softgel Daily with or without food or as recommended by your healthcare provider.

OTHER INFORMATION: Store at 20"-25"C (68"-77"F); excursions permitted to 15"-30" (59"-86"F). Protect from extreme temperatures. Freezing & excessive heat may damage softgel

† These statements have not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

Obstetrix One

Metafolin® - increases plasma folate more effectively than folic acid

Carbonyl Iron – slow release, 98% pure,

Plant based DHA - no fishy 'burp backs'

Vitamin B6 – to help relieve morning sickness and minimize fatigue

Non-constipating formula – changing hormone levels in early **pregnancy** cause constipation

Small Softgel - easy to swallow,

reduces gag reflex

prenatal nutrition.

OBSTETRIX ONE was specifically formulated to help reduce some of the unpleasant side effects associated with pregnancy and prenatal vitamin supplementation, while providing the latest in

PREMIUM PRENATAL
MULTI-VITAMIN WITH DHA

With Bioactive Folate



NO ARTIFICIAL COLORANTS OR DYES

Dietary Supplement



Supplement Facts

Serving Size: 1 Softgel / Servings Per Container: 30

***Amount** Sublet**

Amount Sublet**

Amount Sublet**

**Vitamin (2 (as calcium ascorbate dihydrate) 18 mg 15%

**Vitamin (2 (as calcium ascorbate dihydrate) 18 mg 15%

**Vitamin (2 (as calcium ascorbate) 10 mg 35%

**Vitamin (3 (as chipate tecophery) ascatate) 10 mg 35%

**Vitamin (3 (as phinh tecophery) ascatate) 10 mg 5100%

**Folate (as L-5-methyltolate, calcium 1.7 mg DFE 283%

**sult-1 (as calcium 15 mg 258%

**Vitamin 812 (as cyanocobatamin) 15 mg 35 mg 141%

**Magnesium (as magnesium oxide) 15 mg 4%

**Zinc (as zinc oxide) 20 mg 154%

Dally Value not established.

Dally Value not established.

THER INGREDIENTS: Gelatin capsule (bovine gelatin, glycerin, urified water, annatto, and sodium copper chlorophyllin), sunflower

Metafolin® is a registered trademark of Merck KGaA, Darmstadt

To report a serious adverse event or to obtain product information contact (888) 444-5072.

For lot number and expiration date, please see bottom of the box Rev.: 03/24 Code: SEY2625-30UC

SEYER
Manufactured in the USA for:
Seyer Pharmatec, Inc.
Caguas, Puerto Rico 90725





Lot # / Expiration Date:

OBSTETRIX ONE

calcium ascorbate dihydrate, cholecalciferol, d-alpha tocopheryl acetate, pyridoxine hydrochloride, calcium l-5-methyltetrahydrofolate, cyanocobalamin, carbonyl iron, magnesium oxide, zinc oxide, docosahexaenoic acid capsule, gelatin coated

Product Information

Product Type DIETARY SUPPLEMENT Item Code (Source) NHRIC:11026-2630

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM ASCORBATE (UNII: 183E4W213W) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	18 mg
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)		6.25 ug
.ALPHATOCOPHEROL ACETATE, D- (UNII: A7E6112E4N) (.ALPHATOCOPHEROL, D UNII:N9PR3490H9)	.ALPHATOCOPHEROL, D-	10 mg

PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII: KV2JZ 1BI6Z)	PYRIDOXINE HYDROCHLORIDE	30 mg
LEVOMEFOLATE CALCIUM (UNII: A9R10K3F2F) (LEVOMEFOLIC ACID - UNII:8S95DH25XC)	LEVOMEFOLATE CALCIUM	1.7 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	15 ug
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	38 mg
MAGNESIUM OXIDE (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM OXIDE	15 mg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20 mg
DOCONEXENT (UNII: ZAD9OKH9JC) (DOCONEXENT - UNII:ZAD9OKH9JC)	DOCONEXENT	225 mg

Inactive Ingredients	
Ingredient Name	Strength
GELATIN TYPE B BOVINE (230 BLOOM) (UNII: WL1404U79)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
ANNATTO (UNII: 6PQP1V1B6O)	
SODIUM COPPER CHLOROPHYLLIN (UNII: 1D276TYV90)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
WHITE WAX (UNII: 7G1J5DA97F)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:11026-2630-3	30 in 1 BOTTLE		
2	NHRIC:11026-2630-5	3 in 1 BOX		
2		10 in 1 BLISTER PACK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		02/13/2023	

Supplement Facts			
Serving Size :		Serving per Container :	
	Amount Per Serving	% Daily Value	
color			
shape			
size (solid drugs)	14 mm		
scoring	1		

Revised: 6/2024 Seyer Pharmatec, Inc.