

**OXYGEN- oxygen gas**  
**OXYGEN- oxygen liquid**  
**BayCare Home Care, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Oxygen**

**Oxygen U.S.P.**

## **OXYGEN U.S.P.**

**UN1072**

**WARNING!**

**High Pressure Oxidizing  
Gas Vigorously  
Accelerates Combustion**



**PRODUCED BY AIR LIQUEFACTION**

**Warning!**

**For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation.**

**Caution: RX Only**

**For other medical applications, use only as directed by a licensed practitioner.**

Uninterrupted use of high concentrations of oxygen for more than 5 hours, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Keep Out of Reach of Children. Contents under pressure and can vigorously accelerate combustion. Keep oil and grease away. Do not use or store near heat or open flame and use only with pressure reducing equipment and apparatus designed for oxygen service and rated for cylinder pressure. Open valve slowly before use. Close valve after each use and when empty.

Federal Law Requires that this Container be Refilled with Gaseous Oxygen U.S.P. Only by Establishments Registered as a Drug Producer in accordance with the Federal Food, Drug and Cosmetic Act.

---

**Distributed by: BAYCARE HOMECARE**  
**8452 118th Avenue N., Largo, FL 33773**  
**727-394-6575 • 1-800-940-5151**

**DO NOT REMOVE THIS LABEL**

UN1072

WARNING!

High Pressure Oxidizing Gas Vigorously Accelerates Combustion

Produced by Air Liquefaction

**Warning!**

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation.

**Caution: RX ONLY**

For other medical applications, use only as directed by a licensed practitioner. Uninterrupted use of high concentrations of oxygen for more than 5 hours, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Keep out of reach of children. Contents under pressure and can vigorously accelerate combustion. Keep oil and grease away. Do not use or store near heat or open flame and use only with pressure reducing equipment and apparatus designed for oxygen service and rated for cylinder pressure. Open valve slowly before use. Close valve after each use and when empty.

Federal law requires that this container be refilled with Gaseous Oxygen USP only by establishments registered as a Drug producer in accordance with the Federal Food, Drug and Cosmetic Act.

**Refrigerated Liquid Oxygen U.S.P.**

**REFRIGERATED LIQUID  
OXYGEN U.S.P.**

**UN1073**


**WARNING!**

**High Pressure Oxidizing Liquid and  
Gas Under Pressure.**

**Vigorously Accelerates  
Combustion.**

**May Explode on Ignition or Impact.  
Can Cause Severe Frostbite.**

**PRODUCED BY AIR LIQUEFACTION**



**Caution: RX Only**

## **Warning!**

Keep oil, grease and combustibles away. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk or roll equipment over spills. Close valve after each use and when empty.

In Case of Frostbite, obtain Medical treatment IMMEDIATELY.

Keep Out of Reach of Children. Contents under pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment and apparatus conditioned for oxygen service.

Use only as directed by a licensed practitioner. Uninterrupted use of high concentrations of oxygen for more than 5 hours, may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Federal Law Requires that this Container be Refilled with Liquid Oxygen U.S.P. Only by Establishments registered as a Drug Producer in accordance with Federal Food, Drug and Cosmetic Act.

---

**Distributed by: BAYCARE HOMECARE**  
**8452 118th Avenue N., Largo, FL 33773**  
**727-394-6575 • 1-800-940-5151**

**DO NOT REMOVE THIS LABEL**

High Pressure Oxidizing Liquid and Gas Under Pressure  
 Vigorously Accelerates Combustion  
 May Explode on Ignition or Impact  
 Can Cause Severe Frostbite

PRODUCED BY AIR LIQUEFACTION

Caution: RX Only  
 Warning!

Keep oil, grease and combustibles away. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk or roll equipment over spills. Close valve after each use and when empty.

In case of frostbite, obtain medical treatment IMMEDIATELY.

Keep out of reach of children. Contents under pressure and can vigorously accelerate combustion. Keep oil and grease away. Do not use or store near heat or open flame and use only with equipment and apparatus conditioned for oxygen service.

Use only as directed by a licensed practitioner. Uninterrupted use of high concentrations of oxygen for more than 5 hours may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Federal law requires that this container be refilled with Liquid Oxygen USP only by establishments registered as a Drug Producer in accordance with the Federal Food, Drug and Cosmetic Act.

<b>OXYGEN</b>				
oxygen gas				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:59400-001	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)		Oxygen	210 mL in 1 L	
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59400-001-01	670 L in 1 CYLINDER; Type 0: Not a Combination Product	10/29/2013	
2	NDC:59400-001-02	425 L in 1 CYLINDER; Type 0: Not a Combination Product	10/29/2013	
3	NDC:59400-001-03	140 L in 1 CYLINDER; Type 0: Not a Combination Product	10/29/2013	
4	NDC:59400-001-	7760 L in 1 CYLINDER; Type 0: Not a Combination Product	10/29/2013	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/29/2013	

**OXYGEN**

oxygen liquid

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:59400-005
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	210 mg in 1 kg

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59400-005-01	34168 kg in 1 DEWAR; Type 0: Not a Combination Product	11/05/2013	
2	NDC:59400-005-02	37585 kg in 1 DEWAR; Type 0: Not a Combination Product	11/05/2013	
3	NDC:59400-005-03	25626 kg in 1 DEWAR; Type 0: Not a Combination Product	11/05/2013	
4	NDC:59400-005-04	17084 kg in 1 DEWAR; Type 0: Not a Combination Product	11/05/2013	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		11/05/2013	

**Labeler** - BayCare Home Care, Inc. (794046607)**Registrant** - BayCare Home Care, Inc. (794046607)**Establishment**

Name	Address	ID/FEI	Business Operations
BayCare Home Care, Inc.		794046607	manufacture(59400-001, 59400-005)

**Establishment**

Name	Address	ID/FEI	Business Operations
BayCare Home Care, Inc.		832097617	manufacture(59400-001, 59400-005)

## Establishment

Name	Address	ID/FEI	Business Operations
BayCare Home Care, Inc.		832097591	manufacture(59400-001, 59400-005)

Revised: 12/2016

BayCare Home Care, Inc.