

**REGULAR STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide,
dimethicone suspension
VALU MERCHANDISERS COMPANY**

ALS (BC) ANTACID original

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 200 mg (equivalent to dried gel, USP)
Magnesium hydroxide 200 mg
Simethicone 20mg

Purposes

Antacid
Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

Other information

- **each 5 mL teaspoonful contains:** magnesium 85 mg, sodium 3 mg
- store at room temperature
- protect from freezing
- keep tightly closed


Inactive ingredients

benzyl alcohol, butylparaben, flavor (contains alcohol), hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

package Label



Always Save
REGULAR STRENGTH
ANTACID LIQUID
ALUMINA, MAGNESIA, AND SIMETHICONE ORAL SUSPENSION

FAST-ACTING

FOR RELIEF OF
ACID INDIGESTION · HEARTBURN
· SOUR STOMACH
· PRESSURE & BLOATING

ORIGINAL FLAVOR
ALCOHOL: 0.15%

12 FL OZ (355 mL)

276-05112-1 REV0323

Drug Facts TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

Active ingredients (in each 5 mL teaspoonful)	Purpose
Aluminum hydroxide 200 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 200 mg	Antacid
Simethicone 20 mg	Antigas

Uses relieves • heartburn • sour stomach
• acid indigestion • symptoms referred to as gas

Warnings
Ask a doctor before use if you have
• kidney disease • a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs
Stop use and ask a doctor if symptoms last for more than 2 weeks
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions • shake well before use
• adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between meals, at bedtime or as directed by a doctor
• do not exceed 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
• children under 12 years of age: ask a doctor.

Other information
• each 5 mL teaspoonful contains: magnesium 85 mg, sodium 3 mg
• store at room temperature
• protect from freezing • keep tightly closed

Inactive ingredients benzyl alcohol, butylparaben, flavor (contains alcohol), hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? 1-800-540-3765

PROUDLY DISTRIBUTED BY:
ASSOCIATED WHOLESAL
GROCERS, INC.
KANSAS CITY, KANSAS 66106

ALWAYS SAVE 66703 0723 GER

976-06112-2 REV0323

FOR PRODUCT INFORMATION
PLEASE VISIT:
ALWAYS SAVE BRAND.COM/66703

0 70038 66703 2

www.always save brand.com

REGULAR STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-629
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -	ALUMINUM	200 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-629-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017	
2	NDC:63941-629-24	710 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017	09/01/2018

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	07/01/2017	

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(63941-629) , pack(63941-629)

Revised: 11/2023

VALU MERCHANDISERS COMPANY