

SUPREME ANTACID- calcium carbonate, magnesium hydroxide suspension
VALU MERCHANDISERS COMPANY

ALS (BC) antacid supreme cherry

Active ingredients (in each 5 mL teaspoonful)

Calcium carbonate 400 mg
Magnesium hydroxide 135 mg

Purpose

Antacid

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach due to these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.
Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 18 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

Other information

- **each 5 mL teaspoonful contains:** calcium 160mg, magnesium 55 mg

- refrigerate after opening to preserve freshness and purity
- do not freeze
- keep tightly closed

Inactive ingredients


benzyl alcohol, flavor, hydroxyethylcellulose, purified water, saccharin sodium, simethicone emulsion, sorbic acid, sorbitol solution, xanthan gum

Questions or comments?

1-800-540-3765

package Label

Always Save[®]




SUPREME ANTACID LIQUID

FAST-ACTING

FOR RELIEF OF
-ACID INDIGESTION -HEARTBURN
-SOOR STOMACH

CHERRY FLAVOR



12 FL OZ (355 mL)

276-07322-2 REV0323

Drug Facts TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

Active ingredients (in each 5 mL teaspoonful)	Purpose
Calcium carbonate 400 mg	Antacid
Magnesium hydroxide 135 mg	Antacid

Uses relieves • heartburn • sour stomach • acid indigestion • upset stomach due to these symptoms

Warnings
Ask a doctor before use if you have
 • kidney disease • a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last for more than 2 weeks
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions • shake well before use
 • adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
 • do not exceed 18 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
 • children under 12 years of age: ask a doctor

Other information
 • each 5 mL teaspoonful contains: calcium 160 mg, magnesium 55 mg
 • do not freeze • keep tightly closed
 • refrigerate after opening to preserve freshness and purity

Inactive ingredients benzyl alcohol, flavor, hydroxyethylcellulose, purified water, saccharin sodium, simethicone emulsion, sorbic acid, sorbitol solution, xanthan gum

Questions or comments? 1-800-540-3765

PROUDLY DISTRIBUTED BY:
 ASSOCIATED WHOLESALE
 GROCERS, INC.
 KANSAS CITY, KANSAS 66106
 FOR PRODUCT INFORMATION
 PLEASE VISIT:
 ALWAYS SAVE BRAND.COM/66702

ALWAYS SAVE 66702 0723 GER

976-07322-3 021 05-0323



0 70038 66702 5

 www.alwaysavebrand.com

SUPREME ANTACID

calcium carbonate, magnesium hydroxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-624
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B,	CALCIUM	400 mg

CARBONATE ION - UNII:7UJQ5OPE7D)	CARBONATE	in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	135 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SORBIC ACID (UNII: X045WJ989B)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
XANTHAN GUM (UNII: TTV12P4NEE)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (cherry)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-624-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	08/01/2017	

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Registrant - GCP Laboratories (965480861)

Revised: 11/2023

VALU MERCHANDISERS COMPANY