

**MAXIMUM STRENGTH ANTACID AND ANTIGAS CHERRY- aluminum hydroxide,  
magnesium hydroxide, dimethicone suspension  
VALU MERCHANDISERS COMPANY**

-----  
**ALS (BC) max antacid cherry**

**Active ingredients (in each 5 mL teaspoonful)**

Aluminum hydroxide 400 mg (equivalent to dried gel, USP)

Magnesium hydroxide 400 mg

Simethicone 40mg

**Purposes**

Antacid

Antigas

**Uses**

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas
- upset stomach due to these symptoms

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- shake well before use
- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls two times a day or as directed by a doctor

- do not exceed 8 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor

### **Other information**

- **each 5 mL teaspoonful contains:** magnesium 165 mg, sodium 5 mg
- protect from freezing
- store at room temperature tightly closed

### **Inactive ingredients**

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

### **Questions or comments?**

**1-800-540-3765**

### **package Label**

**TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.**

Drug Facts	Purpose
<b>Active ingredients (in each 5 mL teaspoonful)</b>	
Aluminum hydroxide 400 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 400 mg	Antacid
Simethicone 40 mg	Antigas

**Uses** relieves • heartburn • sour stomach  
 • acid indigestion • symptoms referred to as gas  
 • upset stomach due to these symptoms

**Warnings**  
**Ask a doctor before use if you have**  
 • kidney disease • a magnesium-restricted diet  
**Ask a doctor or pharmacist before use if you are presently taking a prescription drug.** Antacids may interact with certain prescription drugs.  
**Stop use and ask a doctor if symptoms last for more than 2 weeks**  
**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.**

**Directions** • shake well before use  
 • adults and children 12 years of age and older: take 2 to 4 teaspoonfuls two times a day or as directed by a doctor  
 • do not exceed 8 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks  
 • children under 12 years of age: ask a doctor

**Other information**  
 • each 5 mL teaspoonful contains: magnesium 165 mg, sodium 5 mg  
 • store at room temperature tightly closed • protect from freezing

**Inactive ingredients** benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments? 1-800-540-3765**

PROUDLY DISTRIBUTED BY:  
 ASSOCIATED WHOLESALE  
 GROCERS, INC.  
 KANSAS CITY, KANSAS 66106

ALWAYS SAVE 66743 0723 GER

FOR PRODUCT INFORMATION  
 PLEASE VISIT:  
 ALWAYS SAVE BRAND.COM/66743

676-11322-2 REV 03-2023

0 70038 66743 8

www.alwaysavebrand.com

**MAXIMUM STRENGTH ANTACID AND ANTIGAS CHERRY**  
 aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-638
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -		ALUMINUM	400 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 5 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-638-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	08/01/2017	

**Labeler** - VALU MERCHANDISERS COMPANY (868703513)

**Registrant** - GCP Laboratories (965480861)

## Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(63941-638) , pack(63941-638)

