

**GLYCERIN - glycerin suppository**  
**DSC Laboratories Inc.**

-----  
**Best Choice Pediatric Glycerin Suppositories**

**Active ingredient (in each suppository)**

Glycerin 1.2 g

**Purpose**

Laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only

May cause rectal discomfort or a burning sensation

**Ask a Doctor before using any laxative if child has**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if child has**

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children.**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

Single daily dosage

children 2 to under 6-1 suppository, or as directed by a doctor

children under 2 years-ask a doctor

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Questions

1-800-492-5988

## Pediatric Glycerin Suppositories, 25 count

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Pediatric Glycerin Suppositories, 25 count

Distributed by Valu Merchandisers

5000 Kansas Ave.

Kansas City, KS 66106

PedGlycSupp25ct

**Best Choice**  
**Children's Glycerin SUPPOSITORIES**  
 Laxative  
 TAMPER EVIDENT  
 DO NOT USE IF INNER SEAL IS BROKEN OR MISSING  
 25 CHILDREN'S SUPPOSITORIES

**COMPARE TO THE ACTIVE INGREDIENT IN FLEET PEDI-LAX GLYCERIN SUPPOSITORIES\***

**Drug Facts**  
**Active ingredient (in each suppository)** Glycerin 12g  
**Purpose** Laxative  
**Uses**  
 ■ For relief of occasional constipation  
 ■ This product generally produces bowel movement in 1/4 to 1 hour  
**Warnings**  
**For rectal use only**  
 May cause rectal discomfort or a burning sensation.  
 Ask a doctor before using any laxative if child has  
 ■ abdominal pain, nausea or vomiting  
 ■ a sudden change in bowel habits lasting more than 2 weeks  
 ■ already used a laxative for more than 1 week  
**Stop use and consult a doctor if child has**  
 ■ rectal bleeding  
 ■ no bowel movement within 1 hour of using this product  
 These symptoms may indicate a serious condition.  
**Keep out of reach of children.**  
 If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** *Single daily dosage*  
 children 2 to under 6 years 1 suppository, or as directed by a doctor  
 children under 2 years ask a doctor  
 Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

**Other Information**  
 ■ Store container tightly closed  
 ■ Keep away from excessive heat.

**Inactive ingredients**  
 purified water, sodium hydroxide, stearic acid

**Questions 1-800-492-5988**

\*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®

PROUDLY DISTRIBUTED BY:  
**Best Choice,**  
 100% Guaranteed  
 www.bestchoiceand.com  
 VALU MERCHANDISERS, CO.  
 5000 KANSAS AVE  
 KANSAS CITY, KS 66106

**BEST CHOICE**

0 170038 20163 2

**NO VARNISH AREA**

## GLYCERIN

glycerin suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52316-724
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
GLYCERIN (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)		GLYCERIN	1.2 g	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52316-724-25	25 in 1 JAR; Type 0: Not a Combination Product	08/15/2012	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	08/15/2012		

**Labeler** - DSC Laboratories Inc. (097807374)

**Registrant** - DSC Laboratories Inc. (097807374)

**Establishment**

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(52316-724)

Revised: 12/2023

DSC Laboratories Inc.