

MILK OF MAGNESIA- magnesium hydroxide suspension
VALU MERCHANDISERS COMPANY

BC mom CHRY

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- **each 15 mL contains:** magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed

Inactive ingredients

carboxymethylcellulose sodium, citric acid, D & C red no. 28, flavor (contains alcohol), glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments?

1-800-540-3765

package Label

BEST CHOICE

COMPARE TO THE ACTIVE
INGREDIENT IN PHILLIPS'®
MILK OF MAGNESIA*

Milk of Magnesia
MAGNESIUM HYDROXIDE
SALINE LAXATIVE
STIMULANT FREE/CRAMP FREE/LOW SODIUM
EFFECTIVE OVERNIGHT RELIEF

Tamper evident: Do not use if imprinted neckband is broken or missing


Contains: 0.6% alcohol
WILD CHERRY FLAVOR

12 FL OZ (355 mL)

COMPARE TO THE ACTIVE INGREDIENT IN PHILLIPS[®] MILK OF MAGNESIA*

Best Choice[®]

Milk of Magnesia



**MAGNESIUM HYDROXIDE
SALINE LAXATIVE
STIMULANT FREE/CRAMP FREE/LOW SODIUM
EFFECTIVE OVERNIGHT RELIEF**

Contains: 0.6% alcohol
TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

WILD CHERRY FLAVOR

12 FL OZ (355 mL)

276-19312-1
REV 0717

Drug Facts

Active ingredient (in each 15 mL) Magnesium hydroxide 1200 mg	Purpose Saline laxative
---	-----------------------------------

Use

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- a magnesium-restricted diet
- a sudden change in bowel habits that lasts over 14 days
- kidney disease
- stomach pain, nausea or vomiting

Ask a doctor or pharmacist before use if you are taking a prescription drug.
This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg, sodium 6 mg
- avoid freezing
- store at room temperature tightly closed



Inactive ingredients carboxymethylcellulose sodium, citric acid, D & C red no. 28, flavor (contains alcohol), glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments? 1-800-540-3765

Best Choice. 100% Guaranteed

www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

*This product is not manufactured or distributed by Bayer Healthcare LLC., distributors of Phillips[®] brand Milk of Magnesia.

976-19312-1 REV0717

MILK OF MAGNESIA			
magnesium hydroxide suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-648
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0K00R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-648-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/01/2017	

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	pack(63941-648) , manufacture(63941-648)

Revised: 10/2023

VALU MERCHANDISERS COMPANY