# FLORMAR SMOOTH TOUCH FOUNDATION 07 GOLDEN NEUTRAL- octinoxate aerosol Kosan Kozmetik Sanayi ve Ticaret A.S.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Flormar Smooth Touch Foundation 07 Golden Neutral

## **Drug Facts**

## Active ingredient

Octinoxate 5%

## Purpose

Sunscreen

### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

## **Warnings**

## For external use only

#### Do not use

on damaged or broken skin

## When using this product

keep out of eyes. Rinse with water to remove.

## Stop use and ask a doctor if

rash occurs

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Shake well before use.
- After use, close the cap properly.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk if skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. -2 p.m.

- Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

### Other information

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.

## **Inactive ingredients**

water, dimethicone, cyclopentasiloxane, butylene glycol, PEG-10 dimethicone, polymethylsilsesquioxane, glycerin, trimethylsiloxysilicate, disteardimonium hectorite, SD alcohol 40-B, phenoxyethanol, sodium chloride, polysilicone-11, triethoxycaprylylsilane, aluminum hydroxide, sodium PCA, fragrance, urea, caprylic/capric triglyceride, ethylhexylglycerin, algae extract, soluble collagen, trehalose, leuconostoc/radish root ferment filtrate, polyquaternium-51, cymbidium grandiflorum flower extract, nelumbo nucifera flower extract, sodium hyaluronate, chlorphenesin, propylene glycol, fig (ficus carica) fruit extract, cotton (gossypium hirsutum) seed extract, linseed (linum usitatissimum seed extract, sodium dehydroacetate. may contain: titanium dioxide, iron oxides.

## **Package Labeling:**



## Kosan Kozmetik Sanavi ve Ticaret A.S.,

Gebze Organize Sanayi Bolgesi Ihsan Dede Cad.900.SK NO:133 Gebze, Kocaeli 41480 Turkey

## Made in Turkey

To report a serious adverse event contact [971] 766-7350.







www.flormar.com info@flormar.com.de ITEM: 1632.00

A new smooth texture creates flawless definition and dimension. A blend of lotus flower extract and orchid complex help reinforce the natural beauty of the skin.

Dermatologically tested. Shake well before use.

# **Drug Facts**

Active ingredient Octinoxate 5%..... Purpose .Sunscreen

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

## Warnings For external use only

Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Contro Čenter right away.

## Directions

Shake well before use.

After use, close the cap properly.

Apply liberally 15 minutes before sun exposure.

Reapply at least every 2 hours.

Use a water resistant sunscreen if swimming or

sweating.

Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses.
 Children under 6 months of age: Ask a doctor.

## Other information

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.

Inactive ingredients water, dimethicone, cyclopentasiloxane, butylene glycol, PEG-10 dimethicone, polymethylsilsesquioxane, glycerin, trimethylsiloxysilicate, disteardimonium hectorite, SD alcohol 40-B, phenoxyethanol, sodium chloride, polysilicone-11, triethoxycaprylylsilane, aluminum hydroxide, sodium PCA, fragrance, urea, caprylic/capric triglyceride, ethylhexylglycerin, algae extract, soluble collagen, trehalose, leuconostoc/radish root ferment filtrate, polyquaternium-51, cymbidium grandiflorum flower extract, nelumbo nucifera flower extract, sodium hyaluronate, chlorphenesin, propylene glycol, fig (ficus carica) fruit extract, cotton (gossypium hirsutum) seed extract, linseed (linum usitatissimum seed extract, sodium dehydroacetate. may contain: titanium dioxide, iron oxides. 23 mm



 $1.0\,\mathrm{fl}\,\mathrm{oz}\,(30\,\mathrm{ml}\,\bigcirc)$ 

Peel away for Drug Facts A new smooth textu creates flawless definition anddimension. A blend of lotus flower extract and orchid complex help reinforce the natural beauty of the skin.

Dermatologically tested. Shake well before use.

#### Kosan Kozmetik Sanayi ve Ticaret A.S.,

Gebze Organize Sanayi Bolgesi Ihsan Dede Cad.900.SK NO:133 Gebze, Kocaeli 41480 Turkey

#### Made in Turkey

To report a serious adverse event contact [971] 766-7350.



www.flormar.com info@flormar.com.de 🖡

## **Drug Facts**

Active ingredient Purpose Octinoxate 5%

Uses
Helps prevent sunburn
If used as directed with other sun protection
measures (see *Directions*), decreases the
risk of skin cancer and early skin aging causa

#### Warnings

For external use only

Do not use on damaged or broken ski When using this product keep out of eyes

Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowe get medical help or contact a Poison Cont enter right away.

#### Directions

Shake well before use.
After use, close the cap properly.
Adply liberally 15 minutes before sun exposure.
Reapply at least every 2 hours.
Use a water resistant sunscreen if swimming or

■ Use a water resonant successor survey as swelling.
■ Sun Protection Measures. Spending time in the sun increases you risk of skin cancer and early skin aging. To decrease this risk, regularly use a suncreane with a Broad Spectrum SPF value of 15 or hicher and other sun protection measures including:
■ In this me in the sun, especially from 10 am. – 2 pm.
■ Wear brug-sevend Sinks, paris, that and sunglesses.
■ Children under 6 months of age. Ask a doctor.

## **Drug Facts** (continued)

Other information
Protect the product in this container from excessive heat and direct sun.
Keep the product cool.
After use, close the tube properly with cap.

Allet use, close me unde property wint cap.

Inactive ingredients water, 
inactione, syclopatissionae, britythe glyool, PEG-10 
dinablicone, polymathylistisseguicone, glycerin, 
trianthylisiologistic, distandinomiam bedrinte, 
50 alchold 45E, phenocyathylistise, staminum 
hydroxide, sodium PCA, fraginae, urse, cappiliclaparti, 
rhylycside, sodium PCA, fraginae, urse, cappiliclaparti, 
rhylycside, solytheoryidyevin, algae extract, soluble 
collegae, terlalose, bedonnosto-crashs nod kriment 
fillrate, polyquisternium-15, complicition grandification, 
fillwort exista, to-flumbo nariosa foliwer cathact, sofium 
hyslurosie, chlorophenesia, proprinte ghoot, fig filoseciacia filiate actio, colon (possymul missum) seed 
extract, tisseed filium ustatissismum seed extract, sofium 
delydroxocter, any contain tribinari doude, inn oxidos 
delydroxocter, any contain tri roacetate. may contain: titanium dioxide, iro

## FLORMAR SMOOTH TOUCH FOUNDATION 07 GOLDEN NEUTRAL

octinoxate aerosol

#### **Product Information**

HUMAN OTC DRUG NDC:61722-276 Product Type Item Code (Source)

**Route of Administration** TOPICAL

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)

### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) OCTINOXATE 50 mg in 1 mL

## **Inactive Ingredients Ingredient Name** Strength WATER (UNII: 059QF0KO0R) **DIMETHICO NE (UNII: 92RU3N3Y10)** CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) BUTYLENE GLYCOL (UNII: 3XUS85K0RA) GLYCERIN (UNII: PDC6A3C0OX) DISTEARDIMO NIUM HECTORITE (UNII: X687XDK09L) PHENOXYETHANOL (UNII: HIE492ZZ3T) **SODIUM CHLORIDE** (UNII: 451W47IQ8X) DIMETHICO NE/VINYL DIMETHICO NE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) TRIETHO XYCAPRYLYLSILANE (UNII: LDC331P08E) ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) SODIUM PYRROLIDONE CARBO XYLATE (UNII: 469 OTG57A2) **UREA** (UNII: 8W8T17847W)

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TREHALOSE (UNII: B8WCK70T7I)	
LEUCONOSTO C/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
CYMBIDIUM HOOKERIANUM FLOWER (UNII: H2DJ03DI5I)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
HYALURO NATE SO DIUM (UNII: YSE9 PPT4TH)	
CHLO RPHENES IN (UNII: 1670 DAL4SZ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FIG (UNII: TGD87RII2U)	
SO DIUM DEHYDRO ACETATE (UNII: 8 W46 YN971G)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

	Packaging	ackaging					
ı	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>			
ı	1 NDC:61722-276-00	1 in 1 BOX	02/11/2016				
ı	1	30 mL in 1 TUBE; Type 0: Not a Combination Product					

Marketing Inform	Iarketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	02/11/2016			

# **Labeler** - Kosan Kozmetik Sanayi ve Ticaret A.S. (644090409)

Revised: 1/2020 Kosan Kozmetik Sanayi ve Ticaret A.S.